



425 S. Palos Verdes Street Post Office Box 151 San Pedro, CA 90733-0151 TEL/TDD 310 SEA-PORT www.portoflosangeles.org

Eric Garcetti

Mayor, City of Los Angeles

Board of Harbor
Commissioners

Jaime L. Lee
President

Edward R. Renwick
Vice President

Diane L. Middleton
Commissioner

Lucia Moreno-Linares
Commissioner

Anthony Pirozzi, Jr.
Commissioner

Eugene D. Seroka

Executive Director

DATE: March 07, 2024

BID ADDENDUM #1, Bid No. F-1193 – New Bid Opening Date and Line-Item Specification Clarifications: “Welded Bar Gratings for Badger Avenue Bridge”

ORIGINAL BID OPENING DATE: Wednesday, March 13, 2024, 11 a.m.

****NEW BID OPENING DATE: Wednesday, March 20, 2024, 11 a.m.****

Clarification to Line-Item Specifications:

Line-Item 1: *Badger Ave Bridge*****

WELDED BAR GRATING

Material: Carbon Steel

Grating Type: 19-W-4

Main Bar Spacing: 1 3/16” on center.

Cross Bar Spacing: 4”

Surface: Serrated

Ends: Banded

Attachment: 1/4” riser bard with holes for bolting to structure.

Finish: Hot dip galvanized.

Lower Level Bearing Bar size: 1 3/4” x 3/16” (based on 7’ clear span)

Based on approx. 200 sq. ft. (field measurement)

Line-Item 2: *Transition to Bridge House*****

WELDED BAR GRATING

Material: Carbon Steel

Grating Type: 19-W-4

Main Bar Spacing: 1 3/16” on center.

Cross Bar Spacing: 4”

Surface: Serrated.

Ends: Banded.

Attachment: Saddle Clips.

Finish: Hot dipped galvanized.

Transition to Bridge House Level Bearing Bar size: 2” x 3/16”

Based on approx. 200 sq. ft. (field measurement)

Line-Item 3: *Upper-Level Machine House*****

WELDED BAR GRATING

Material: Carbon Steel

Grating Type: 19-W-4

Main Bar Spacing: 1 3/16' on center.

Cross Bar Spacing: 4"

Surface: Serrated.

Ends: Banded

Attachment: Saddle Clips.

Finish: Hot dip galvanized.

Upper level at each side of the Machine House Bearing bar size: 2 3/4" x 3/16".

Based on approx. 1,225 sq. ft (field measurement)

Note: All manufacturing/fabrication tolerances to be in accordance with NAAMM Standards.

All other specifications, terms, and conditions shall remain the same.

QUESTIONS, BUYER: Danielle Nappi, (310) 732-3890.

Please attach this addendum to your bid.

Regards,



Danielle Nappi
Procurement Analyst