

TO: HARBOR DEPARTMENT PURCHASING OFFICE  
500 Pier "A" Street  
Berth 161  
Wilmington, CA 90744

BID NO. F-1218 1  
Show this number on envelope

Contract No. 40059

1. COMPLETE CONTRACT

This entire Bid Request shall become the contract upon its execution by the Executive Director on behalf of the Harbor Department of the City of Los Angeles. The complete contract shall consist of the entire Bid (including Specifications), this page, terms and conditions, any addenda, and when required, CONTRACTOR'S BOND. Contractor will be provided with a copy of the executed contract. Konica Minolta is proposing the City of Los Angeles MSA # 40213350 contract pricing and terms and conditions. In the event an award notice is given to Konica Minolta, the parties shall negotiate mutually agreeable terms and conditions for the resulting contract; however, the City of Los Angeles contract terms and conditions, including amendments and exhibits will control any resulting contract.

2. GOODS AND SERVICES TO BE PROVIDED BY THE CONTRACTOR

The Contractor agrees, upon acceptance of this offer by the City, to furnish the goods and services herein specified according to the terms and conditions as set forth herein.

3. AMOUNT TO BE PAID

The City agrees to pay the contractor for the goods or services in the manner described in the paragraph entitled "PAYMENTS" according to the terms and conditions. Unless otherwise indicated by the Bidder, remittance by the City for goods or services will be made to the address below.

4. CHOICE OF ALTERNATIVE PROVISIONS; OPTIONS; NOTIFICATION

When alternative provisions are requested, or options are offered, the contractor will be notified as to which provision, or option, is being accepted when notification is sent that the Contractor is the successful bidder.

5. DECLARATION OF NON-COLLUSION

The undersigned certifies (or declares) under penalty of perjury that this Bid is genuine and not sham or collusive, or made in the interest or on behalf of any person, firm, or corporation not herein named; that the bidder has not directly or indirectly induced or solicited any other bidder to put up a sham Bid, or any other person, firm or corporation to refrain from bidding, and that the bidder has not in any manner sought by collusion to secure any advantage over other bidders.

6. LEGAL JUSTIFICATION

This agreement shall be deemed entered into in Los Angeles, California, and shall be governed and construed in accordance with the laws of the State of California.

EXECUTED AT: Ramsey, NJ ON THE 14th DAY OF August, 2024  
City, State Date Month Year

BIDDER MUST COMPLETE AND SIGN BELOW:

Firm Name Konica Minolta Business Solutions U.S.A., Inc.

Phone 201-825-4000 Fax 201-818-3523

Address 100 Williams Drive Ramsey NJ 07446  
Street City State Zip

Signature  Toshihiko Takagi EVP, Strategic Business Planning  
Printed Name Printed Title

Signature  Stephen F. Herbes SVP, General Counsel & Secretary  
Printed Name Printed Title

(AFFIX CORPORATE SEAL HERE)

a) **Two signatures:** One by Chairman of Board of Directors, President, or a Vice-President **AND** one by Secretary, Assistant Secretary, Chief Financial Officer or an Assistant Treasurer.

b) **One signature:** By corporate designated individual together with properly attested resolution of Board of Directors authorizing person to sign.


NOTARIZATION: Bids executed outside the State of California must be sworn to and notarized below.

County of Bergen  
State of New Jersey S.S.  
Subscribed and sworn this date  
August 19, 2024

In witness whereof the Board of Harbor Commissioners of the City of Los Angeles has caused this contract to be executed by the Executive Director of the Harbor Department of said City and said Contractor has executed this contract the day and year written below.

By \_\_\_\_\_  
Executive Director Harbor Department

Approved as to form and legality  
September 6, 2024

City Attorney  
BY   
Deputy

Notary Seal \_\_\_\_\_ Signature Marc B...

Date

# FORMAL REQUEST FOR BID

CITY OF LOS ANGELES  
HARBOR DEPARTMENT

BID NO. F-1218

**SUBMIT BID TO :**

Los Angeles Harbor Department  
Purchasing Office, 1st Floor  
500 Pier A Street  
Wilmington, CA 90744

**BID DUE BEFORE  
2:00 P.M.  
AUGUST 23, 2024**

**BIDS WILL BE PUBLICLY  
OPENED**

**Buyer:** Jacquelyn Estrada, Procurement Analyst

**Email:** [JEstrada@portla.org](mailto:JEstrada@portla.org)

**ALL ITEMS REQUESTED MAY BE QUOTED AS "OR EQUAL".**

**AFFIRMATIVE ACTION – AN APPROVED AA PLAN OR CERTIFICATION, IF NOT ON FILE, WILL BE REQUIRED PRIOR TO AWARD OF CONTRACT.**

## **CANON (OR COMPARABLE) PHOTOCOPIERS AND RELATED SOFTWARE LICENSING, SERVICES AND ACCESSORIES**

Bids are requested for the Annual Requirements of the Los Angeles Harbor Department ("Department" or "City") for the above-referenced products and services for a term of one (1) year, commencing at the execution of the agreement, with two (2) one-year renewal options, subject to the approval of the Board of Harbor Commissioners. This Request for Bid/Contract represents the current requirements of the Los Angeles Harbor Department for Canon-branded Photocopiers and related software licensing, services, accessories and equipment. However, bids for comparable products, equipment and services will be considered, provided those products and services meet or exceed the minimum specifications per **Attachment A**.

**PRICING.** As quoted in Section 1. Attach additional terms as applicable.

[Konica Minolta has complied](#)

**SPECIFICATIONS.** As per Attachment A, or comparable as provided by Bidder.

[Konica Minolta has complied. Please see Attachments 'Specifications' and 'Current vs. Proposed'](#)

**LEASE TERMS.** The Terms and conditions of the Bidder's photocopier leasing program (attached) are incorporated herein by reference. To the extent that the terms and conditions of the Bidder's leasing program are in conflict with the terms and conditions contained in this contract, the terms and conditions of this contract will govern.

**PRICES ARE TO INCLUDE ALL DELIVERY CHARGES AND FEES, UNLESS OTHERWISE QUOTED, EXCLUDING SALES TAX.**

REQ. NO.: P-25-003  
NOTIFY: S. John  
JLE 073024  
Prev: F-1098/39940

**BIDDER MUST SIGN THIS BID ON PAGE 1. WET SIGNATURES REQUIRED.**

# FORMAL REQUEST FOR BID

**CITY OF LOS ANGELES  
HARBOR DEPARTMENT**

**BID NO. F-1218**

(SHOW THIS NUMBER ON ENVELOPE)

**BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024**

**1. PHOTOCOPIER LEASE COSTS. Monthly**

\*Please note that maintenance, service, toner and staples are in Konica Minolta's Click Rate

| Line               | Description  | Qty       | Lease Payment (Per Month)   | Click Rate, Black and White (Per Copy) | Click Rate, Color (Per Copy) |
|--------------------|--|-----------|---|--|------------------------------|
| A                  | IMAGERUNNER ADVANCE DX 4935i   | 26        | \$  | \$                                     | N/A                          |
| A-C                | bizhub C361i (color will be disabled)  | 26        | \$ 2,321.59   | \$ .00390                              | N/A                          |
| B                  | IMAGERUNNER ADVANCE DX 4945i   | 12        | \$  | \$                                     | N/A                          |
| B-C                | bizhub C451i (color will be disabled)  | 12        | \$ 1,223.19   | \$ .00390                              | N/A                          |
| C                  | IMAGERUNNER ADVANCE DX 6870i   | 12        | \$  | \$                                     | N/A                          |
| C-C                | bizhub C751i (color will be disabled)  | 12        | \$ 2,010.00   | \$ .00280                              | N/A                          |
| D                  | IMAGERUNNER ADVANCE C5850i   | 15        | \$  | \$                                     | \$                           |
| D-C                | bizhub C551i   | 15        | \$ 1,616.86   | \$ .00390                              | \$ .02100                    |
| E                  | IMAGEPRESS V800  | 1         | \$  | \$                                     | \$                           |
| E-C                | AccurioPress C4080   | 1         | \$ 1,010.43   | \$ .00450                              | \$ .02900                    |
| F                  | IMAGEPRESS V800, INCL. FIERY N500 SERVER   | 1         | \$  | \$                                     | \$                           |
| F-C                | AccurioPress C4080, including Fiery Image Controller (same as Fiery N500 Server) | 1         | \$ 1,598.58   | \$ .00450                              | \$ .02900                    |
| G                  | VARIOPRINT 140 SERIES QUARTZ SET   | 2         | \$  | \$                                     | N/A                          |
| G-C                | AccurioPress 7120  | 2         | \$ 1,741.68   | \$ .00270                              | N/A                          |
| <b>TOTAL UNITS</b> |  | <b>69</b> | * Monthly lease payment total \$11,522.33, property tax included. |  |                              |

**2. AS-NEEDED MAINTENANCE, PARTS AND ACCESSORIES. Quarterly**

As-needed maintenance, parts, accessories and included consumables, based on actual Click-Rate Usage.

**3. SOFTWARE LICENSING AND TRAINING. Monthly**

Canon PRISMAprepare Document Preparation Software Licensing, maintenance, set-up, and training fees.

\$ 41.55

3-C. AccurioPro Flux Essential

**4. LEASE INITIATION COSTS. One-Time**

Fees and charges associated with the initiation of the lease of the quoted products and services.

\$ 0.00

**FORMAL REQUEST FOR BID**

**CITY OF LOS ANGELES  
HARBOR DEPARTMENT**

**BID NO. F-1218**

(SHOW THIS NUMBER ON ENVELOPE)

**BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024**

**5. LEASE TERMINATION AND CLOSE-OUT COSTS.**

**One-Time**

Lease close-out and termination costs associated with the finalization of the previous or existing lease term.

\$ TBD

**6. NEW EQUIPMENT DELIVERY AND INSTALLATION.**

**As-Needed, Per Hour,  
Per Device**

Delivery and Installation Fees for newly-installed photocopiers during Normal Business Hours.

\$ 0.00

**7. NEW EQUIPMENT DELIVERY AND INSTALLATION, AFTER HOURS.**

**As-Needed, Per Hour,  
Per Device**

Delivery and Installation Fees for newly-installed photocopiers, provided outside of Normal Business Hours.

\$ 0.00

**8. SHIPPING CHARGES – COMMON CARRIER.** Shipping/Freight charges for parts, equipment, and materials from manufacturer to Vendor. Shipping charges are not subject to markup. Vendor will prepay and add shipping or delivery charges to invoices. Ship cheapest way, unless otherwise authorized, for goods to arrive within the time requested by Department personnel. Freight bills must be provided at invoicing, upon request. Air shipment must be specifically pre-authorized.

**9. DELIVERY CHARGES – BY VENDOR.**

Delivery charges for parts and materials, delivered by Vendor. Delivery charges are not subject to markup.

**BIDDERS' INSTRUCTIONS**

**REQUEST FOR QUOTATION BIDDER RESPONSIVENESS.** In order to be responsive, Bidder ("Contractor", "Vendor", "Supplier") shall complete and return all Quotation documents requested by the Department, including addenda, specifications, drawings and all forms. It shall be the Bidder's responsibility to **provide one (1) original and one (1) copy** of the completed Quotation documents. The original and all copies shall include all quotation documents requested by the Department, including addenda, specifications, drawings and all forms. The Director of the Contracts and Purchasing Division ("Director") may deem a Bidder non-responsive if the Bidder fails to provide all Quotation documents requested by the Department at the Quotation closing date and time.

**ADDENDA.** From time to time, the Harbor Department may deem it necessary to issue an addendum(a) to modify or cancel a Bid Request. Such addendum(a) will be available on the Port of Los Angeles internet website – [www.portoflosangeles.org](http://www.portoflosangeles.org) and the Los Angeles Regional Alliance Marketplace for Procurement website – <https://www.rampla.org/s/>. It is the responsibility of the Bidder to be aware of, and respond to, any such addendum(a) before the deadline of the applicable Bid request. Failure to do so may deem the Bid non-responsive.

## FORMAL REQUEST FOR BID

CITY OF LOS ANGELES  
HARBOR DEPARTMENT

**BID NO. F-1218**

(SHOW THIS NUMBER ON ENVELOPE)

**BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024**

**BID SUBMITTAL TIMELINESS.** Bidders solely are responsible for the timeliness of their submittals. As such, bidders are cautioned to budget adequate time to ensure that their bids are delivered at the location designated at or before the deadline set forth above. Bidders are cautioned that matters including, but not limited to, traffic congestion, power and internet outages, mail delivery delays, security measures and/or events in or around the Port of Los Angeles, may lengthen the amount of time necessary to deliver the Bid, whether the Bid is submitted in person or by mail.

**MAKES, MODELS AND BRAND NAMES.** Makes, Models and Brand Names referenced are for illustrative or descriptive purposes only, and are not intended to be restrictive to any particular product. If Bidder proposes to furnish another product equal in quality and purpose, such bids will be considered as long as they materially comply with the specifications.

Alternate Make, Model, Brand Names, and/or Catalog Number(s) must be indicated opposite each item in the shaded space provided marked "C".

The specified Make, Model, and Brand Name must be furnished unless otherwise specified by Bidder.

**AWARD.** The Harbor Department reserves the right to reject any or all Bids, award Bid as a whole, split award or delete line items, as it may deem necessary, unless otherwise stated herein.

**SPECIFICATION CHANGES.** If any provisions of the Specifications preclude Bidder from submitting a Bid, the Bidder may request in writing that the specifications be modified. Such request must be received by the Buyer or Director at least five (5) working days before the Bid opening date. All bidders will be notified by Addendum of any approved changes in the specifications.

**DEVIATION FROM SPECIFICATIONS.** Specifications contained herein are to describe the construction, design, size, and quality of the desired product and are not intended to be restrictive to any particular product. If Bidder proposes to furnish another product equal in quality and purpose, such bids will be considered as long as they materially comply with the specifications. Each deviation from the specifications must be stated in a letter, attached to Bidder's submittal. Failure to do so may void the Bid.

**ILLUSTRATIVE AND TECHNICAL DATA.** When quoting other than the specified brand or when no brand is indicated, Bidder must submit with Bid, complete illustrative and technical data on materials or equipment proposed to be furnished. Failure to furnish such data may void the Bid.

**TECHNICAL CORRECTIONS.** The Executive Director or designee is authorized to make minor technical corrections or clarifications in order to effectuate the intent of this contract/Bid.

**BID RECAPS.** Bid recaps, with a summary of all bids received, will be posted to the following website within two weeks of the bid closing date: <https://www.portoflosangeles.org/business/contracting-opportunities/purchasing-bids>

**FORMAL REQUEST FOR BID**

**CITY OF LOS ANGELES  
HARBOR DEPARTMENT**

**BID NO. F-1218**  
(SHOW THIS NUMBER ON ENVELOPE)

**BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024**

**CONTRACTUAL AND SERVICE TERMS**

**VENDOR CONTACT INFORMATION FOR CONTRACTUAL ISSUES.**

Contact Person: Valerie Jordan  
Title: Government & Education Solutions Specialist  
Telephone: 818-917-5024  
Email Address: vjordan@kmbs.konicaminolta.us

**VENDOR CONTACT INFORMATION FOR SERVICE REQUESTS AND TECHNICAL SUPPORT.**

Contact Person: Armando Vargas  
Title: Branch Service Manager  
Telephone: 213-427-3633  
Email Address: avargas@kmbs.konicaminolta.us

**EQUIPMENT CONDITION UPON DELIVERY.** The Photocopiers ("Fleet") and materials furnished shall be new and unused upon delivery and installation, newest model or offering.

**FLEET EQUIPMENT REPLACEMENT.** The equipment and pricing quoted represents that equipment to be delivered and installed at the start of the first term of this Lease/Contract and are subject to change at the discretion of the Harbor Department, as approved by the Director, provided that any additional equipment added to the Fleet during the contract term, or provided in replacement or exchange, meets the minimum requirements and specifications of the Department, and does not represent a decrease in service or functionality.

**SECURITY REQUIREMENTS.**

- 1. Canon ImageWARE Remote (for meters) and Auto Toner Program (or quoted comparable products and services) will be **deactivated** by Vendor for the duration of the Lease/Contract term.  
*Konica Minolta offers 'Consult App' which is a remote application for meter reads and the Auto Toner Replenishment program. We understand that this feature will not be turned on for the duration of the Lease/Contract term.*
- 2 All equipment must include security code functionality, programmable by Department personnel, at no charge. *Konica Minolta offers Secure Printing as a standard service. This allows personnel to print a document to the printer, but not have it actually print until it is released at the printer using a security code. This is programmable by department personnel.*

**AUTHORIZED DISTRIBUTOR/DEALER.** Bidder must indicate if it is an authorized distributor/dealer for the goods/services being quoted (please **initial**).

Yes: *[Signature]* D No: \_\_\_\_\_

If Bidder is not an authorized distributor/dealer, the Bidder shall submit with its Quotation a formal Letter of Certification from the manufacturer(s), stating that the manufacturer(s) will honor any warranty claims by the City for equipment, parts, and/or materials provided by the Bidder. The manufacturer(s) will be responsible

# FORMAL REQUEST FOR BID

CITY OF LOS ANGELES  
HARBOR DEPARTMENT

BID NO. F-1218

(SHOW THIS NUMBER ON ENVELOPE)

**BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024**

for any default of the Supplier that is not corrected by the Supplier in a timely and efficient manner. This responsibility includes replacing incorrect or defective parts, troubleshooting, and correcting problems that are traceable to the manufacturer(s).

**BUSINESS HOURS.** Vendor to indicate Normal Business Hours:

Monday-Friday: 8 A.M. to 95 P.M. Time Zone: PST

Saturday: \_\_\_\_\_ A.M. to \_\_\_\_\_ P.M.  Closed

Sunday: \_\_\_\_\_ A.M. to \_\_\_\_\_ P.M.  Closed

| 24/7 Tech Support   | Always have:  | Call Center   | Email  | Portal access  |
|---|---|---|--|--|
| You have 3 choices to choose from and we of course are always here to help! | Your product serial number, service agreement number or site ID ready | Phone: 800-456-5664<br>Option 1<br>followed by Option 2 | <a href="mailto:cs@mys.ams.com">cs@mys.ams.com</a><br>ML | Accessing your personalized web-based portal at <a href="http://www.MysAMS.com">www.MysAMS.com</a><br>Sign-up and password is required |

## DELIVERY

**DELIVERY.** Please specify delivery terms for supplies, equipment, hardware and accessories.

1-10 Business Days after receipt of order (ARO) for normally-stocked items.

1-10 Business Days after receipt of order for special-order and non-stock items.

Delivery and installation of photocopiers is required within thirty days of contract execution.

Konica Minolta will comply

**DELIVERY POINT.** Unless otherwise specified, prices to include all delivery charges, F.O.B. the Harbor Department, Community Relations and Graphics Services Division, 425 S. Palos Verdes Street, San Pedro, CA 90731.

## FINANCIAL TERMS

**ESTIMATED EXPENDITURE.** Total expenditures under this contract are estimated to be \$235,000.00 annually. No guarantee can be given that this total will be reached or that it will not be exceeded. Vendor agrees to furnish more or less at the unit prices quoted in accordance with actual requirements throughout the contract period, however, this amount may not be exceeded without prior written approval from the Board of Harbor Commissioners.

**SALES TAXES.** Do not include Sales Taxes in your Bid. Sales Taxes will be added at time of order.

**SALES TAX PERMIT.** A valid California State Board of Equalization Seller's Permit No. required to collect California State Sales Tax.

Permit Number: 11-609084  N/A (Invoices will not include sales taxes.)

**FEDERAL EXCISE TAX.** The City of Los Angeles Harbor Department is exempt from payment of Federal Excise Taxes, and will furnish Vendor with a Tax Exemption Certificate. PRICING NOT TO INCLUDE ANY FEDERAL EXCISE TAX.

**TAXPAYER IDENTIFICATION NUMBER.** Contractor declares that it has an authorized Taxpayer Identification Number (TIN), which must be indicated on all invoices. No payments will be made under this agreement without a valid TIN number. 13-1921089

# FORMAL REQUEST FOR BID

CITY OF LOS ANGELES  
HARBOR DEPARTMENT

**BID NO. F-1218**

(SHOW THIS NUMBER ON ENVELOPE)

**BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024**

**BUSINESS TAX REGISTRATION CERTIFICATE (BTRC)**. In accordance with the City of Los Angeles Municipal Code, a Business Tax Registration Certificate may be required of persons engaged in business activity within the City. The Office of Finance, Tax and Permit Division, (213) 473-5901, has sole authority in determining a firm's tax requirements and in issuing Business Tax Registration Certificates or Business Tax Exemption Numbers. Accordingly, firm's current Business Tax Registration Certificate or Business Tax Exemption Number must be clearly shown on all invoices submitted for payment. Bidder, in submitting this Bid, acknowledges and accepts the above requirements and recognizes that no invoice will be processed for payment without inclusion of the Business Tax Registration Certificate or Business Tax Exemption Number. **New Vendors will be permitted to provide a BTRC Account Number after award but prior to invoicing.**

BTRC Number: 0000635380-0001-1

**VENDOR PAYMENT.** Please note. Vendor name and address must be submitted exactly as they will appear on the invoice(s). **Please provide a copy of your firm's IRS Form W-9 with your Bid.** Please confirm the remit address for invoice payment below:

COMPANY: Konica Minolta Business Solutions U.S.A., Inc.

REMIT TO: ADDRESS: 100 Williams Drive  
Ramsey, NJ 07446

A/R EMAIL: achremit@kmb.konicaminolta.us

Invoices submitted for payment where the invoice name and address do not match the name and address as they appear on the Contract, or as indicated in the space above, will not be processed and will be returned to the Vendor.

**WITHHOLDING REQUIREMENTS.** The State of California Franchise Tax Board (FTB) requires that the City of Los Angeles Harbor Department withhold income taxes from payments to out-of-state vendors for services performed within California unless the Vendor submits one of the required forms listed below. The tax withholding rate is seven percent (7%) of payments subject to withholding.

*This requirement applies to vendors whose legal address (as indicated on their IRS W-9 Form), or payment address (as indicated on this Request for Bid/Quote), is outside of California. **Should either of these two situations apply to your company, please attach one of the following forms to your Bid** in order to help the Harbor Department clarify your nonresident tax withholding status:*

- Form 590, *Withholding Exemption Certificate*, certifying exemption from the withholding requirement.
- Form 587, *Nonresident Income Allocation Worksheet*, which allocates the expected income under the City contract for work completed within and outside of California.
- Notice from the CA Franchise Tax Board (CAFTB) that a withholding waiver was authorized (you must first file CA Form 588, *Nonresident Withholding Waiver Request* to the CAFTB).
- Notice from CAFTB that a reduced withholding request was authorized (you must first file CA Form 589 *Nonresident Reduced Withholding Request* to CAFTB).



# FORMAL REQUEST FOR BID

CITY OF LOS ANGELES  
HARBOR DEPARTMENT

BID NO. F-1218

(SHOW THIS NUMBER ON ENVELOPE)

**BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024**

Further information regarding this requirement may be found here:

<https://www.ftb.ca.gov/pay/withholding/withholding-on-nonresidents.html>

Please Check One:

Both Bidder's Legal Address and Remittance Address are located within the State of California.  
Withholding Forms Not Required.

Withholding Forms Attached  Withholding Forms on File with the Department

**RENEWAL OPTIONS.** State if you will grant the Harbor Department the option to extend any contract awarded hereunder for a period of one (1) or two (2) additional years from the date of expiration, under the same terms and conditions, subject only to price changes which can be justified by increases in Vendor's costs but not to exceed the percentage stated below. Option(s) granted will not be considered in awarding contracts.

YES or  NO

Option granted for one (1) additional year at a price increase not to exceed 0 %.

YES or  NO

Option granted for second (2<sup>nd</sup>) additional year at a price increase not to exceed 0 % over first (1<sup>st</sup>) option year prices.

It is agreed that if any renewal option granted herein is exercised, the City will notify the contractor prior to the expiration date. Escalating factors in options will not be automatically granted. Any request for an increase in price must be substantiated by corresponding increases in Vendor's costs, and submitted, in writing, to the Director of Contracts and Purchasing at the address on Page 1. No increase will be granted without prior approval of the Director.

**MISCELLANEOUS PURCHASES.** The Harbor Department requests the option to purchase miscellaneous related materials and services, in conjunction with the purchase of items covered by the contract, under the condition that such items may be purchased in amounts not to exceed \$1,000.00 per order, per invoice.

Check one:

Option Granted

Option Not Granted

INITIAL:



# FORMAL REQUEST FOR BID

CITY OF LOS ANGELES  
HARBOR DEPARTMENT

BID NO. F-1218

(SHOW THIS NUMBER ON ENVELOPE)

BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024

## INSURANCE AND INDEMNIFICATION

### INDEMNIFICATION AND INSURANCE:

#### Indemnification

Except for the sole negligence or willful misconduct of the City, or any of its Boards, Officers, Agents, Employees, Assigns and Successors in Interest, Vendor undertakes and agrees to defend, indemnify and hold harmless the City and any of its Boards, Officers, Agents, Employees, Assigns, and Successors in Interest from and against all suits and causes of action, claims, losses, demands and expenses, including, but not limited to, attorney's fees (both in house and outside counsel) and cost of litigation (including all actual litigation costs incurred by the City, including but not limited to, costs of experts and consultants), damages or liability of any nature whatsoever, for death or injury to any person, including Vendor's employees and agents, or damage or destruction of any property of either party hereto or of third parties, arising in any manner by reason of the negligent acts, errors, omissions or willful misconduct incident to the performance of this Purchase Order by Vendor or its subcontractors of any tier. Rights and remedies available to the City under this provision are cumulative of those provided for elsewhere in this Purchase Order and those allowed under the laws of the United States, the State of California, and the City.

Konica Minolta is proposing the City of Los Angeles MSA# 2200000000004 terms and conditions. In the event an award notice is given to Konica Minolta, the parties shall negotiate mutually agreeable terms and conditions for the resulting contract; however, the City of Los Angeles contract terms and conditions, including amendments and exhibits will control any resulting contract.

#### Acceptable Evidence and Approval of Insurance

Electronic submission is the required method of submitting Vendor's insurance documents. KwikComply is the City's online insurance compliance system, designed to be used primarily by insurance brokers and agents as they submit client insurance certificates directly to the City. It uses the standard insurance industry form known as the ACORD 25 Certificate of Liability Insurance in electronic format. The advantages of KwikComply include standardized, universally accepted forms, paperless approval transactions (24 hours, 7 days per week), and security checks and balances. Vendor's insurance broker or agent shall obtain access to KwikComply at <https://kwikcomply.org/> and follow the instructions to register and submit the appropriate proof of insurance on Vendor's behalf.

#### **POLICY COPIES**

Upon request by City, Vendor must furnish copy of binder of insurance and/or full certified policy of any insurance policy required herein. Such request may occur outside of termination and/or expiration date of this contract certificates.

#### **PRIMARY COVERAGE**

The coverages submitted must be primary with respect to any insurance or self-insurance of the City of Los Angeles Harbor Department. The City of Los Angeles Harbor Department's program shall be excess of this insurance and non-contributing.

If the Vendor maintains higher limits than the minimums shown below, the City requires and shall be entitled to coverage for the higher limits maintained by the Vendor. Any available insurance proceeds in excess of the specified minimum limits of insurance and coverage shall be available to the City.

# FORMAL REQUEST FOR BID

CITY OF LOS ANGELES  
HARBOR DEPARTMENT

**BID NO. F-1218**

(SHOW THIS NUMBER ON ENVELOPE)

**BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024**

## **ADDITIONAL INSURED**

The City of Los Angeles Harbor Department, its officers, agents, and employees must be included as additional insureds in applicable liability policies to cover the City of Los Angeles Harbor Department's vicarious liability for the acts or omissions of the named insured. Such coverage is not expected to respond to the active negligence of the City of Los Angeles Harbor Department.

## **NOTICE OF CANCELLATION**

By terms of the contract, the contracting company agrees to maintain all required insurance in full force for the duration of the contractor's business with the City of Los Angeles Harbor Department. Each contractually required insurance policy shall provide that it will not be canceled or reduced in coverage until after the Board of Harbor Commissioners, Attention: Risk Manager and the City Attorney of the City of Los Angeles Harbor Department have been given thirty (30) days' prior notice (or 10 days' notice of non-payment of premium) by registered mail addressed to 425 S. Palos Verdes Street, San Pedro, California 90731.

## **RENEWAL**

When an existing policy is timely renewed, you are encouraged to submit your renewal policy as soon as it is available to KwikComply. All renewals must continue to meet the policy conditions listed above. As a courtesy, Risk Management sends notifications of expiring or expired insurance. However, it is the responsibility of the contracting company to ensure evidence of insurance remains effective for the duration of the contract.

For further clarification on Insurance procedures, coverage information and documentation please go to <http://www.portoflosangeles.org/business/risk.asp>.

Vendor will be required to furnish, at its own expense and within TEN (10) days of notification of pending award, proof of insurance, in accordance with the types and in the minimum limits shown below:

### **NOTE**

**FAILURE TO SUBMIT PROOF OF INSURANCE WITHIN (10) DAYS UPON RECEIPT OF NOTICE OF INTENT TO AWARD WILL DEEM THE BIDDER NON- RESPONSIVE AND THE PROSPECTIVE AWARD MAY BE CANCELLED.**

### **General Liability Insurance**

Vendor shall procure and maintain in effect throughout the term of this Purchase Order, without requiring additional compensation from the City, commercial general liability insurance covering personal and advertising injury, bodily injury, and property damage providing contractual liability, independent contractors, products and completed operations, and premises/operations coverage written by an insurance company authorized to do business in the State of California rated VII, A- or better in Best's Insurance Guide (or an alternate guide acceptable to City if Best's is not available) within Vendor's normal limits of liability but not less than one million Dollars (\$1,000,000.00) combined single limit for injury or claim. Said limits shall provide first dollar coverage except that Executive Director may permit a self-insured retention or self-insurance in those cases where, in his or her judgment, such retention or self-insurance is justified by the net worth of Vendor. The retention or self-insurance provided shall provide that

**FORMAL REQUEST FOR BID**

**CITY OF LOS ANGELES  
HARBOR DEPARTMENT**

**BID NO. F-1218**

(SHOW THIS NUMBER ON ENVELOPE)

**BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024**

any other insurance maintained by the Harbor Department shall be excess of Vendor's insurance and shall not contribute to it. In all cases, regardless of any deductible or retention, said insurance shall contain a defense of suits provision and a severability of interest clause. Additionally, each policy shall include an additional insured endorsement (CG 2010 or equivalent) naming the City of Los Angeles Harbor Department, its officers, agents and employees as Primary additional insureds, a 10-days' notice of cancellation for nonpayment of premium, and a 30-days' notice of cancellation for any other reasons.

Auto Liability Insurance

Vendor shall procure and maintain at its expense and keep in force at all times during the term of this Purchase Order, automobile liability insurance written by an insurance company authorized to do business in the State of California rated VII, A- or better in Best's Insurance Guide (or an alternate guide acceptable to City if Best's is not available) within Consultant's normal limits of liability but not less than one million Dollars (\$1,000,000.00) covering damages, injuries or death resulting from each accident or claim arising out of any one claim or accident. Said insurance shall protect against claims arising from actions or operations of the insured, or by its employees. Coverage shall contain a defense of suits provision and a severability of interest clause. Additionally, each policy shall include an additional insured endorsement (CG 2010 or equivalent) naming the City of Los Angeles Harbor Department, its officers, agents and employees as Primary additional insureds, a 10-days' notice of cancellation for nonpayment of premium, and a 30-days' notice of cancellation for any other reasons.

Workers' Compensation and Employer's Liability

Vendor shall certify that it is aware of the provisions of Section 3700 of the California Labor code which requires every employer to be insured against liability for Workers' Compensation or to undertake self-insurance in accordance with the provisions of that Code, and that Vendor shall comply with such provisions before commencing the performance of the tasks under this Purchase Order. Coverage for claims under U.S. Longshore and Harbor Workers' Compensation Act, if required under applicable law, shall be included. Vendor shall submit Workers' Compensation policies whether underwritten by the state insurance fund or private carrier, which provide that the public or private carrier waives its right of subrogation against the City in any circumstance in which it is alleged that actions or omissions of the City contributed to the accident. Such Worker's Compensation and occupational disease requirements shall include coverage for all employees of Vendor, and for all employees of any subcontractor or other Vendor retained by Vendor.

INITIAL HERE ACKNOWLEDGING INSURANCE REQUIREMENTS:

 (initial)

1rd  
jr,  
ce

**Upon approval of insurance, contractor will receive written authorization to proceed.**

**NO WORK MAY BE PERFORMED WITHOUT SUCH WRITTEN AUTHORIZATION TO PROCEED**

# FORMAL REQUEST FOR BID

CITY OF LOS ANGELES  
HARBOR DEPARTMENT

BID NO. F-1218

(SHOW THIS NUMBER ON ENVELOPE)

BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024

## GENERAL TERMS – LAW, CHARTER, ADMINISTRATIVE CODE

**COMPLIANCE WITH LAWS.** Vendor shall comply with all applicable Ordinances, laws, Rules and Regulations of the City and of any County, State or Federal Government, or subdivision thereof.

**DEFAULT BY SUPPLIER.** In case of default by Vendor, the City reserves the right to procure the articles or services from other sources and to hold the Vendor responsible for any excess costs occasioned to the City thereby.

### **LOCAL BUSINESS PREFERENCE PROGRAM**

The Harbor Department is committed to maximizing opportunities for local and regional businesses, as well as encouraging local and regional businesses to locate and operate within the Southern California region. It is the policy of the Harbor Department to support an increase in local and regional jobs. The Harbor Department's Local Business Preference Program (LBPP) aims to benefit the Southern California region by increasing jobs and expenditures within the local and regional private sector.

Vendors who qualify as a Local Business Enterprise (LBE) will receive an 8% preference on any bid for goods, materials, supplies, and related services valued in excess of \$150,000. The preference will be applied by calculating the Bidder's price at 8% less than the quoted price. The Harbor Department will use the applied preference for bid tabulation only. Actual amount paid to the lowest Bidder will be the price quoted by the lowest Bidder meeting specifications.

The Harbor Department defines an LBE as:

- (a) A business headquartered within Los Angeles, Orange, Riverside, San Bernardino, or Ventura Counties. Headquartered shall mean that the business physically conducts and manages all of its operations from a location in the above-named counties; or
- (b) A business that has at least 50 full-time employees, or 25 full-time employees for specialty marine contracting firms, working in Los Angeles, Orange, Riverside, San Bernardino, or Ventura Counties.

In order for Harbor Department staff to determine the appropriate LBE preference, Bidder shall complete, sign, notarize and submit the attached Affidavit and Bidder Description Form. The Affidavit and Bidder Description Form will signify the LBE status of the Bidder and subcontractors.

In the event of Bidder's noncompliance during the performance of the Contract, Bidder shall be considered in material breach of contract. In addition to any other remedy available to City under this Contract or by operation of law, the City may withhold invoice payments to Bidder until noncompliance is corrected, and assess the costs of City's audit of books and records of Bidder and its subcontractors. In the event the Bidder falsifies or misrepresents information contained in any form or other willful noncompliance as determined by City, City may disqualify the Bidder from participation in City contracts for a period of up to five (5) years.

**SWEAT-FREE PROCUREMENT POLICY.** The Board of Harbor Commissioners of the City of Los Angeles adopted Resolution No. 6455 on October 19, 2006, agreeing to adopt provisions of Los Angeles City Ordinance 176,291, relating to Sweat-Free Procurement, Section 10.43 et seq. of the Los Angeles Administrative Code, as a policy of the Harbor Department. Contractor shall comply with the policy wherever applicable. Violation of the policy shall entitle the City to terminate any Agreement with Contractor and pursue any and all other legal remedies that may be available.

## FORMAL REQUEST FOR BID

CITY OF LOS ANGELES  
HARBOR DEPARTMENT

BID NO. F-1218

(SHOW THIS NUMBER ON ENVELOPE)

**BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024**

**ETHICS.** Persons who submit a response to this solicitation (bidders) are subject to Charter section 470(c)(12) and related ordinances. As a result, bidders may not make campaign contributions to and or engage in fundraising for certain elected City officials or candidates for elected City office from the time they submit the response until either the contract is approved or, for successful bidders, 12 months after the contract is signed. The Bidder's principals and subcontractors performing \$100,000 or more in work on the contract, as well as the principals of those subcontractors, are also subject to the same limitations on campaign contributions and fundraising.

Bidders must submit CEC Forms 50 and 55, attached, to the awarding authority at the same time the response is submitted. The forms require bidders to identify their principals, their subcontractors performing \$100,000 or more in work on the contract, and the principals of those subcontractors. Bidders must also notify their principals and subcontractors in writing of the restrictions and include the notice in contracts with subcontractors. Responses submitted without completed CEC Forms 50 and 55 shall be deemed nonresponsive. Bidders who fail to comply with City law may be subject to penalties, termination of contract, and debarment. Additional information regarding these restrictions and requirements may be obtained from the City Ethics Commission at (213) 978-1960 or [ethics.lacity.org](http://ethics.lacity.org).

**MINORITY, WOMEN, AND OTHER BUSINESS ENTERPRISE (MBE/WBE/OBE).** It is the policy of the Los Angeles Harbor Department to provide minority (MBE), women (WBE) and all other (OBE) business enterprises an equal opportunity to participate in the performance of all Harbor Department contracts. Such opportunities have resulted in combined M/WBE participation of over 20%. Bidders are encouraged to continue assisting the Department in implementing this policy by taking all reasonable steps to ensure that all available business enterprises have an equal opportunity to compete for and participate in Department contracts. All bidders are encouraged to reach out to M/W/OBEs when opportunities are available.

**EQUAL BENEFITS POLICY.** The Board of Harbor Commissioner of the City of Los Angeles adopted Resolution No. 6328 on January 12, 2005, agreeing to adopt the provisions of Los Angeles City Ordinance 172,908, as amended, relating to Equal Benefits (Section 10.8.2 et seq. of the Los Angeles Administrative Code) as a policy of the Harbor Department. Bidder shall comply with the policy whenever applicable. Violation of the policy shall entitle the City to terminate any agreement with Bidder and pursue any or all other legal remedies that may be available.

### **REGIONAL ALLIANCE MARKETPLACE FOR PROCUREMENT (RAMP).**

**PRIOR TO BEING AWARDED A CONTRACT** with the Harbor Department, all vendors must be registered on the *City's Contracts Management and Opportunities Database*, Regional Alliance Marketplace for Procurement (RAMP), at <http://www.RAMPLA.org>.

Respondents are advised, pursuant to [Executive Directive 35](#), if a Bidder is selected and awarded a contract, and if the Vendor is a for-profit company or corporation, the Vendor shall, within 30 days of the effective date of the contract and on an annual basis thereafter (i.e., within 30 days of the anniversary of the effective date of the contract), report the following information to City via the Regional Alliance Marketplace for Procurement ("RAMP") or via another method specified by City: Vendor's and any subcontractor's annual revenue, number of employees, location, industry, race/ethnicity and gender of majority owner ("contractor/subcontractor information"). On an annual basis, the Vendor shall further request that any subcontractor input or update its business profile, including the Vendor/subcontractor information, on RAMP or via another method prescribed by City. Vendors who are already registered may look up their RAMP ID at: <https://www.rampla.org/s/regional-profiles>.

**VENDOR'S RAMP ID Number(s):** 46101

# FORMAL REQUEST FOR BID

CITY OF LOS ANGELES  
HARBOR DEPARTMENT

BID NO. F-1218

(SHOW THIS NUMBER ON ENVELOPE)

**BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024**

## GENERAL CONDITIONS READ CAREFULLY

Konica Minolta is proposing the City of Los Angeles MSA# 2200000000004 terms and conditions. In the event an award notice is given to Konica Minolta, the parties shall negotiate mutually agreeable terms and conditions for the resulting contract; however, the City of Los Angeles contract terms and conditions, including amendments and exhibits will control any resulting contract.

1. **FORM OF BID AND SIGNATURE.** The Bid must be made on this form only, and is limited to the Terms and Conditions contained herein, unless expressly agreed otherwise in writing by the City. No telephonic or facsimile Bid is acceptable, unless otherwise indicated. Bid should be enclosed in a sealed envelope, showing the Bid No. in the lower left corner, and addressed to the Port of Los Angeles Contracts and Purchasing Division, 500 Pier "A" Street, Wilmington, CA 90744. Bids must be signed with the firm's corporate name or DBA and by a responsible officer or authorized employee. In case of error in extension of prices, unit prices will govern. All prices must be firm unless the specification provides for adjustment.

paid and is not subject to transportation tax, due to the exemption permitted municipalities as indicated.
  2. **TAXES:** Do not include any Sales or Federal Excise Tax in prices unless the specifications specifically require that they be included. Sales tax will be added by the City at time of award. The City will furnish Federal Excise Tax Exemption Certificate to Supplier. Any other taxes must be included in Bid prices.

Materials shall be listed separately on invoices covering repairs or installation service. The Harbor Department will not be responsible for services, materials, or supplies furnished without prior authorization from the Director of Contracts and Purchasing.
  3. **SPECIFICATION CHANGES.** Vendor may request in writing that specifications be modified if its provisions restrict vendor from bidding. Such request must be received by the Director of Purchasing at least five (5) working days before Bid opening date. All vendors will be notified by Addendum of any approved changes in the specifications.

This contract must not be assigned or transferred to anyone without the written approval of the Director of Contracts and Purchasing.
  4. **BRAND NAMES AND SPECIFICATIONS** The detailed specifications and/or brand name references are descriptive and indicate quality, design, and construction of items required. Offers will be considered to supply articles substantially the same as those described therein but with minor variations. Vendor must describe variations in their Bid.

Discount period to be computed from date of receipt of invoice, or complete acceptance of goods or services, whichever is the later date.
  5. **AWARD OF CONTRACT.** Bid shall be subject to acceptance by the City for a period of three (3) months unless a lesser period is prescribed in the quotation by the vendor. The City may make combined award of all items complete to one vendor or may award separate items to various vendors. Vendors may submit alternate prices, a lump sum or a discount conditional on receiving an award for two or more items. The right is reserved to reject any, or all, bids and to waive informality in bids.

In case of delay of payment beyond 30 days after acceptance of goods or services or date of invoice, whichever is later, please write the Harbor Department Accounting Section giving the contract number, stating to which division and on what date delivery was made
  6. **PURCHASE AGREEMENT.** A copy of the Bid, Specifications and General Conditions will remain on file in the Purchasing Office. All material or services supplied by the Contractor shall conform to the applicable requirements of the City Charter, City Ordinances, and all applicable State and Federal Laws, as well as conforming to the Specifications, Terms and Conditions contained herein.

Harbor Department may pay on partial deliveries, but right is reserved by the Director of Contracts and Purchasing to require complete delivery before payment.
  7. **PRICE GUARANTEE.** If during the term of any agreement awarded pursuant to this Bid, the supplier sells the same materials or services under similar quantity and delivery conditions, at prices below those stated herein, such lower prices are to immediately be extended to the City.
  8. **DEFAULT BY SUPPLIER.** In case of default by supplier, the City reserves the right to procure the articles or services from other sources and to hold the supplier responsible for any excess costs incurred by the City.
  9. **DELIVERY:** If delivery of the commodity or service cannot be made exactly as specified and at the price shown, notify the Director of Contracts and Purchasing immediately. Do not make delivery without his approval. Any correspondence, other than invoices, relating to this order must be sent to the Director of Contracts and Purchasing.
  10. **INSPECTION:** All materials furnished on this order will be subject to test and inspection and, if rejected, will be held subject to order of shipper and subject to accrued charges.
  11. **INVOICING:** The point of free delivery, terms, contract number, name and address of department must appear on all invoices.

**12. TIME AND MATERIALS WITH NO FIXED FEES: ALL INVOICES WITH PAYMENTS FOR TIME AND MATERIALS MUST BE SUPPORTED / BACKED UP BY TIME SHEETS.**

**NOTE: THOSE INVOICES WITH FIXED FEE RATES DO NOT REQUIRE TIME SHEETS.**

**13. CITY OF LOS ANGELES MUNICIPAL CODE:** All items must meet the requirements of the City of Los Angeles Municipal Code.

**14. PAYMENTS.** Payment terms are NET 30 days unless vendor quotes otherwise. Cash discounts allowing less than 20 days or 20th Proxima will not be considered by the City when evaluating Bids. All Cash Discounts are computed from the date of delivery in full or completion and acceptance of the work or material, or from date of receipt of invoice, whichever is latest. Partial payments may be made by the City on delivery and acceptance of goods and on receipt of vendor's invoice. Invoices must be submitted as specified on the Purchase Order or Notice to Proceed

**15. ASSIGNMENT.** The supplier shall not assign or transfer by operation of law any obligation without the prior written consent of the Director of Contracts and Purchasing.

**16. NONDISCRIMINATION.** During the performance of this contract, the contractor shall not discriminate in employment practices against any employee or applicant for employment because of the employee's race, religion, national origin, ancestry, sex, sexual orientation, age, disability, marital status, domestic partner status or medical condition, in accordance with L.A. Admin. Code Sections 10.8 to 10.13, whose provisions are incorporated herein. All subcontracts awarded under any such contract shall contain a like nondiscrimination provision.

**17. SAFETY APPROVAL.** Articles supplied under this contract will not be accepted unless they comply with current safety regulations of the City Department of Building and Safety, U.L.L., the Safety Orders of the California Division of Occupation Safety and Health (CalOSHA) and OSHA requirements.

**18. PREVAILING WAGES.** Where labor is required for public work as a part of this contract, pursuant to the provisions of the Labor Code of the State of California, contractor shall pay no less than the general prevailing wages for the area as determined by the Director of the Department of Industrial Relations, State of California. Copy of wage schedule is obtainable from the Office of the Board of Public Works, City Hall, Los Angeles.

**19. CONTRACTOR'S LIABILITY.** The contractor agrees to, at all times, relieve, protect, save harmless, and fully indemnify the City of Los Angeles, its officers, agents and employees from any and all liability whatsoever that may arise or be claimed by reason of any acts of said contractor, contractor's employees and agents, in connection with the work to be performed under the contract.
- All materials must be marked and tagged with the Contract number and be accompanied by packing list in detail. Material must be packed and shipped in conformity with tariff or classification requirements.
- Prices on the contract include delivery to the division within building unless otherwise specified on the contract.
- Prepaid charges for transportation must be accompanied by original expense bill marked

# FORMAL REQUEST FOR BID

CITY OF LOS ANGELES  
HARBOR DEPARTMENT

BID NO. F-1218

(SHOW THIS NUMBER ON ENVELOPE)

**BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024**

21. **PATENT RIGHTS.** The person, firm, or corporation, upon whom this order is drawn, does, in case the materials or supplies to be furnished are covered wholly or in part by U.S. Letters Patent, by the acceptance of this order agree to indemnify and hold the City of Los Angeles harmless from any and all injuries or damage which the City may sustain by reason of the sale to or use by it of such materials or supplies and arising out of the alleged or actual infringement of said letters patent.
22. **LEGAL JUSTIFICATION.** This agreement shall be deemed entered into in Los Angeles, California, and shall be governed and construed in accordance with the laws of the State of California.
23. **TERMINATION FOR NON-APPROPRIATION.** The Harbor Department of the City of Los Angeles' (City's) obligation to pay any amount hereunder, for any City fiscal year after the current fiscal year is contingent upon City's appropriation of funds for that purpose. The City's fiscal year ends on June 30<sup>th</sup> of each calendar year. Accordingly, anything to the contrary notwithstanding, the City may terminate this contract and future monetary obligations hereunder as of the end of any fiscal year.
24. **CANCELLATION.** The contract may be terminated in whole or in part by the Harbor Department of the City of Los Angeles (City) for its convenience, without penalty, provided that the Vendor is given not less than 30 days' written notice (delivered by certified mail, return receipt requested) of the intent to terminate. The City will pay for that portion of the orders fulfilled or work performed. The City has the right to cancel the contract for cause at any time.

THE END

No. 285 Rev. 07/15-116



This form must be submitted with your bid or proposal to the City department that is awarding the contract noted below. If you have questions about this form, please contact the Ethics Commission at (213) 978-1960.

Original Filing       Amendment: Date of Signed Original \_\_\_\_\_ Date of Last Amendment \_\_\_\_\_

|   |   |  |
|---|---|--|
| Reference Number (Bid, Contract, or RAMP)     | Awarding Authority (Department awarding the contract) |  |
| F-1218  | HARBOR  |  |
| Bidder Name                                   |   |  |
| Konica Minolta Business Solutions U.S.A. Inc. |   |  |
| Address                                       |   |  |
| 100 Williams Drive, Ramsey, NJ 07446          |   |  |
| Email Address                                 | Phone Number  |  |
| cbd@kmb.konicaminolta.us                      | 201-825-4000  |  |

## Certification

I certify the following on my own behalf or on behalf of the entity named above, which I am authorized to represent:

A. I am applying for one of the following types of contracts with the City of Los Angeles:

1. A goods or services contract with a value of more than \$25,000 and a term of at least three months;
2. A construction contract with any value and duration;
3. A financial assistance contract, as defined in Los Angeles Administrative Code § 10.40.1(h), with a value of at least \$100,000 and a term of any duration; or
4. A public lease or license, as defined in Los Angeles Administrative Code § 10.40.1(i), with any value and duration

B. I acknowledge and agree to comply with the disclosure requirements and prohibitions established in the Los Angeles Municipal Lobbying Ordinance if I qualify as a lobbying entity under Los Angeles Municipal Code § 48.02.


I certify under penalty of perjury under the laws of the City of Los Angeles and the state of California that the information in this form is true and complete.

Stephen F. Herbes

Name

SVP, General Counsel and Secretary

Title



Signature

8/14/24

Date

# Prohibited Contributors (Bidders)

This form must be completed in its entirety and submitted with your bid or proposal to the City department that is awarding the contract. Failure to submit a completed form may affect your bid or proposal. If you have questions about this form, please contact the Ethics Commission at (213) 978-1960.

Original Filing       Amendment: Date of Signed Original \_\_\_\_\_ Date of Last Amendment \_\_\_\_\_

Reference Number (Bid, Contract, or RAMP): F-1218      Date Bid Submitted: 8/23/2024

Contract Description (Title of the RFP or City contract solicitation and description of the services to be provided):  
PHOTOCOPIERS AND RELATED SOFTWARE LICENSING, SERVICES, AND ACCESSORIES

Awarding Authority (Department awarding the contract): HARBOR

Bidder Name: Konica Minolta Business Solutions U.S.A., Inc.

Bidder Address: 100 Williams Drive, Ramsey, NJ 07446

Bidder Email Address: cbdq@kmbs.konicaminolta.us      Bidder Phone Number: 201-825-4000

## Schedule Summary


Please complete all three of the following:

- |  |  |   |
|--|--|---|
| <p>1. <b>SCHEDULE A – Bidder's Principals</b> (check one)<br/>The bidder has one or more <b>PRINCIPALS</b>, as defined in LAMC § 49.7.35(A)(6).<br/>At least one principal is required for entities. (If you check "Yes", Schedule A is required.)</p> | <p>Yes<br/><input checked="" type="checkbox"/></p> | <p>No<br/><input type="checkbox"/></p>            |
| <p>2. <b>SCHEDULE B -- Subcontractors and Their Principals</b> (check one)<br/>The bidder has one or more <b>SUBCONTRACTORS</b> on this bid or proposal with subcontracts worth \$100,000 or more. (If you check "Yes", Schedule B is required.)</p>   | <p>Yes<br/><input type="checkbox"/></p>            | <p>No<br/><input checked="" type="checkbox"/></p> |
| <p>3. <b>TOTAL NUMBER OF PAGES SUBMITTED</b> (including this cover page): <u>1</u></p>   |  |   |

## Certification

I certify the following under penalty of perjury under the laws of the City of Los Angeles and the state of California:  
A) I understand, will comply with, and have notified my principals and subcontractors of the requirements and restrictions in Los Angeles City Charter § 470(c)(12) and any related ordinances; B) I understand that I must amend this form within ten business days if any information changes; C) I am the bidder named above or I am authorized to represent the bidder named above, and my name appears below; and D) The information provided in this form is true and complete to the best of my knowledge and belief.

Stephen F. Herbes  
Name  
SVP, General Counsel and Secretary  
Title

  
Signature  
8/14/2024  
Date

## Schedule A - Bidder's Principals

Please identify the names and titles of all the bidder's principals (attach additional sheets if necessary). Principals include a bidder's board chair, president, chief executive officer, chief operating officer, and individuals who serve in the functional equivalent of one or more of those positions. Principals also include individuals who hold an ownership interest in the bidder of at least 20 percent and employees of the bidder who are authorized by the bid or proposal to represent the bidder before the City.

|  |  |
|--|--|
| Name: <u>Sam Errigo</u>                              | Title: <u>President &amp; Chief Executive Officer</u>            |
| Address: <u>100 Williams Drive, Ramsey, NJ 07446</u> |  |
| Name: <u>Toshi Takagi</u>                            | Title: <u>EVP, Strategic Business Planning &amp; Development</u> |
| Address: <u>100 Williams Drive, Ramsey, NJ 07446</u> |  |
| Name: <u>Michael Mathé</u>                           | Title: <u>EVP &amp; Chief Operating Officer</u>                  |
| Address: <u>100 Williams Drive, Ramsey, NJ 07446</u> |  |
| Name: <u>Holly DeSantis</u>                          | Title: <u>EVP &amp; Chief Financial Officer</u>                  |
| Address: <u>100 Williams Drive, Ramsey, NJ 07446</u> |  |
| Name: <u>Stephen F. Herbes</u>                       | Title: <u>SVP, General Counsel &amp; Secretary</u>               |
| Address: <u>100 Williams Drive, Ramsey, NJ 07446</u> |  |
| Name: <u>Victoria Ringwood</u>                       | Title: <u>SVP &amp; Chief Human Resources Officer</u>            |
| Address: <u>100 Williams Drive, Ramsey, NJ 07446</u> |  |
| Name: <u>Myrtha Eugene</u>                           | Title: <u>Assistant General Counsel</u>                          |
| Address: <u>100 Williams Drive, Ramsey, NJ 07446</u> |  |
| Name: _____  | Title: _____   |
| Address: _____                                       |  |
| Name: _____  | Title: _____   |
| Address: _____                                       |  |

Check this box if additional Schedule A pages are attached.

## Schedule B - Subcontractors and Their Principals

Please identify all subcontractors whose subcontracts are worth \$100,000 or more. Separate Schedule B pages are required for each subcontractor who meets the threshold.

|   |
|---|
| Subcontractor's Name  |
| <b>N/A - Konica Minolta does not anticipate the use of subcontractors</b> |
| Subcontractor's Address   |

Please check one of the following options:

**This subcontractor has one or more principals.**     Yes\*     No

*\* Each principal's name and title must be identified below. Attach additional sheets if necessary. Principals include a subcontractor's board chair, president, chief executive officer, chief operating officer, and individuals who serve in the functional equivalent of one or more of those positions. Principals also include individuals who hold an ownership interest in the subcontractor of at least 20 percent and employees of the subcontractor who are authorized by the bid or proposal to represent the subcontractor before the City.*

|                          |
|--------------------------|
| Name: _____ Title: _____ |
| Address: _____           |
| Name: _____ Title: _____ |
| Address: _____           |
| Name: _____ Title: _____ |
| Address: _____           |
| Name: _____ Title: _____ |
| Address: _____           |
| Name: _____ Title: _____ |
| Address: _____           |

**Check this box if additional Schedule B pages are attached.**

## **LOCAL BUSINESS PREFERENCE PROGRAM**

The Harbor Department is committed to maximizing opportunities for local and regional businesses, as well as encouraging local and regional businesses to locate and operate within the Southern California region. It is the policy of the Harbor Department to support an increase in local and regional jobs. The Harbor Department's Local Business Preference Program (LBPP) aims to benefit the Southern California region by increasing jobs and expenditures within the local and regional private sector.

Vendors who qualify as a Local Business Enterprise (LBE) will receive an 8% preference on any bid for goods, materials, supplies, and related services valued in excess of \$150,000. The preference will be applied by calculating the bidder's price at 8% less than the quoted price. The Harbor Department will use the applied preference for bid tabulation only. The actual amount paid to the lowest bidder will be the price quoted by the lowest bidder meeting specifications.

The Harbor Department defines an LBE as:

- (a) A business headquartered within Los Angeles, Orange, Riverside, San Bernardino, or Ventura Counties. Headquartered shall mean that the business physically conducts and manages all of its operations from a location in the above-named counties; or
- (b) A business that has at least 50 full-time employees, or 25 full-time employees for specialty marine contracting firms, working in Los Angeles, Orange, Riverside, San Bernardino, or Ventura Counties.

In order for Harbor Department staff to determine the appropriate LBE preference, Vendor shall complete, sign, notarize and submit the attached Affidavit. The Affidavit will signify the LBE status of the Vendor.

In the event of Vendor's noncompliance during the performance of the Contract, Vendor shall be considered in material breach of contract. In addition to any other remedy available to City under this Contract or by operation of law, the City may withhold invoice payments to Vendor until noncompliance is corrected, and assess the costs of City's audit of books and records of Vendor. In the event the Vendor falsifies or misrepresents information contained in any form or other willful noncompliance as determined by City, City may disqualify the Vendor from participation in City contracts for a period of up to five (5) years.

## AFFIDAVIT OF COMPANY STATUS

"The undersigned declares under penalty of perjury pursuant to the laws of the State of California that the following information is true and correct and includes all material information necessary to identify and explain the operations of

Konica Minolta Business Solutions U.S.A. Inc.

**Name of Firm**

as well as the ownership and location thereof. Further, the undersigned agrees to provide complete and accurate information regarding ownership in the named firm, any proposed changes of the ownership and to permit the audit and examination of firm ownership documents in association with this contract."

**Local Business Preference Program:** Please indicate the Local Business Enterprise status of your company. Only one box must be checked:

LBE     Non-LBE

- A Local Business Enterprise (LBE) is: (a) a business headquartered within Los Angeles, Orange, Riverside, San Bernardino, or Ventura Counties; or (b) a business that has at least 50 full-time employees, or 25 full-time employees for specialty marine contracting firms, working in Los Angeles, Orange, Riverside, San Bernardino, or Ventura Counties. "Headquartered" shall mean that the business physically conducts and manages all of its operations from a location in the above-named counties.
- A Non-LBE is any business that does not meet the definition of an LBE.

Signature: 

Title: SVP; General Counsel and Secretary

Printed Name: Stephen F. Herbes

Date Signed: 8/14/2024

**ACKNOWLEDGMENT**

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California New Jersey  
County of Bergen

On August 19, 2024 before me, Steve Hertec SUP & General Counsel  
(insert name and title of the officer)

personally appeared Stew. Hertec  
who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/are subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their authorized capacity(ies), and that by his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.

WITNESS my hand and official seal.

Signature Marc Bravin (Seal)

**MARC BRAVIN**  
Notary Public, State of New Jersey  
Commission # 80184372  
My Commission Expires 02/04/2027

DISPLAY CONSPICUOUSLY AT PLACE OF BUSINESS FOR WHICH ISSUED

CALIFORNIA STATE BOARD OF EQUALIZATION

SELLER'S PERMIT



ACCOUNT NUMBER

1/1/2007 SR Z OHB 11-609084 00018 AS

KONICA MINOLTA BUS. SLTMS.USA INC  
800 S FIGUEROA ST STE 800  
LOS ANGELES, CA 90017-2526

**NOTICE TO PERMITTEE:**  
You are required to obey all Federal and State laws that regulate or control your business. This permit does not allow you to do otherwise.

IS HEREBY AUTHORIZED PURSUANT TO SALES AND USE TAX LAW TO ENGAGE IN THE BUSINESS OF SELLING TANGIBLE PERSONAL PROPERTY AT THE ABOVE LOCATION. THIS PERMIT IS VALID ONLY AT THE ABOVE ADDRESS.

THIS PERMIT IS VALID UNTIL REVOKED OR CANCELED AND IS NOT TRANSFERABLE. IF YOU SELL YOUR BUSINESS OR DROP OUT OF A PARTNERSHIP, NOTIFY US OR YOU COULD BE RESPONSIBLE FOR SALES AND USE TAXES OWED BY THE NEW OPERATOR OF THE BUSINESS.

*Not valid at any other address*

For general tax questions, please call our Information Center at 800-400-7115.

For information on your rights, contact the Taxpayers' Rights Advocate Office at 888-324-2798 or 916-324-2798.

BOE-442-FI REV. 10/02-06

**A MESSAGE TO OUR NEW PERMIT HOLDER**

As a seller, you have rights and responsibilities under the Sales and Use Tax Law. In order to assist you in your endeavor and to better understand the law, we offer the following sources of help:

- Visiting our website at [www.boe.ca.gov](http://www.boe.ca.gov)
- Visiting a district office
- Attending a Basic Sales and Use Tax Law class offered at one of our district offices
- Sending your questions in writing to any one of our offices
- Calling our toll-free Information Center at 800-400-7115

As a seller, you have the right to issue resale certificates for merchandise that you intend to resell. Conversely, you have the responsibility of not receiving resale certificates. While the sales tax is imposed upon the retailer,

- You have the right to seek reimbursement of the tax from your customer
- You are responsible for filing and paying your sales and use tax returns timely
- You have the right to be treated in a fair and equitable manner by the employees of the Board
- You are responsible for following the regulations set forth by the Board

As a seller, you are expected to maintain the normal books and records of a prudent businessperson. You are required to maintain these books and records for no less than four years, and make them available for inspection by a Board representative when requested. You are also expected to notify us if you are buying, selling, adding a location, or discontinuing your business, adding or dropping a partner, officer, or member, or when you are moving any or all of your business locations. If it becomes necessary to surrender this permit, you should only do so by mailing it to a Board office, or giving it to a Board representative.

If you would like to know more about your rights as a taxpayer, or if you are unable to resolve an issue with the Board, please contact the Taxpayers' Rights Advocate Office for help by calling toll-free, 888-324-2798 or 916-324-2798. Their tax number is 916-323-3319.

Please post this permit at the address for which it was issued and at a location visible to your customers.

STATE BOARD OF EQUALIZATION

Sales and Use Tax Department





**CITY OF LOS ANGELES**  
 Office of Finance  
 P.O. Box 53200  
 Los Angeles CA 90053-0200

KONICA MINOLTA BUS SOL USA INC

100 WILLIAMS DRIVE  
 RAMSEY, NJ 07446-2907

800 S FIGUEROA STREET #800  
 LOS ANGELES, CA 90017-2526

**THIS CERTIFICATE MUST BE POSTED AT PLACE OF BUSINESS**  
**CITY OF LOS ANGELES TAX REGISTRATION CERTIFICATE**  
**THIS CERTIFICATE IS GOOD UNTIL SUSPENDED OR CANCELLED**

**Business TAX** ISSUED: 01/16/2024

| ACCOUNT NO.      | FUND/CLASS | DESCRIPTION                         | STARTED    | STATUS |
|------------------|------------|-------------------------------------|------------|--------|
| 000635360-0001-1 | LGR1       | GrossReceiptFund/ Class1 Ord 183419 | 01/01/2007 | Active |

**ISSUED**  
 KONICA MINOLTA BUS SOL USA INC  
 100 WILLIAMS DRIVE  
 RAMSEY, NJ 07446-2907

**ISSUED FOR TAX COMPLIANCE PURPOSES ONLY**  
**NOT A LICENSE, PERMIT, OR LAND USE AUTHORIZATION**  
 ISSUED BY:

**800 S FIGUEROA STREET #800**  
**LOS ANGELES, CA 90017-2526**

"No registration certificate or permit issued under the provisions of the Business Tax ordinances of the LAMC, or the payment of any tax required under the provisions of the Business Tax ordinances of the LAMC shall be construed as authorizing the conduct or continuance of any illegal business or of a legal business in an illegal manner."

**CITY TREASURER**  
**DIRECTOR OF FINANCE**

# Request for Taxpayer Identification Number and Certification

Give Form to the requester. Do not send to the IRS.

Go to [www.irs.gov/FormW9](http://www.irs.gov/FormW9) for instructions and the latest information.

1 Name (as shown on your income tax return). Name is required on this line; do not leave this line blank.  
**KONICA MINOLTA BUSINESS SOLUTIONS USA, INC.**

2 Business name/disregarded entity name, if different from above

3 Check appropriate box for federal tax classification of the person whose name is entered on line 1. Check only one of the following seven boxes.

Individual/sole proprietor or single-member LLC

C Corporation

S Corporation

Partnership

Trust/estate

Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=Partnership) ▶ \_\_\_\_\_

Note: Check the appropriate box in the line above for the tax classification of the single-member owner. Do not check LLC if the LLC is classified as a single-member LLC that is disregarded from the owner unless the owner of the LLC is another LLC that is not disregarded from the owner for U.S. federal tax purposes. Otherwise, a single-member LLC that is disregarded from the owner should check the appropriate box for the tax classification of its owner.

Other (see instructions) ▶ \_\_\_\_\_

4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3):

Exempt payee code (if any) \_\_\_\_\_

Exemption from FATCA reporting code (if any) \_\_\_\_\_

5 Address (number, street, and apt. or suite no.) See instructions.  
**100 WILLIAMS DRIVE**

6 City, state, and ZIP code  
**RAMSEY, NJ 07446**

7 List account number(s) here (optional)

Requester's name and address (optional)

**Part I Taxpayer Identification Number (TIN)**

Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the instructions for Part I, later. For other entities, it is your employer identification number (EIN). If you do not have a number see *How to get a TIN*, later.

Note: If the account is in more than one name, see the instructions for line 1. Also see *What Name and Number To Give the Requester* for guidelines on whose number to enter.

Social security number

|  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|

or

Employer identification number

|   |   |   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 3 | - | 1 | 9 | 2 | 1 | 0 | 8 | 9 |
|---|---|---|---|---|---|---|---|---|---|

**Part II Certification**

Under penalties of perjury, I certify that:

- The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
- I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
- I am a U.S. citizen or other U.S. person (defined below); and
- The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions for Part II, later.

Sign Here

Signature of U.S. person ▶ *Paul A. C...*

Date ▶ 8/14/2024

**General Instructions**

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. For the latest information about developments related to Form W-9 and its instructions, such as legislation enacted after they were published, go to [www.irs.gov/FormW9](http://www.irs.gov/FormW9).

**Purpose of Form**

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (ITIN), adoption taxpayer identification number (ATIN), or employer identification number (EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following:

- Form 1099-INT (interest earned or paid)
- Form 1099-DIV (dividends, including those from stocks or mutual funds)
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- Form 1099-S (proceeds from real estate transactions)
- Form 1099-K (merchant card and third party network transactions)
- Form 1098 (home mortgage interest), 1098-E (student loan interest), 1098-T (tuition)
- Form 1099-C (canceled debt)
- Form 1099-A (acquisition or abandonment of secured property)

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN.

If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See *What is backup withholding*, later.



**Attachments**



KONICA MINOLTA

## **Attachments**

Current vs. Proposed - Requested Copier & Accessories

bizhub C361i

bizhub C451i

bizhub C551i

bizhub C751i

AccurioPress C4080

AccurioPress 7120

Customer One Guarantee

AccurioPro Flux

bizhub SECURE

bizhub vCare

MyKMBS.com



KONICA MINOLTA

**Current vs. Proposed - Requested Copier & Accessories**

|   | CURRENT COPIER  | Comply  | KONICA MINOLTA PROPOSED                                     |
|---|---|---|---|
| Line 1A                                   | IMAGERUNNER ADVANCE DX 4935i                                      | X   | Bizhub C361i  |
|   | (35ppm) BW  | X   | (36ppm) BW <small>(color available)</small>                 |
| ACCESSORIES                               | Single Pass Cassette Feeder/Scanner                               | X   | High-speed Single Pass Dual Scan Document Feeder            |
|   | Cassette Feeding Unit (4 drawer)                                  | X   | Universal Trays (4 drawer)                                  |
|   | Inner Finisher  | X   | Inner Finisher  |
|   | Powerfilter 15A/120V-W2000-15-120                                 | X   | Powerfilter 120V/15A  |
|   | Mid Volume Connectivity Install                                   | X   | Basic Network Service - BNS04                               |
|   | IR ADV DX4935i Install Pak  | X   | MFP Delivery - Level Two                                    |
| Line 1B                                   | IMAGERUNNER ADVANCE DX 4945i                                      | X   | Bizhub C451i  |
|   | (45ppm) BW  | X   | (45ppm) BW <small>(color available)</small>                 |
| ACCESSORIES                               | Single Pass Cassette Feeder/Scanner                               | X   | High-speed Single Pass Dual Scan Document Feeder            |
|   | Cassette Feeding Unit (4 drawer)                                  | X   | Universal Trays (4 drawer)                                  |
|   | Inner Finisher  | X   | Inner Finisher  |
|   | Powerfilter 15A/120V-W2000-15-120                                 | X   | Powerfilter 120V/15A  |
|   | Mid Volume Connectivity Install                                   | X   | Basic Network Service - BNS04                               |
|   | IR ADV DX4945i Install Pak  | X   | MFP Delivery - Level Two                                    |
| Line 1C                                   | IMAGERUNNER ADVANCE DX 6870i                                      | X   | Bizhub C751i  |
|   | (70ppm) BW  | X   | (75ppm) BW <small>(color available)</small>                 |
| ACCESSORIES                               | Single Pass DADF Auto Feeder/Scanner                              | X   | Automatic Single Pass/Duplex Document Feeder (DADF) Scanner |
|   | High Capacity Cassette Feeding Unit (2450 sheets)                 | X   | Paper Trays - 3,650 sheets                                  |
|   | Staple Finisher w/Buffer Pass                                     | X   | Staple Finisher and Relay Unit                              |
|   | Powerfilter 15A/120V-W2000-15-120                                 | X   | Powerfilter 120V/15A  |
|   | Mid Volume Connectivity Install                                   | X   | Basic Network Service - BNS04                               |
|   | IR ADV DX6870i Install Pak  | X   | MFP Delivery - Level Two                                    |
| Line 1D                                   | IMAGERUNNER ADVANCE C5850i  | X   | Bizhub C551i  |
|   | (50ppm) Color   | X   | (55ppm) Color   |
| ACCESSORIES                               | Cassette Feeding Unit (4 drawer)                                  | X   | Universal Trays (4 drawer)                                  |
|   | Inner Finisher  | X   | Inner Finisher  |
|   | Powerfilter 15A/120V-W2000-15-120                                 | X   | Powerfilter 120V/15A  |
|   | Mid Volume Connectivity Install                                   | X   | Basic Network Service - BNS04                               |
|   | Install Pak DX C5850i   | X   | MFP Delivery - Level Two                                    |
|   | Line 1E   | IMAGEPRESS V800                                     | X   |
|   | (80ppm)   | X   | (80ppm)   |
| ACCESSORIES                               | IRP Server P400 SET (Fiery)                                       | X   | EFI Image Controller  |
|   | Fiery Impose and Compose  | X   | Fiery Impose and Compose                                    |
|   | Booklet Finisher -AG1   | X   | Saddle Stitch Unit plus Staple Finisher                     |
|   | Stack Bypass - D1   | X   | Multi Bypass Tray   |
|   | Color Image Reader  | X   | Auto Duplex Document Feeder                                 |
|   | PDD Deck Lite (side paper deck)                                   | X   | Large Capacity Tray (side paper deck)                       |
|   | ESP Next Gen PCS Powerfilter 208V 15Amp                           | X   | Not needed with our unit                                    |
|   | Powerfilter 20A/208-240V-W2000-20-208                             | X   | Digital Powerfilter 208V/240V/30A w/network Hub             |
|   | Powerfilter 15A/120V-W2000-15-120                                 | X   | Powerfilter w/premium Inrush 120V/15A                       |
|   | Imagepress V800 Delivery and Install Pak                          | X   | MFP Delivery Level 4 and Basic Network Service              |
|   | Imagepress Mid Production Training by Client Education Specialist | X   | Professional Services - Level 4                             |
| Production Implementation Svc (Fiery RIP) | X   | Included with above Professional Services - Level 4 |   |

| Line 1F     |   | CURRENT COPIER  | Comply                        | KONICA MINOLTA PROPOSED                              |
|-------------|---|---|-------------------------------|--|
| ACCESSORIES |   | IMAGEPRESS V800, INCL. FIERY N500 SERVER                | X                             | AccurioPress C4080                                   |
|             |   | (80ppm)   | X                             | (80ppm)  |
|             |   | IRP Server N500 SET (Fiery)                             | X                             | EFI Image Controller                                 |
|             |   | Fiery Impose and Compose                                | X                             | Fiery Impose and Compose                             |
|             |   | Operator Attention Light                                | X                             | Operator Attention Light                             |
|             |   | X-RITE 11PRO 3 SPECTROPHOTOMETER(POS)                   | X                             | Spectrophotometer MYRIO-1                            |
|             |   | Booklet Finisher -AG1                                   | X                             | Saddle Stitch Unit plus Staple Finisher              |
|             |   | Multifunction Pro Puncher w/Plastic 19-hole punch ltr   | X                             | GBC Punch-G3 / Die Combind 19/21H                    |
|             |   | Stack bypass w/stack bypass Alignment Tray              | X                             | Banner Sheet Bypass Tray                             |
|             |   | Long Sheet Feeding and Catch Tray B1 (Up to 52"")       | X                             | Long Sheet Feeding and Catch Tray (Up to 52"")       |
|             |   | Color Image Reader                                      | X                             | Color Image Reader                                   |
|             |   | Multi-drawer Paper Deck                                 | X                             | Multi-drawer Paper Feed Unit                         |
|             |   | ESP Next Gen PCS Powerfilter 208V 15Amp                 | X                             | Not needed with our unit                             |
|             |   | Powerfilter 20A/208-240V-W2000-20-208                   | X                             | Digital Powerfilter 208V/240V/30A w/network Hub      |
|             |   | Powerfilter 15A/120V-W2000-15-120                       | X                             | Powerfilter w/premium Inrush 120V/15A                |
|             |   | Imagepress V800 Delivery and Install Pak                | X                             | MFP Delivery Level Level 4 and Basic Network Service |
|             |   | Subscription Support Svc for Production - 50 unit block | X                             | Included as part of standard support                 |
|             | Imagepress Mid Production Training by Client Education Specialist | X   | Professional Services Level 4 |  |

| Line 1G     |                                  | CURRENT COPIER   | Comply                          | KONICA MINOLTA PROPOSED                            |
|-------------|----------------------------------|--|---------------------------------|--|
| ACCESSORIES |                                  | VARIOPRINT 140 SERIES QUARTZ SET                         | X                               | AccurioPress 7120                                  |
|             |                                  | (115ppm)   | X                               | (120ppm)   |
|             |                                  | VPDP LINE 115 Base License w/ Printer Operation Care Set | X                               | License speed 120ppm                               |
|             |                                  | Color Scan-to-file/Email-C1                              | X                               | Color Scan-to-file/Email                           |
|             |                                  | E-Shredding  | X                               | HD Erase   |
|             |                                  | Decurler Set Item  | X                               | Relay Unit   |
|             |                                  | Operator Attention Light                                 | X                               | Operator Attention Light                           |
|             |                                  | Covers No EPIM   | X                               | Covers No EPIM                                     |
|             |                                  | Puncher Unit - BS1                                       | X                               | PK -S25 punch unit                                 |
|             |                                  | Plastic Comb 19-hole Punch LTR-B1                        | X                               | Die Combind 19/21H                                 |
|             |                                  | Booklet Finisher -AG1                                    | X                               | Saddle Stitch Unit plus Staple Finisher            |
|             |                                  | POC KIT-B1   | X                               | Not a required technology with a AccurioPress unit |
|             |                                  | Multi-function Professional Puncher-C1                   | X                               | GBC Punch-G3                                       |
|             |                                  | ESP Next Gen PCS Powerfilter 208V 15Amp                  | X                               | Not needed with our unit                           |
|             |                                  | Powerfilter 20A/208-240V-W2000-20-208                    | X                               | Digital Powerfilter 208V/240V/30A w/network Hub    |
|             |                                  | Powerfilter 15A/120V-W2000-15-120                        | X                               | Powerfilter w/premium Inrush 120V/15A              |
|             |                                  | High Volume Connectivity Install                         | X                               | Basic Network Service                              |
|             | Varioprint DP Install Pak        | X  | MFP Delivery Level Level 4      |  |
|             | Varioprint DP Operator Training  | X  | Professional Services - Level 4 |  |
|             | Varioprint DP Implementation Svc | X  | Included                        |  |

| CURRENT SOFTWARE  | Comply | KONICA MINOLTA PROPOSED   |
|---|--------|---|
| PrismaPrepare Software V.8  | X      | AccurioPro Flux Essential   |
| Canon PrismaPrepare V8 Software License (Net new license)                 | X      | AccurioPro Flux Essential Software                                  |
| Annual Maintenance Canon PrismaPrepare V8 License (Net new LLC.)          | X      | Annual Maintenance AccurioPro Flux Essential Software               |
| Annual Maintenance Canon PrismaPrepare V8-Adv. Doc. Creation              | X      | Included with Annual Maintenance AccurioPro Flux Essential Software |
| Annual Maintenance Canon PrismaPrepare V8-Adv. Imposition                 | X      | Included with Annual Maintenance AccurioPro Flux Essential Software |
| Annual Maintenance Canon PrismaPrepare V8-Scan Clean-up                   | X      | Included with Annual Maintenance AccurioPro Flux Essential Software |
| Annual Maintenance Canon PrismaPrepare V8-Spot Color Editing              | X      | Included with Annual Maintenance AccurioPro Flux Essential Software |
| Canon PrismaPrepare V8 - Adv. Doc. Creation ELAN                          | X      | Included with Annual Maintenance AccurioPro Flux Essential Software |
| Canon PrismaPrepare V8 - Adv. Imposition ELAN                             | X      | Included with Annual Maintenance AccurioPro Flux Essential Software |
| Canon PrismaPrepare V8 - Scan Clean-up ELAN                               | X      | Included with Annual Maintenance AccurioPro Flux Essential Software |
| Canon PrismaPrepare V8 - Spot Color Editing ELAN                          | X      | Included with Annual Maintenance AccurioPro Flux Essential Software |
| PRISMAprepare V8 1 Day Deployment & Training Svcs. by Local Prod. Analyst | X      | Advanced Training by KMBS   |



KONICA MINOLTA

**bizhub  
i-SERIES IS  
SMARTER  
WORKING**  
RETHINK IT



**bizhub c361i**

Color A3 multifunctional



**Giving Shape to Ideas**

## CUSTOMER BENEFITS



**Intuitive operability**  
Operate the bizhub like a smartphone or tablet with fully customized user interface



**Mobile connectivity**  
Print anytime from anywhere with Konica Minolta's innovative mobile technologies



**Security**  
Secure network integration, data encryption, SSD overwrite, and advanced user authentication



**Application ecosystem**  
Enhanced efficiency thanks to Konica Minolta's extensive applications portfolio



**Productivity**  
Reliability, high-speed scanning and printing, combined with powerful finishing functions



**Sustainability**  
Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup

## OPTIONS

### 1 ENHANCED FEATURES

- Barcode fonts  
LK-106
- Unicode fonts  
LK-107
- OCR-A and B fonts  
LK-108
- Document converter pack  
LK-110w2
- ThinPrint® client  
LK-111
- Antivirus  
LK-116



### 2 CONNECTIVITY

- Fax board  
FK-514
- Fax board  
FK-515
- Mount kit  
MK-742
- Wireless LAN  
WK-224
- USB / F/Kit  
EK-608
- USB / F/Kit  
EK-609
- Fiery controller  
IC-443
- Interface kit  
VI-516
- Interface board  
IK-115
- ID Card Reader  
AU-205(i)
- Mount kit  
MK-721

### 3 OTHERS

- Working table  
WT-506
- 10-Key pad  
KP-102
- Security kit  
SC-509
- Keyboard holder  
KH-102
- Off-line Stapler  
FS-P01
- Keyboard  
External Keyboard

### 4 MEDIA INPUT

- 1 Universal tray  
PC-116
- 2 Universal tray  
PC-216
- Large capacity tray  
PC-416
- Copier desk  
DK-516
- Large Capacity tray  
LD-302
- Banner tray  
MK-730

### 5 MEDIA OUTPUT

- Job Separator  
JS-506
- OR
- Inner Finisher  
FS-533
- OR
- Staple finisher  
FS-539
- Relay unit  
RU-513
- Staple/booklet finisher  
FS-539SD
- Relay unit  
RU-513
- Mount kit  
MK-524

### LEGEND

- Mandatory option
- Option
- This option can only be installed with the respective option above it

## FINISHING FUNCTIONALITIES



Corner stapling



Two-point stapling



Two-hole punching



Three-hole punching



Duplex



Combined simplex/multiplex



Half-fold



Sheet insertion, report



Letter-fold



Booklet



Offset sorting



Banner printing



## DESCRIPTIONS

### ENHANCED FEATURES

|                                  |   |
|----------------------------------|---|
| LK-106 Barcode fonts             | Supports native barcode printing  |
| LK-107 Unicode fonts             | Supports native Unicode printing  |
| LK-109 OCR A and B fonts         | Supports native OCR A and B font printing                                   |
| LK-110v2 Document converter pack | Generates various file formats incl. DOCX, XLSX and PDF/A                   |
| LK-111 ThinPrint® Client         | Print data compression for reduced network impact                           |
| LK-116 Antivirus                 | Bitdefender® Antivirus provides real time scanning of all input/output data |
| LK-117 IP fax (T.38) (TBD)       | Fax over IP networks (T.38), requires fax kit                               |

### CONNECTIVITY

|                                   |  |
|-----------------------------------|--|
| FK-514 Fax board                  | Super G3 fax, digital fax functionality                      |
| FK-515 Fax board                  | Super G3 fax, digital fax functionality, lines 3 & 4 support |
| MK-742                            | Installation kit for FK-515                                  |
| UK-221 Wireless LAN               | Wireless LAN and wireless LAN Access Point Mode              |
| EK-608 USB I/F kit                | USB keyboard connection                                      |
| EK-609 USB I/F kit                | USB keyboard connection; Bluetooth                           |
| IC-420 Fiery controller           | Professional color print controller                          |
| VI-516 Interface kit for IC-420   | Fiery controller interface card                              |
| UK-115 Interface board for IC-420 | Fiery controller interface board                             |
| AU-205H card reader               | Various ID card technologies                                 |
| MK-735 Mount kit                  | Installation kit for ID card reader                          |

### OTHERS

|                         |   |
|-------------------------|---|
| DF-632 Document feeder  | Reversing automatic document feeder, capacity 100 originals |
| DF-714 Document feeder  | Dual scan automatic document feeder, capacity 100 originals |
| WF-506 Working table    | Authentication device placement                             |
| KP-102 10-Key pad       | For use instead of touchscreen                              |
| SC-509 Security kit     | Copy guard function (2 kits required for Dualscan ADF)      |
| KH-102 Keyboard holder  | To place USB keyboard                                       |
| External Keyboard       | Keyboard for alpha numeric data entry                       |
| FS-P04 Off-line stapler | 20-sheet off-line stapling                                  |

### MEDIA INPUT

|                            |   |
|----------------------------|---|
| PC-116 1 Universal tray    | 500 sheets, 5.5" x 8.5" to 11" x 17"; 52-256 g/m <sup>2</sup>     |
| PC-116 2 Universal tray    | 2x 500 sheets, 5.5" x 8.5" to 11" x 17" / 52-256 g/m <sup>2</sup> |
| PC-216 2 Universal tray    | 2x 500 sheets, 5.5" x 8.5" to 11" x 17"; 52-256 g/m <sup>2</sup>  |
| PC-416 Large capacity tray | 2,500 sheets, 8.5" x 11" / 52-256 g/m <sup>2</sup>                |
| LC-302 Large capacity tray | 3,000 sheets, 8.5" x 11" / 52-256 g/m <sup>2</sup>                |
| MK-730 Banner tray         | Multipage banner feeding  |
| DK-516 Copier desk         | Provides storage space for print media and other materials        |

### MEDIA OUTPUT

|                                 |   |
|---------------------------------|---|
| FS-533 Inner finisher           | 50-sheet stapling, 500 sheets max. output                                     |
| PK-519 Punch kit for FS-533     | 2/3 hole punching; autoswitching  |
| FS-539 Staple finisher          | 50-sheet stapling, 3,200 sheets max. output                                   |
| FS-539SD Booklet finisher       | 50-sheet staple finisher; 20-sheet booklet finisher; 2,200 sheets max. output |
| PK-524 Punch kit for FS-539(SD) | 2/3 hole punching; autoswitching  |
| RU-513 Relay unit               | For FS-539/SD installation; (Max. 100 sheets output capacity)                 |
| JS-506 Job separator            | Separation of fax output, etc.  |

## TECHNICAL SPECIFICATIONS

### SYSTEM SPECIFICATIONS

|                                      |  |
|--------------------------------------|--|
| Panel size/resolution                | 10.1" / 1024 x 600   |
| System memory (standard/max)         | 8 GB   |
| Solid State Drive                    | 256 GB (standard)  |
| Interface                            | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n (optional)   |
| Network protocols                    | TCP/IP (IPv4/IPv6); SMB; LPD; IPP; SMB; HTTP(S); Apple Talk; Bonjour   |
| Automatic document feeder (optional) | Up to 100 originals; A6-A3; 35-163 gsm; RADF or Dual scan ADF available  |
| Paper input capacity (standard/max)  | 1,150 sheets / 6,650 sheets  |
| Paper tray input (standard)          | 1x 500 sheets; 3.5" x 8.5" to 11" x 17"; custom sizes; 52-256 gsm<br>1x 500 sheets; 5.5" x 8.5" to 12" x 18"; custom sizes; 52-256 gsm |
| Paper tray input (optional)          | 2x 500 sheets; 5.5" x 8.5" to 11" x 17"; 52-256 gsm<br>1x 2,500 sheets; 8.5" x 11"; custom sizes; 52-256 gsm                           |
| Large capacity tray (optional)       | 1x 3,000 sheets; 8.5" x 11"; custom sizes; 52-256 gsm  |
| Manual bypass                        | 150 sheets; 3.5" x 8.5" to 12" x 18"; Custom sizes; Banner; 60-300 gsm   |
| Automatic duplexing                  | 5.5" x 8.5" to 12" x 18"; 52-256 gsm   |
| Finishing modes (optional)           | Offset; Group; Sort; Staple; Punch; Half-fold; Letter-fold; Booklet  |
| Output capacity (standard)           | Max. 250 sheets  |
| Output Capacity (optional)           | Max. 3,300 sheets  |
| Stapling                             | Max. 50 sheets or 48 sheets + 2 cover sheets (up to 209 gsm)   |
| Letter fold                          | Max. 3 sheets  |
| Letter fold capacity                 | Max. 30 sheets, unlimited (without tray)   |
| Booklet                              | Max. 20 sheets or 19 sheets + 1 cover sheet (up to 209 gsm)  |
| Booklet output capacity              | Max. 100 booklets; unlimited (without tray)  |
| Copy/print volume (monthly)          | Max. 1,175,000 pages   |
| Toner lifetime                       | Black up to 28,000 pages<br>CMY up to 28,000 pages   |

|                              |  |
|------------------------------|--|
| Imaging unit lifetime        | Black up to 225,000/1,000,000 pages (drum/developer)<br>CMY up to 105,000/1,000,000 pages (drum/developer) |
| Power consumption            | 110-120 V / 50/60 Hz; Less than 1.5kW  |
| System dimension (W x D x H) | 24.2" x 27" x 31" (without options)  |
| System weight                | Approx. 187 lbs (without options)  |

### PRINTER SPECIFICATIONS (STANDARD)

|                                   |   |
|-----------------------------------|---|
| Print resolution                  | 1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi   |
| Print speed (letter (mono) (std)) | Up to 36/36 ppm   |
| Page description language         | PCL 6 (XL3 0); PCL 5c; PostScript 3 (CPSI 3016); XPS  |
| Operating System                  | Windows 10 (32/64); Windows 11; Windows Server 2012; Windows Server 2012 R2; Windows Server 2016; Windows Server 2019; Windows Server 2022; macOS 10.14 or later; Unix; Linux; Citrix             |
| Printer fonts                     | 80 PCL Latin; 137 PostScript 3 Emulation Latin  |
| Mobile printing                   | AirPrint (iOS); Mopria (Android);<br>Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile);<br>Mobile Authentication and Pairing (iOS/Android)<br>Optional: Google Cloud Print; WiFi Direct |

### PRINTER SPECIFICATIONS (OPTIONAL)

|                           |  |
|---------------------------|--|
| Print controller          | Embedded Fiery IC-420                        |
| Controller CPU            | AMD GX-424CC @ 2.4 GHz                       |
| Memory/HDD                | 2 GB / 500 GB                                |
| Page description language | Adobe PostScript 3 (CPSI 3020) PCL 6; PCL 5c |

## SCANNER SPECIFICATIONS

|                         |   |
|-------------------------|---|
| Scan speed (mono/color) | Up to 100/100 ipm in simplex<br>Up to 200/200 ipm in duplex   |
| Scan modes              | Scan-to-email (Scan-to-Mail), Scan-to-SMB (Scan-to-Home),<br>Scan-to-FTP, Scan-to-Bus, Scan-to-USB, Scan-to-WebDAV,<br>Scan-to-URL, TWAIN scan    |
| File formats            | JPEG, TIFF, PDF, Compact PDF, Encrypted PDF,<br>KPS, Compact XPS, PPTX<br>Optional: Searchable PDF, PDF/A 1a and 1b,<br>Searchable DOCX/PPTX/XLSX |
| Scan destinations       | 2,100 (single + group); LDAP support  |

## COPIER SPECIFICATIONS

|                                       |  |
|---------------------------------------|--|
| Imaging technology                    | Laser  |
| Toner technology                      | Simtri <sup>®</sup> HD polymerized toner               |
| Copy/print speed letter (mono/color)  | Up to 36/36 ppm  |
| Copy/print speed 11"x17" (mono/color) | Up to 18/18 ppm  |
| Autoduplex Speed letter (mono/color)  | Up to 36/36 ppm  |
| 1 <sup>st</sup> copy out time letter  | 4.6/6.1 sec.   |
| Warm-up time                          | Approx. 12 sec. in mono; 13 sec. in color <sup>2</sup> |
| Copy resolution                       | 600 x 600 dpi  |
| Gradation                             | 256 gradations   |
| Multicopy                             | 1-9,999  |
| Original format                       | 3.5" x 8.5" to 11" x 17"; Custom sizes                 |
| Magnification                         | 25-400% in 0.1% steps; Auto-zooming                    |

## FAX SPECIFICATIONS

|                  |                                    |
|------------------|------------------------------------|
| Fax standard     | Super G3 (optional)                |
| Fax transmission | Analog, i-Fax, Color i-Fax, IP-Fax |
| Fax resolution   | Up to 600 x 600 dpi                |
| Fax compression  | MH, MR, MMR, JBG                   |
| Fax modem        | Up to 33.6 kbps                    |
| Fax destinations | 2,100 (single + group)             |

## USER BOX SPECIFICATIONS

|                      |  |
|----------------------|--|
| Storable documents   | Up to 3,000 documents or 10,000 pages  |
| Type of user boxes   | Public, Personal (with password or authentication),<br>Group (with authentication) |
| Type of system boxes | Secure print, Encrypted PDF print, Fax receipt, Fax polling                        |

## SYSTEM FEATURES

|                                 |  |
|---------------------------------|--|
| Security Functions (standard)   | ISO 15408 HCD-PP Common Criteria (in evaluation); IP filtering and port blocking; SSL2, SSL3 and TLS1.0/1.1/1.2/1.3 network communication; IPsec support; IEEE 802.1x support, User authentication; Authentication log; Secure print; Kerberos; Overwrite all data function; SSD Self-Encryption (AES 256)/ Storage lock password; Memory data auto deletion; Confidential fax receipt; Print uses data encryption |
| Security Functions (optional)   | Antivirus real-time scanning (Bitdefender <sup>®</sup> ); Copy protection (Copy Guard, Password Copy)  |
| Accounting (standard)           | Up to 1,000 user accounts; Active Directory support (user name + password = e-mail = work folder); User function access definition   |
| Accounting Functions (optional) | ID card authentication (ID card reader); Authentication by mobile device (Android/iOS)   |
| Software                        | Net Cave Device Manager; Data Administrator; Web Connection; Log Management Utility  |

<sup>1</sup> Maximum monthly copy/print volume supported under standard vendor-supplied service. Defines the upper end of the expected customer volume for the device. Customers should consider multiple machines if average monthly volume approaches duty cycle on a continual basis.

<sup>2</sup> Warm-up time may vary depending on the operating environment and usage.

- All specifications refer to letter-size paper of 80 gsm weight
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of letter). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, construction, or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations include optional accessories
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

## PARTNERSHIP

Konica Minolta can help give shape to your ideas and partner with you to achieve your corporate objectives. Contact us to realize opportunities in:

## INFORMATION MANAGEMENT

Intelligent Information Management (iIM)  
Document Management  
Automated Workflow Solutions  
Business Process Automation  
Security and Compliance  
Mobility

## IT SERVICES

Application Services  
Cloud Services  
IT Security  
Managed IT Services  
IT Consulting & Projects  
Business Consulting Services

## TECHNOLOGY

Office Multifunction Business Solutions  
Commercial and Production Printers  
Wide Format Printers  
Laptops, Desktops and Computer Hardware  
Servers and Networking Equipment  
Managed Print Services (MPS)  
Managed Enterprise Services

For complete information on Konica Minolta products and solutions, please visit: [CountOnKonicaMinolta.com](http://CountOnKonicaMinolta.com)

© 2024 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. KONICA MINOLTA, the KONICA MINOLTA logo and bizhub are registered trademarks or trademarks of KONICA MINOLTA, INC. All other product and brand names are trademarks or registered trademarks of their respective companies or organizations. All features and functions described here may not be available on some products. Design & specifications are subject to change without notice.

Simtri HD

3.5" x 8.5" to 11" x 17"



KONICA MINOLTA

KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC.  
100 Wilsons Drive, Ramsey, New Jersey 07446[CountOnKonicaMinolta.com](http://CountOnKonicaMinolta.com)Rev. 0 1/2024  
A-247



KONICA MINOLTA

**bizhub c451i**  
Color A3 multifunctional

**bizhub  
i-SERIES IS  
SMARTER  
WORKING**  
RETHINK IT



**Giving Shape to Ideas**

## CUSTOMER BENEFITS



**Intuitive operability**  
Operate the bizhub like a smartphone or tablet with fully customized user interface



**Mobile connectivity**  
Print anytime from anywhere with Konica Minolta's innovative mobile technologies



**Security**  
Secure network integration, data encryption, hard drive overwrite, and advanced user authentication



**Application ecosystem**  
Enhanced efficiency thanks to Konica Minolta's extensive applications portfolio



**Productivity**  
Reliability, high-speed scanning and printing, combined with powerful finishing functions



**Sustainability**  
Numerous eco features reduce energy consumption and costs

## OPTIONS

**1 Enhanced Features**  
**ENHANCED FEATURES**

- Barcode fonts LK-106
- Unicode fonts LK-107
- OCR A and B fonts LK-108
- Document converter pack LK-109
- TwinPrint™ client LK-111
- Antivirus LK-115



**2 CONNECTIVITY**

- Fax board EK-514
- Wireless LAN UK-271
- USB 1/F kit EK-608
- USB 1/F kit EK-609
- Fiery controller IC-420
- Interface kit for IC-420 VI-516
- Interface board for IC-420 UK-115
- Card authentication ID card reader
- Mount kit MK-735

**3 OTHERS**

- Working table WT-506
- Optical Stapler JS-184
- 10-Key pad KP-182
- Replacement SSD EM-908
- Keyboard holder KH-102
- Convenience Stapler CS-2

**4 MEDIA INPUT**

- 1x Universal tray PC-116
- 2x Universal tray PC-216
- Large capacity tray PC-416
- Large capacity tray PC-117
- Copier desk DK-576x
- Large capacity tray LU-302
- Large capacity tray LU-207
- Banner tray MK-730

**5 MEDIA OUTPUT**

- Output tray OT-513
- Job separator JS-506
- Inner finisher FS-533
- Attachment kit MK-607
- Punch kit for FS-533 PK-519
- Staple finisher FS-339
- Relay unit RU-513
- Booklet finisher FS-535SD
- Relay unit RU-513
- Punch kit for FS-535/SD PK-524
- Staple finisher FS-340
- Relay unit RU-513
- Booklet finisher FS-540SD
- Relay unit RU-513
- Punch kit for FS-540/SD PK-525
- Postbox for FS-540/SD PK-527
- Job separator for FS-540/SD JS-602
- Z-fold unit for FS-540/SD ZU-100

**LEGEND**

- Mandatory option
- Option
- This option can only be installed with the respective option above it

## FINISHING FUNCTIONALITIES

- Corner stapling
- Two-point stapling
- Two-hole punching
- Three-hole punching
- Duplex
- Combined duplex/multimedia
- Half-fold
- Sheet insertion
- Letter-fold
- Booklet
- Sheet sorting
- Z-fold
- Banner printing
- Corner Stapling (offline)

## ENHANCED FEATURES

|                                   |  |
|-----------------------------------|--|
| LK-106 Barcode fonts              | Supports native barcode printing   |
| LK-107 Unicode fonts              | Supports native Unicode printing   |
| LK-108 OCR A and B fonts          | Supports native OCR A and B font printing  |
| LK-110v2 Document file conversion | Supports Searchable PDF and OOXML (DOCX, XLSX, etc.) file formats                                |
| LK-111 ThinPrint client           | Print data compression for reduced network impact  |
| LK-116 Antivirus                  | Bitdefender <sup>®</sup> antivirus provides real time scanning of all incoming and outgoing data |

## CONNECTIVITY

|                                 |   |
|---------------------------------|---|
| FK-514 Fax board                | Super G3 fax, digital fax functionality         |
| UK-221 Wireless LAN             | Wireless LAN and wireless LAN Access Point Mode |
| EK-608 USB I/F kit              | USB keyboard connection                         |
| EK-609 USB I/F kit              | USB keyboard connection, Bluetooth              |
| IC-420 Fiery controller         | Professional color print controller             |
| VI-516 Interface kit for IC-420 | Fiery controller interface card                 |
| UK-115 Mount kit                | Fiery controller mount kit                      |
| AU-205H ID card reader          | Supports various ID card technologies           |
| MK-735 Mount kit                | Installation kit for ID card reader             |

## OTHERS

|                        |  |
|------------------------|--|
| WT-506 Working table   | Authentication device placement          |
| KP-102 10-Key pad      | For numeric entry instead of touchscreen |
| SC-509 Security kit    | Copy guard function                      |
| EM-908 SSD             | 1 TB SSD to increase storage space       |
| FS-P04                 | Offline Stapler                          |
| CS-2                   | Convenience Stapler                      |
| KH-102 Keyboard holder | To place USB keyboard                    |
| External keyboard      | Keyboard for alpha numeric data entry    |

## MEDIA INPUT

|                            |  |
|----------------------------|--|
| PC-116 1x Universal tray   | 500 sheets / 5.5" x 8.5" - 11" x 17" / 52-256 g/m <sup>2</sup>             |
| PC-216 2x Universal tray   | 2x 500 sheets / 5.5" x 8.5" - 11" x 17" / 52-256 g/m <sup>2</sup>          |
| PC-416 Large capacity tray | 2,500 sheets / 8.5" x 11" / 52-256 g/m <sup>2</sup>                        |
| PC-417 Large capacity tray | 1,500 + 1,000 sheets / 5.5" x 8.5" or 8.5" x 11" / 52-256 g/m <sup>2</sup> |
| LU-302 Large capacity tray | 3,000 sheets / 8.5" x 11" / 52-256 g/m <sup>2</sup>                        |
| LU-207 Large capacity tray | 2,500 sheets / 8.5" x 11" - 12" x 18" / 52-256 g/m <sup>2</sup>            |
| MK-730 Banner tray         | Multipage banner feeding   |
| DK-516 Copier desk         | Provides storage space for print media and other materials                 |

## MEDIA OUTPUT

|                                    |   |
|------------------------------------|---|
| OT-513 Output tray                 | Output tray used instead of finisher                                      |
| JS-508 Job separator               | Separation of fax output, etc.  |
| FS-533 Inner finisher              | 50-sheet stapling, 500 sheets max. output                                 |
| MK-607 Attachment kit              | For FS-533 installation   |
| PK-519 Punch kit for FS-533        | 2/4 hole punching, auto switching   |
| FS-539 Staple finisher             | 50-sheet stapling / 3,200 sheets max. output                              |
| FS-539SD Booklet finisher          | 50-sheet stapling / 20-sheet booklet finisher / 2,200 sheets max. output  |
| PK-524 Punch kit for FS-539/SD     | 2/3 hole punching, auto switching   |
| FS-540 Staple finisher             | 100-sheet stapling / 3,200 sheets max. output                             |
| FS-540SD Booklet finisher          | 100-sheet stapling / 20-sheet booklet finisher / 2,700 sheets max. output |
| PK-526 Punch kit for FS-540/SD     | 2/3 hole punching, auto switching   |
| RU-513 Relay unit                  | For FS-539/SD or FS-540/SD installation                                   |
| JS-602 Job separator for FS-540/SD | Separation of fax output, etc.  |
| PI-507 Post inserter for FS-540/SD | Cover insertion, post finishing   |
| ZU-609 Z-fold unit for FS-540/SD   | Z-fold for 11" x 17" prints   |

## TECHNICAL SPECIFICATIONS

### SYSTEM SPECIFICATIONS

|                              |  |
|------------------------------|--|
| System speed 8.5" x 11"      | Up to 45/45 ppm (mono/color)   |
| System speed 11" x 17"       | Up to 22/22 ppm (mono/color)   |
| Auto duplex speed 8.5" x 11" | Up to 45/45 ppm (mono/color)   |
| 1st page out time 8.5" x 11" | 3.8/5.0 sec. (mono/color) <sup>1</sup>   |
| Warm-up time                 | Approx. 15/17 sec. (mono/color) <sup>1</sup>   |
| Imaging technology           | Laser  |
| Toner technology             | Simitri <sup>®</sup> HD polymerized toner  |
| Panel size/resolution        | 10.1" / 1,024 x 600  |
| System memory                | 8 GB (standard/max.)   |
| System hard drive            | 256 GB SSD (standard) / 1 TB SSD (optional)  |
| Interface                    | 10/100/1,000-Base-T Ethernet, USB 2.0, Wi-Fi 802.11 b/g/n/ac (optional)  |
| Network protocols            | TCP/IP (IPv4 / IPv6) / SMB / LPD / IPP / SNMP / HTTP(S) / Bonjour  |
| Automatic document feeder    | Up to 300 originals / 5.5" x 8.5" - 11" x 17" / 35-210 g/m <sup>2</sup> / Dualscan ADF   |
| ADF double feed detection    | Standard   |
| Printable paper size         | 3.5" x 5.5" - 12" x 18" / customized paper sizes / banner paper max. 47.2" x 11.7"   |
| Printable paper weight       | 52-300 g/m <sup>2</sup>  |
| Paper input capacity         | 1,150 sheets / 6,650 sheets (standard/max.)  |
| Paper tray input (standard)  | 1 x 500 / 3.5" x 5.8" - 11" x 17" / custom sizes / 52-256 g/m <sup>2</sup><br>1 x 500 / 5.5" x 8.5" - 12" x 18" / custom sizes / 52-256 g/m <sup>2</sup>   |
| Paper tray input (optional)  | 1 x 500 / 5.5" x 8.5" - 11" x 17" / 52-256 g/m <sup>2</sup><br>2 x 500 / 5.5" x 8.5" - 11" x 17" / 52-256 g/m <sup>2</sup><br>1 x 2,500 / 8.5" x 11" / 52-256 g/m <sup>2</sup><br>1 x 1,500 + 1 x 1,000 sheets / 5.5" x 8.5" or 8.5" x 11" / 52-256 g/m <sup>2</sup> |

|                                |   |
|--------------------------------|---|
| Large capacity tray (optional) | 1 x 3,000 / 8.5" x 11" / 52-256 g/m <sup>2</sup><br>1 x 2,500 / 8.5" x 11" - 12" x 18" / custom sizes / 52-256 g/m <sup>2</sup> |
| Manual bypass                  | 150 sheets / 3.5" x 5.5" - 12" x 18" / custom sizes / banner / 60-300 g/m <sup>2</sup>  |
| Finishing modes (optional)     | Offset, Group, Sort, Staple, Staple (offline), Punch, Half-fold, Letter-fold, Booklet, Post insertion, Z-fold                   |
| Automatic duplexing            | 4.1" x 5.5" - 32" x 18" / 52-256 g/m <sup>2</sup>   |
| Output capacity                | Up to 250 sheets / up to 3,300 sheets (standard/max.)   |
| Stapling                       | Max. 100 sheets or 98 sheets + 2 cover sheets (up to 300 g/m <sup>2</sup> )   |
| Stapling output capacity       | Max. 200 sets   |
| Letter fold                    | Max. 3 sheets   |
| Letter fold capacity           | Max. 50 sets, unlimited (without tray)  |
| Booklet                        | Max. 20 sheets or 19 sheets + 1 cover sheet (up to 300 g/m <sup>2</sup> )   |
| Booklet output capacity        | Max. 35 booklets, unlimited (without tray)  |
| Duty cycle (monthly)           | Max. <sup>2</sup> 200,000 pages   |
| Toner lifetime                 | Black up to 28,000 pages<br>CMY up to 28,000 pages  |
| Imaging unit lifetime          | Black up to 240,000/1,000,000 pages (drum/developer)<br>CMY up to 165,000/1,000,000 pages (drum/developer)                      |
| Power consumption              | 110-120 V / 60 Hz, Less than 1.6 kW   |
| System dimension (W x D x H)   | 24.2" x 27.1" x 37.8" (without options)   |
| System weight                  | Approx. 220 lb (without options)  |

## PRINTER SPECIFICATIONS

|                           |   |
|---------------------------|---|
| Print resolution          | 1,800 (equivalent) x 600 dpi, 1,200 x 1,200 dpi   |
| Page description language | PostScript 3 (3016) Emulation<br>PCL 6 (XL Version 3.0 Emulation)<br>PCL 5e/c Emulation<br>XPS Version 1.0  |
| Operating systems         | Server: Windows Server 2016<br>Windows Server 2019<br>Windows Server 2022<br>Client: Windows 10<br>Windows 10 / 11x64 Edition<br>Windows Server 2016 / Server 2019 / Server 2022<br>macOS 10.14 / 10.15 / 11 / 12 / 13 Intel<br>macOS 11 AppleM1<br>macOS 12 / 13 AppleM1 / AppleM2<br>Red Hat Enterprise Linux<br>Google Chrome OS |
| Printer fonts             | PCL:<br>Western type: 80 outline fonts<br>Japanese fonts: HG Mincho L / HGP Mincho L / HG Gothic B /<br>HGP Gothic B<br>Postscript 3 Emulation:<br>Western type font: 137 outline fonts<br>Japanese fonts: HG Mincho L / HG Gothic B  |
| Mobile printing           | AirPrint (iOS), Mopria (Android),<br>Konica Minolta Print Service (Android),<br>Konica Minolta Mobile Print (iOS/Android)<br>Optional: Google Cloud Print, Wi-Fi Direct   |

## PRINTER SPECIFICATIONS (OPTIONAL)

|                           |   |
|---------------------------|---|
| Print controller          | Embedded Fiery IC-420   |
| Controller CPU            | AMD GX-424CC @ 2.4 GHz  |
| Memory/HDD                | 8 GB (8192MB) (standard)  |
| Page description language | Adobe PostScript 3 (CPSI 3020), PCL 6, PCL 5c   |
| Operating systems         | Windows 7 (32/64), Windows 8.1 (32/64),<br>Windows 10 (32/64), Windows Server 2008 (32/64),<br>Windows Server 2008 R2, Windows Server 2012, Windows<br>Server 2012 R2, Windows Server 2016, Windows Server<br>2019, Macintosh OSX 10.10 or later, Linux |

## SCANNER SPECIFICATIONS

|                   |  |
|-------------------|--|
| Scan speed        | Up to 140/140 ipm in simplex (mono/color)<br>Up to 280/280 ipm in duplex (mono/color)  |
| Scan resolution   | Up to 600 x 600 dpi  |
| Scan modes        | Scan-to-eMail (Scan-to-Me), Scan-to-SMB (Scan-to-Home), Scan-to-FTP, Scan-to-Box, Scan-to-USB, Scan-to-WebDAV, Scan-to-DPWS, Scan-to-URL, TWAIN scan           |
| File formats      | TIFF, PDF, Compact PDF, JPEG, XPS, Compact XPS, pptx, docx, xlsx, Searchable PDF, PDF/A, Linearized PDF, Page setting (Single page (1-999 pages) / Multi page) |
| Scan destinations | 2,000 destinations + 100 groups, LDAP support  |



For complete information on Konica Minolta products and solutions, please visit: [CountOnKonicaMinolta.com](http://CountOnKonicaMinolta.com)

© 2024 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. KONICA MINOLTA, the KONICA MINOLTA logo and bizhub are registered trademarks or trademarks of KONICA MINOLTA, INC. All other product and brand names are trademarks or registered trademarks of their respective companies or organizations. All features and functions described here may not be available on some products. Design specifications are subject to change without notice.

## COPIER SPECIFICATIONS

|                 |                                  |
|-----------------|----------------------------------|
| Copy resolution | 600 x 600 dpi                    |
| Gradation       | 256 gradations                   |
| Multicopy       | 1-9,999                          |
| Original format | Max. 11" x 17"                   |
| Magnification   | 25-400% in 0.1% steps, Auto zoom |

## FAX SPECIFICATIONS

|                  |                                    |
|------------------|------------------------------------|
| Fax standard     | Super G3 (optional)                |
| Fax transmission | Analog, i-Fax, Color i-Fax, IP-Fax |
| Fax resolution   | Up to 600 x 600 dpi                |
| Fax compression  | MH, MR, MMR, JBIG                  |
| Fax modem        | Up to 33.6 Kbps                    |
| Fax destinations | 2,000 single + 100 groups          |

## USER BOX SPECIFICATIONS

|                      |   |
|----------------------|---|
| Storable documents   | Up to 3,000 documents or 10,000 pages   |
| Type of user boxes   | Public, Personal (with password or authentication), Group (with authentication) |
| Type of system boxes | Secure print, Encrypted PDF print, Fax receipt, Fax polling                     |

## SYSTEM FEATURES

|            |   |
|------------|---|
| Security   | ISO 15408 HCD-PP Common Criteria (in evaluation), IP filtering and port blocking, SSL3 and TLS 1.0/1.1/1.2 network communication, IPsec support, IEEE 802.1x support, User authentication, Authentication log, Secure print, Kerberos, Hard drive data encryption (AES 256), Confidential fax, Print user data encryption (Optional: Antivirus scanning (Bitdefender®), Copy protection (Copy Guard, Password Copy) |
| Accounting | Up to 1,000 user accounts, Active Directory support (user name + password + e-mail + smb folder), User function access definition, Authentication by mobile device (Android), ID card authentication (ID card reader), Authentication by mobile device (iOS)  |
| Software   | Net Care Device Manager, Data Administrator, Box Operator, Web Connection, Log Management Utility   |

<sup>1</sup> Warm-up time may vary depending on the operating environment and usage.

<sup>2</sup> Maximum monthly copy/print volume supported under standard vendor-supplied service defines the upper end of expected customer volume for the device. Customers should consider multiple machines if average monthly volume approaches duty cycle on a continual basis.

- All specifications refer to 8.5" x 11" paper of 80 g/m<sup>2</sup> weight.
- The support and availability of the listed specifications and functionalities vary depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of 8.5" x 11"). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.



KONICA MINOLTA

KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC.  
100 Williams Drive, Ramsey, New Jersey 07446

[CountOnKonicaMinolta.com](http://CountOnKonicaMinolta.com)



Item # 1 | DATASHEET  
4/2024



KONICA MINOLTA

**bizhub**  
**i-SERIES IS**  
**SMARTER**  
**WORKING**  
**RETHINK IT**



**bizhub C551i**  
Color A3 multifunctional



**Giving Shape to Ideas**

## CUSTOMER BENEFITS



**Intuitive operability**  
Operate the bizhub like a smartphone or tablet with fully customized user interface



**Mobile connectivity**  
Print anytime from anywhere with Konica Minolta's innovative mobile technologies



**Security**  
Secure network integration, data encryption, hard drive overwrite, and advanced user authentication



**Application ecosystem**  
Enhanced efficiency thanks to Konica Minolta's extensive applications portfolio



**Productivity**  
Reliability, high-speed scanning and printing, combined with powerful finishing functions



**Sustainability**  
Numerous eco features reduce energy consumption and costs

## OPTIONS

**1 ENHANCED FEATURES**

- Barcode fonts LK-106
- Unicode fonts LK-107
- OCR A and B fonts LK-108
- Document converter pack LK-10x?
- ThinPrint® client LK-111
- Antivirus LK-116



**2 CONNECTIVITY**

- Fax board FK-514
- Wireless LAN WK-221
- USB I/F kit EF-602
- USB I/F kit LK-605
- Fiery controller IC-420
- Interface kit for IC-420 VI-516
- Interface board for IC-420 JN-115
- Card authentication ID card reader
- Mount kit MK-715

**3 OTHERS**

- Working table WT-506
- Office Stapler FS-P04
- 10-Key pad KP-102
- Replacement SSD EM-90B
- Keyboard holder KH-192
- Convenience Stapler CS-2

**4 MEDIA INPUT**

- 1x Universal tray PC-116
- 2x Universal tray PC-216
- Large capacity tray PC-416
- Large capacity tray PC-417
- Copier desk DK-514x
- Large capacity tray LU-301
- Large capacity tray LU-307
- Barner tray MK-730

**5 MEDIA OUTPUT**

- Output tray OE-513
- Job separator JS-508

**OR**

- Trimmer finisher FS-533
- Attachment kit MK-607
- Push kit for FS-533 TK-518

**OR**

- Staple finisher FS-139
- Relay unit RU-513
- Booklet finisher FS-339S2
- Relay unit RU-513
- Push kit for FS-339/S2 TK-521

**OR**

- Staple finisher FS-540
- Relay unit RU-513
- Booklet finisher FS-540SD
- Relay unit RU-513
- Push kit for FS-540/SD TK-522
- Push kit for FS-540/SD TK-523
- Job separator for FS-540/SD JS-932
- Z-fold unit for FS-540/SD TU-827

**LEGEND**

- Mandatory option
- Option
- This option can only be installed with the respective option above it

## FINISHING FUNCTIONALITIES

- Corner stapling
- Two-point stapling
- Two-hole punching
- Three-hole punching
- Duplex
- Combined duplex/wiremedia
- Half-fold
- Sheet insertion
- Letter-fold
- Booklet
- Offset sorting
- Z-fold
- Barner printing
- Corner Stapling (offline)



## ENHANCED FEATURES

|                                   |  |
|-----------------------------------|--|
| LK-106 Barcode fonts              | Supports native barcode printing   |
| LK-107 Unicode fonts              | Supports native Unicode printing   |
| LK-108 OCR A and B fonts          | Supports native OCR A and B font printing  |
| LK-110v2 Document file conversion | Supports Searchable PDF and OOXML (DOCX, XLSX, etc.) file formats                                |
| LK-111 ThinPrint client           | Print data compression for reduced network impact  |
| LK-116 Antivirus                  | Bitdefender <sup>®</sup> antivirus provides real time scanning of all incoming and outgoing data |

## CONNECTIVITY

|                                 |   |
|---------------------------------|---|
| FK-514 Fax board                | Super G3 fax, digital fax functionality         |
| UK-221 Wireless LAN             | Wireless LAN and wireless LAN Access Point Mode |
| EK-608 USB I/F kit              | USB keyboard connection                         |
| EK-609 USB I/F kit              | USB keyboard connection, Bluetooth              |
| IC-420 Fiery controller         | Professional color print controller             |
| VI-516 Interface kit for IC-420 | Fiery controller interface card                 |
| UK-115 Mount kit                | Fiery controller mount kit                      |
| AU-205H ID card reader          | Supports various ID card technologies           |
| MK-735 Mount kit                | Installation kit for ID card reader             |

## OTHERS

|                        |  |
|------------------------|--|
| WT-506 Working table   | Authentication device placement          |
| KP-102-10 Key pad      | For numeric entry instead of touchscreen |
| SC-509 Security kit    | Copy guard function                      |
| EM-908 SSD             | 1 TB SSD to increase storage space       |
| FS-P04                 | Offline Stapler                          |
| CS-2                   | Convenience Stapler                      |
| KH-102 Keyboard holder | To place USB keyboard                    |
| External keyboard      | Keyboard for alpha numeric data entry    |

## MEDIA INPUT

|                            |  |
|----------------------------|--|
| PC-116 1x Universal tray   | 500 sheets / 5.5" x 8.5" - 11" x 17" / 52-256 g/m <sup>2</sup>             |
| PC-216 2x Universal tray   | 2x 500 sheets / 5.5" x 8.5" - 11" x 17" / 52-256 g/m <sup>2</sup>          |
| PC-416 Large capacity tray | 2,500 sheets / 8.5" x 11" / 52-256 g/m <sup>2</sup>                        |
| PC-417 Large capacity tray | 1,500 + 1,000 sheets / 5.5" x 8.5" or 8.5" x 11" / 52-256 g/m <sup>2</sup> |
| LU-302 Large capacity tray | 3,000 sheets / 8.5" x 11" / 52-256 g/m <sup>2</sup>                        |
| LU-207 Large capacity tray | 2,500 sheets / 8.5" x 11" - 12" x 18" / 52-256 g/m <sup>2</sup>            |
| MK-730 Banner tray         | Multipage banner feeding   |
| DK-516 Copier desk         | Provides storage space for print media and other materials                 |

## MEDIA OUTPUT

|                                    |   |
|------------------------------------|---|
| OT-513 Output tray                 | Output tray used instead of finisher                                      |
| JS-508 Job separator               | Separation of fax output, etc.  |
| FS-533 Inner finisher              | 50-sheet stapling, 500 sheets max. output                                 |
| MK-607 Attachment kit              | For FS-533 installation   |
| PK-519 Punch kit for FS-533        | 2/4 hole punching, auto switching   |
| FS-539 Staple finisher             | 50-sheet stapling / 3,200 sheets max. output                              |
| FS-539SD Booklet finisher          | 50-sheet stapling / 20-sheet booklet finisher / 2,200 sheets max. output  |
| PK-524 Punch kit for FS-539/SD     | 2/3 hole punching, auto switching   |
| FS-540 Staple finisher             | 100-sheet stapling / 3,200 sheets max. output                             |
| FS-540SD Booklet finisher          | 100-sheet stapling / 20-sheet booklet finisher / 2,700 sheets max. output |
| PK-526 Punch kit for FS-540/SD     | 2/3 hole punching, auto switching   |
| RU-513 Relay unit                  | For FS-539/SD or FS-540/SD installation                                   |
| JS-602 Job separator for FS-540/SD | Separation of fax output, etc.  |
| PI-507 Post inserter for FS-540/SD | Cover insertion, post finishing   |
| ZU-609 Z-fold unit for FS-540/SD   | Z-fold for 11" x 17" prints   |

## TECHNICAL SPECIFICATIONS

### SYSTEM SPECIFICATIONS

|                              |  |
|------------------------------|--|
| System speed 8.5" x 11"      | Up to 55/55 ppm (mono/color)   |
| System speed 11" x 17"       | Up to 27/27 ppm (mono/color)   |
| Auto duplex speed 8.5" x 11" | Up to 55/55 ppm (mono/color)   |
| 1st page out time 8.5" x 11" | 3.8/5.0 sec. (mono/color)  |
| Warm-up time                 | Approx. 15/17 sec. (mono/color) <sup>1</sup>   |
| Imaging technology           | Laser  |
| Toner technology             | Simitri <sup>®</sup> HD polymerized toner  |
| Panel size/resolution        | 10.1" / 1,024 x 600  |
| System memory                | 8 GB (standard/max.)   |
| System hard drive            | 256 GB SSD (standard) / 1 TB SSD (optional)  |
| Interface                    | 10/100/1,000-Base-T Ethernet, USB 2.0, Wi-Fi 802.11 b/g/n/ac (optional)  |
| Network protocols            | TCP/IP (IPv4 / IPv6) / SMB / LPD / IPP / SNMP / HTTP(S) / Bonjour  |
| Automatic document feeder    | Up to 300 originals / 5.5" x 8.5" - 11" x 17" / 35-210 g/m <sup>2</sup> / Dualscan ADF   |
| ADF double feed detection    | Standard   |
| Printable paper size         | 3.5" x 5.5" - 12" x 18" / customized paper sizes / banner paper max. 47.2" x 11.7"   |
| Printable paper weight       | 52-300 g/m <sup>2</sup>  |
| Paper input capacity         | 1,150 sheets / 6,650 sheets (standard/max.)  |
| Paper tray input (standard)  | 1 x 500 / 3.5" x 5.8" - 11" x 17" / custom sizes / 52-256 g/m <sup>2</sup><br>1 x 500 / 5.5" x 8.5" - 12" x 18" / custom sizes / 52-256 g/m <sup>2</sup>   |
| Paper tray input (optional)  | 1 x 500 / 5.5" x 8.5" - 11" x 17" / 52-256 g/m <sup>2</sup><br>2 x 500 / 5.5" x 8.5" - 11" x 17" / 52-256 g/m <sup>2</sup><br>1 x 2,500 / 8.5" x 11" / 52-256 g/m <sup>2</sup><br>1 x 1,500 + 1 x 1,000 sheets / 5.5" x 8.5" or 8.5" x 11" / 52-256 g/m <sup>2</sup> |

|                                |   |
|--------------------------------|---|
| Large capacity tray (optional) | 1 x 3,000 / 8.5" x 11" / 52-256 g/m <sup>2</sup><br>1 x 2,500 / 8.5" x 11" - 12" x 18" / custom sizes / 52-256 g/m <sup>2</sup> |
| Manual bypass                  | 150 sheets / 3.5" x 5.5" - 12" x 18" / custom sizes / banner / 60-300 g/m <sup>2</sup>  |
| Finishing modes (optional)     | Offset, Group, Sort, Staple, Staple (offline), Punch, Half-fold, Letter-fold, Booklet, Post insertion, Z-fold                   |
| Automatic duplexing            | 4.1" x 5.5" - 12" x 18" / 52-256 g/m <sup>2</sup>   |
| Output capacity                | Up to 250 sheets / up to 3,300 sheets (standard/max.)   |
| Stapling                       | Max. 100 sheets or 98 sheets + 2 cover sheets (up to 300 g/m <sup>2</sup> )   |
| Stapling output capacity       | Max. 200 sets   |
| Letter fold                    | Max. 3 sheets   |
| Letter fold capacity           | Max. 50 sets, unlimited (without tray)  |
| Booklet                        | Max. 20 sheets or 19 sheets + 1 cover sheet (up to 300 g/m <sup>2</sup> )   |
| Booklet output capacity        | Max. 35 booklets, unlimited (without tray)  |
| Duty cycle (monthly)           | Max. 2,000,000 pages  |
| Toner lifetime                 | Black up to 28,000 pages<br>CMY up to 28,000 pages  |
| Imaging unit lifetime          | Black up to 240,000/1,000,000 pages (drum/developer)<br>CMY up to 165,000/1,000,000 pages (drum/developer)                      |
| Power consumption              | 110-120 V / 60 Hz, less than 1.6 kW   |
| System dimension (W x D x H)   | 24.2" x 27.1" x 37.8" (without options)   |
| System weight                  | Approx. 220 lb (without options)  |

## PRINTER SPECIFICATIONS

|                           |  |
|---------------------------|--|
| Print resolution          | 1,800 (equivalent) x 600 dpi, 1,200 x 1,200 dpi  |
| Page description language | PostScript 3 (3016) Emulation<br>PCL 6 (XL Version 3 0 Emulation)<br>PCL 5e/c Emulation<br>XPS Version 1.0   |
| Operating systems         | Server: Windows Server 2016<br>Windows Server 2019<br>Windows Server 2022<br>Client: Windows 10<br>Windows 10 / 11x64 Edition<br>Windows Sever 2016 / Sever 2019 / Sever 2022<br>macOS 10.14 / 10.15 / 11 / 12 / 13 Intel<br>macOS 11 AppleM1<br>macOS 12 / 13 AppleM1 / AppleM2<br>Red Hat Enterprise Linux<br>Google Chrome OS |
| Printer fonts             | PCL:<br>Western type: 80 outline fonts<br>Japanese fonts: HG Mincho L / HGP Mincho L / HG Gothic B /<br>HGP Gothic B<br>Postscript 3 Emulation:<br>Western type1 font: 137 outline fonts<br>Japanese fonts: HG Mincho L / HG Gothic B  |
| Mobile printing           | AirPrint (iOS), Mopria (Android),<br>Konica Minolta Print Service (Android),<br>Konica Minolta Mobile Print (iOS/Android)<br>Optional: Google Cloud Print, Wi-Fi Direct  |

## PRINTER SPECIFICATIONS (OPTIONAL)

|                           |  |
|---------------------------|--|
| Print controller          | Embedded Fiery IC-420  |
| Controller CPU            | AMD GX-424CC @ 2.4 GHz   |
| Memory/HDD                | 8 GB (8192MB) (standard)   |
| Page description language | Adobe PostScript 3 (CPSI 3020), PCL 6, PCL 5c  |
| Operating systems         | Windows 7 (32/64), Windows 8.1 (32/64),<br>Windows 10 (32/64), Windows Server 2008 (32/64),<br>Windows Server 2008 R2, Windows Server 2012, Windows<br>Server 2012 R2, Windows Server 2016, Windows Server<br>2019, Macintosh DS X 10.10 or later, Linux |

## SCANNER SPECIFICATIONS

|                   |  |
|-------------------|--|
| Scan speed        | Up to 140/140 ipm in simplex (mono/color)<br>Up to 280/280 ipm in duplex (mono/color)  |
| Scan resolution   | Up to 600 x 600 dpi  |
| Scan modes        | Scan-to-eMail (Scan-to-Me), Scan-to-SMB (Scan-to-Home), Scan-to-FTP, Scan-to-Box, Scan-to-USB, Scan-to-WebDAV, Scan-to-DPWS, Scan-to-URL, TWAIN scan           |
| File formats      | TIFF, PDF, Compact PDF, JPEG, XPS, Compact XPS, pptx, docx, xlsx, Searchable PDF, PDF/A, Linearized PDF, Page setting (Single page (1-999 pages) / Multi page) |
| Scan destinations | 2,000 destinations + 100 groups, LDAP support  |



For complete information on Konica Minolta products and solutions, please visit: [CountOnKonicaMinolta.com](http://CountOnKonicaMinolta.com)

© 2024 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. KONICA MINOLTA, the KONICA MINOLTA logo and brands are registered trademarks or trademarks of KONICA MINOLTA, INC. All other product and brand names are trademarks or registered trademarks of their respective companies or organizations. All features and functions described here may not be available on your product. Design & specifications are subject to change without notice.

## COPIER SPECIFICATIONS

|                 |                                  |
|-----------------|----------------------------------|
| Copy resolution | 600 x 600 dpi                    |
| Gradation       | 256 gradations                   |
| Multicopy       | 1-9,999                          |
| Original format | Max. 11" x 17"                   |
| Magnification   | 25-400% in 0.1% steps, Auto zoom |

## FAX SPECIFICATIONS

|                  |                                    |
|------------------|------------------------------------|
| Fax standard     | Super G3 (optional)                |
| Fax transmission | Analog, i-Fax, Color i-Fax, IP-Fax |
| Fax resolution   | Up to 600 x 600 dpi                |
| Fax compression  | MH, MR, MMR, JBIG                  |
| Fax modem        | Up to 33.6 Kbps                    |
| Fax destinations | 2,000 single + 100 groups          |

## USER BOX SPECIFICATIONS

|                      |   |
|----------------------|---|
| Storable documents   | Up to 3,000 documents or 10,000 pages   |
| Type of user boxes   | Public, Personal (with password or authentication), Group (with authentication) |
| Type of system boxes | Secure print, Encrypted PDF print, Fax receipt, Fax polling                     |

## SYSTEM FEATURES

|            |   |
|------------|---|
| Security   | ISO 15408 HCD-PP Common Criteria (in evaluation), IP filtering and port blocking, SSL3 and TLS1.0/1.1/1.2 network communication, IPsec support, IEEE 802.1x support, User authentication, Authentication log, Secure print, Kerberos, Hard drive data encryption (AES 256), Confidential fax, Print user data encryption (Optional: Antivirus scanning (Bitdefender <sup>®</sup> ), Copy protection (Copy Guard, Password Copy) |
| Accounting | Up to 1,000 user accounts, Active Directory support (user name + password + e-mail + smb folder), User function access definition, Authentication by mobile device (Android), ID card authentication (ID card reader), Authentication by mobile device (iOS)  |
| Software   | Net Care Device Manager, Data Administrator, Box Operator, Web Connection, Log Management Utility   |

<sup>1</sup> Warm-up time may vary depending on the operating environment and usage.

<sup>2</sup> Maximum monthly copy/print volume supported under standard vendor-supplied service defines the upper end of expected customer volume for the device. Customers should consider multiple machines if average monthly volume approaches duty cycle on a continual basis.

- All specifications refer to 8.5" x 11" paper of 80 g/m<sup>2</sup> weight.
- The support and availability of the listed specifications and functionalities vary depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of 8.5" x 11"). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.



KONICA MINOLTA

KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC.  
160 Williams Drive, Ramsey, New Jersey 07646

[CountOnKonicaMinolta.com](http://CountOnKonicaMinolta.com)



2024 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC.



KONICA MINOLTA

**bizhub**  
**i-SERIES IS**  
**SMARTER**  
**WORKING**  
**RETHINK IT**



**bizhub C751i**  
Color A3 multifunctional



**Giving Shape to Ideas**

### CUSTOMER BENEFITS



**Intuitive operability**  
Operate the bizhub like a smartphone or tablet with fully customizable user interface



**Mobile connectivity**  
Print anytime from anywhere with Konica Minolta's innovative mobile technologies



**Security**  
Secure network integration, data encryption, and advanced user authentication



**Application ecosystem**  
Enhanced efficiency thanks to Konica Minolta's extensive applications portfolio



**Productivity**  
Reliability, high-speed scanning and printing, combined with powerful finishing functions



**Sustainability**  
Numerous eco features reduce energy consumption and costs

### OPTIONS

#### 1 ENHANCED FEATURES

- Barcode fonts  
LK-106
- Unicode fonts  
LK-107
- OCR A and B fonts  
LK-108
- Document converter pack  
EK-170v2
- ThinPrint™ client  
LK-111
- Antivirus  
LK-115



#### 2 Connectivity

- Fax board  
FK-514
- Wireless LAN  
UK-321
- USB 1/F kit  
EK-600
- OR
- USB 1/F kit  
EK-600
- Fiery controller  
IC-420
- Interface kit for IC-420  
VI-515
- ID card reader  
AU-205H
- OR
- Mount kit  
MK-735

#### 3 OTHERS

- Working table  
WT-506
- Upright panel  
WT-519
- 16-Key pad  
KP-102
- Security kit  
SC-509
- 1 TB SSD  
EM-908
- Keyboard holder  
KH-102
- External Keyboard
- Off-line stapler  
FS-P04

#### 4 MEDIA INPUT

- Intelligent Media Sensor  
IM-103
- Large capacity tray  
LU-303
- OR
- Large capacity tray  
LU-205
- Banner tray  
MK-730

#### 5 MEDIA OUTPUT

- Output tray  
OT-514
- OR
- Sheet feeder  
FS-539
- Rollsheet  
RU-549
- OR
- Booklet feeder  
FS-549SD
- Relay unit  
RU-519
- OR
- Sheet feeder  
FS-540
- Relay unit  
RU-519
- OR
- Sheet feeder  
FS-540SD
- Relay unit  
RU-519
- OR
- Sheet feeder for FS-540/SD  
FF-526
- Rollsheet for FS-540/SD  
RS-507
- OR
- Rollsheet for FS-540/SD  
RS-507
- OR
- 2-sheet tray for FS-540/SD  
TS-600

**LEGEND**

- Mandatory option
- Option
- This option can only be installed with the respective option above it

### FINISHING FUNCTIONALITIES

- Corner stapling**
- Two-point stapling**
- Two-hole punching**
- Three-hole punching**
- Duplex**
- Combined mixplex/mixmedia**
- Half-fold**
- Sheet insertion**
- Tri-fold**
- Booklet**
- Offset sorting**
- Z-fold**
- Banner printing**
- Corner Stapling (offline)**

## DESCRIPTION

## ENHANCED FEATURES

|                                      |   |
|--------------------------------------|---|
| LK-106 Barcode fonts                 | Supports native barcode printing  |
| LK-107 Unicode fonts                 | Supports native Unicode printing  |
| LK-108 OCR A and B fonts             | Supports native OCR A and B font printing   |
| LK-110v2 Document converter pack     | Supports Searchable PDF, PDF encryption, PDF/A, linearized PDF file formats, and generates OOXML (DOCX, XLSX, etc.) file formats. |
| LK-111 ThinPrint <sup>®</sup> client | Print data compression for reduced network impact   |
| LK-116 Antivirus                     | Bitdefender <sup>®</sup> antivirus provides real time scanning of all incoming and outgoing data                                  |

## CONNECTIVITY

|                                 |   |
|---------------------------------|---|
| FK-514 Fax board                | Super G3 fax, digital fax functionality         |
| UK-221 Wireless LAN             | Wireless LAN and wireless LAN Access Point Mode |
| EK-608 USB I/F kit              | USB keyboard connection                         |
| EK-609 USB I/F kit              | USB keyboard connection; Bluetooth              |
| IC-420 Fiery controller         | Professional color print controller             |
| VI-516 Interface kit for IC-420 | Fiery controller interface card                 |
| AU-205H ID card reader          | Various ID card technologies                    |
| MK-735 Mount kit                | Installation kit for ID card reader             |

## OTHERS

|                        |  |
|------------------------|--|
| WT-506 Working table   | Authentication device placement          |
| WT-579 Working table   | Working table for upright panel          |
| XP-102 10-Key pad      | For numeric entry instead of touchscreen |
| SC-509 Security kit    | Copy guard function                      |
| EM-908 1 TB SSD        | 1 TB SSD to increase storage space       |
| KH-102 Keyboard holder | To place USB keyboard                    |
| External Keyboard      | Keyboard for alpha numeric data entry    |
| FS-P04 Office Stapler  | 20-sheet off-line stapling               |

## MEDIA INPUT

|                            |   |
|----------------------------|---|
| LU-303 Large capacity tray | 3,000 sheets, 8.5" x 11", 52-256 g/m <sup>2</sup>             |
| LU-205 Large capacity tray | 2,500 sheets, 8.5" x 11" - 12" x 18", 52-256 g/m <sup>2</sup> |
| MK-730 Banner tray         | Multipage banner feeding                                      |

## MEDIA OUTPUT

|                                    |   |
|------------------------------------|---|
| QT-514 Output tray                 | Output tray used instead of finisher                                    |
| FS-539 Staple finisher             | 50-sheet stapling; 3,200 sheets max. output                             |
| FS-539SD Booklet finisher          | 50-sheet stapling; 20-sheet booklet finisher; 2,200 sheets max. output  |
| PK-524 Punch kit for FS-539/SD     | 2/3 hole punching, autoswitching  |
| FS-540 Staple finisher             | 100-sheet stapling; 3,200 sheets max. output                            |
| FS-540SD Booklet finisher          | 100-sheet stapling; 20-sheet booklet finisher; 2,700 sheets max. output |
| PK-526 Punch kit for FS-540/SD     | 2/3 hole punching; auto switching                                       |
| RU-519 Relay unit                  | For FS-539/SD or FS-540/SD installation                                 |
| PI-507 Post inserter for FS-540/SD | Cover insertion; post finishing   |
| JS-602 Job separator for FS-540/SD | Separation of fax output, etc.  |
| ZU-609 Z-fold unit for FS-540/SD   | Z-fold for 11" x 17" prints   |

## TECHNICAL SPECIFICATIONS

## SYSTEM SPECIFICATIONS

|                                |  |
|--------------------------------|--|
| System speed letter            | Up to 75/70 ppm (mono/color)   |
| System speed 11" x 17"         | Up to 31/35 ppm (mono/color)   |
| Auto duplex speed letter       | Up to 75/70 ppm (mono/color)   |
| 1st page out time letter       | 2.8/3.8 sec. (mono/color)  |
| Warm-up time                   | Approx. 17/18 sec. (mono/color) <sup>2</sup>   |
| Imaging technology             | Laser  |
| Toner technology               | Simtri <sup>®</sup> HD polymerized toner   |
| Panel size/resolution          | 10.1" / 1024 x 600   |
| System memory                  | 8,192 MB (standard; max)   |
| Solid state drive              | 256 GB SSD (standard) / 1 TB SSD (optional)  |
| Interface                      | 10/100/1,000-BASE-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)  |
| Network protocols              | TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP(S); Bonjour  |
| Automatic document feeder      | Up to 300 originals; 4.13" x 5.83" - 11" x 17"; 35-210 g/m <sup>2</sup> ; Dual scan ADF  |
| ADF double feed detection      | Standard   |
| Printable paper size           | 3.5" x 5.5" - 12" x 18", custom paper sizes; banner paper max. 47.2" x 11.7"   |
| Printable paper weight         | 52-300 g/m <sup>2</sup>  |
| Paper input capacity           | 3,650 sheets / 6,650 sheets (standard; max)  |
| Paper tray input (standard)    | 1x 500; 3.5" x 5.5" - 11" x 17"; custom sizes; 52-256 g/m <sup>2</sup><br>1x 500; 5.5" x 8.5" - 12" x 18"; custom sizes; 52-256 g/m <sup>2</sup><br>1x 1,500; 5.5" x 8.5" - 8.5" x 11"; 52-256 g/m <sup>2</sup><br>1x 1,000; 5.5" x 8.5" - 8.5" x 11"; 52-256 g/m <sup>2</sup> |
| Large capacity tray (optional) | 1x 3,000; 8.5" x 11"; 52-256 g/m <sup>2</sup><br>1x 2,500; 8.5" x 11" - 12" x 18"; custom sizes; 52-256 g/m <sup>2</sup>   |
| Manual bypass                  | 150 sheets; 3.5" x 5.5" - 12" x 18"; custom sizes; banner; 60-300 g/m <sup>2</sup>   |

## SYSTEM SPECIFICATIONS

|                              |   |
|------------------------------|---|
| Finishing modes (optional)   | Offset; Copyp; Sort; Staple; Staple (offline); Punch; Half-fold; Letter-fold; Booklet; Post insertion; Z-fold |
| Automatic duplexing          | 3.5" x 5.5" - 12" x 18"; 52-256 g/m <sup>2</sup>  |
| Output capacity              | Up to 200 sheets / up to 3,300 sheets (standard; max)   |
| Stapling                     | Max. 100 sheets or 98 sheets + 2 cover sheets (up to 300 g/m <sup>2</sup> )                                   |
| Stapling output capacity     | Max. 200 sets   |
| Letter fold                  | Max. 3 sheets   |
| Letter fold capacity         | Max. 50 sets; unlimited (without tray)  |
| Booklet                      | Max. 20 sheets or 19 sheets + 1 cover sheet (up to 300 g/m <sup>2</sup> )                                     |
| Booklet output capacity      | Max. 35 booklets; unlimited (without tray)  |
| Duty cycle (monthly)         | Max. <sup>2</sup> 300,000 pages   |
| Toner lifetime               | Black up to 45,000 pages<br>CMY up to 45,000 pages  |
| Imaging unit lifetime        | Black up to 240,000/1,000,000 pages (drum/developer)<br>CMY up to 165,000/1,000,000 pages (drum/developer)    |
| Power consumption            | 110-120W/ 50/60 Hz; Less than 2.10 kW   |
| System dimension (W x D x H) | 24.2" x 27.1" x 47.5" (without options)   |
| System weight                | Approx. 353 lbs (without options)   |

## PRINTER SPECIFICATIONS

|                           |  |
|---------------------------|--|
| Print resolution          | 1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi  |
| Page description language | PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSL3.016); XPS   |
| Operating systems         | Windows 7 (32/64); Windows 8.1 (32/64); Windows 10 (32/64); Windows Server 2008 (32/64); Windows Server 2008 R2; Windows Server 2012; Windows Server 2012 R2; Windows Server 2016; Windows Server 2019; Macintosh OS X 10.11 or later; Unix; Linux; Citrix |
| Printer fonts             | 90 PCL Latin; 137 PostScript 3 Emulation Latin   |

### PRINTER SPECIFICATIONS

|                 |   |
|-----------------|---|
| Mobile printing | AirPrint (iOS); Mopria (Android);<br>Konica Minolta Print Service (Android);<br>Konica Minolta Mobile Print (iOS/Android)<br>Optional: Wi-Fi Direct |
|-----------------|---|

### PRINTER SPECIFICATIONS (OPTIONAL)

|                           |  |
|---------------------------|--|
| Print controller          | Embedded Fiery IC-420  |
| Controller CPU            | AMD GX-424CC @ 2.4 GHz   |
| Memory/HDD                | 4,096 MB / 500 GB  |
| Page description language | PostScript 3 (3016) Emulation; PCL 6 (XL Version 3.0 Emulation);<br>PCL 5e/c Emulation; XPS Version 1.0  |
| Operating systems         | Windows 10 (32/64); Windows 11; Windows Server 2012;<br>Windows Server 2012 R2; Windows Server 2016;<br>Windows Server 2019; Windows Server 2022;<br>macOS 10.14 or later; Unix; Linux; Citrix |

### SCANNER SPECIFICATIONS

|                   |  |
|-------------------|--|
| Scan speed        | Up to 140/140 ipm in simplex (mono/color)<br>Up to 280/280 ipm in duplex (mono/color)  |
| Scan resolution   | Up to 600 x 600 dpi  |
| Scan modes        | Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home);<br>Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV;<br>Scan-to-DPWS; Scan-to-URL; TWAIN scan |
| File formats      | JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS;<br>Compact XPS; PPTX; PDF/A 1a and 1b<br>optional: Searchable PDF; Searchable DOCX/PPTX/XLSX             |
| Scan destinations | 2,000 destinations + 100 groups; LDAP support  |

### COPIER SPECIFICATIONS

|                 |                                  |
|-----------------|----------------------------------|
| Copy resolution | 600 x 600 dpi                    |
| Gradation       | 256 gradations                   |
| Multicopy       | 1-9,999                          |
| Original format | Max. 11" x 17"                   |
| Magnification   | 25-400% in 0.1% steps; Auto-zoom |

### FAX SPECIFICATION

|                  |                            |
|------------------|----------------------------|
| Fax standard     | Super G3 (optional)        |
| Fax transmission | Analog; i-Fax; Color i-Fax |
| Fax resolution   | Up to 600 x 600 dpi        |
| Fax compression  | MH; MR; MMR; JBIG          |
| Fax modem        | Up to 33.6 Kbps            |
| Fax destinations | 2,000 single + 100 groups  |

### USER BOX SPECIFICATIONS

|                    |  |
|--------------------|--|
| Storable documents | Up to 3,000 documents or 10,000 pages  |
| User boxes         | Public; Personal (with password or authentication);<br>Group (with authentication) |
| System boxes       | Secure print; Encrypted PDF print; Fax receipt; Fax polling                        |

### SYSTEM FEATURES

|                              |  |
|------------------------------|--|
| Security                     | ISO 15408 HCD-PP Common Criteria (in evaluation);<br>IP filtering and port blocking; SSL3 and TLS 1.0/1.1/1.2 network<br>communication; IPsec support; IEEE 802.1x support; User<br>authentication; Authentication log; Secure print; Kerberos;<br>Overwrite all data function; SSD self-encryption (AES 256)/<br>Storage lock password; Confidential fax;<br>Print user data encryption |
| Security function (optional) | Antivirus realtime scanning (BitDefender®);<br>Copy protection (Copy Guard; Password Copy)   |
| Accounting                   | Up to 1,000 user accounts;<br>Active Directory support (user name + password + e-mail + smb folder);<br>User function access definition;<br>Authentication by mobile device (Android)<br>ID card authentication (ID card reader);<br>Authentication by mobile device (iOS)   |
| Software                     | Net Care Device Manager; Data Administrator;<br>Web Connection; Log Management Utility   |

<sup>1</sup> Warm-up time may vary depending on the operating environment and usage

<sup>2</sup> If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed

- All specifications refer to 8.5" x 11" size paper of 80 g/m<sup>2</sup> quality.
- The support and availability of the listed specifications and functionalities varies depending on operating system, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as: page coverage for a particular page size (5% coverage of 8.5" x 11"). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.



For complete information on Konica Minolta products and solutions, please visit: [CountOnKonicaMinolta.com](https://www.CountOnKonicaMinolta.com)

© 2024 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. KONICA MINOLTA, the KONICA MINOLTA logo and bizhub are registered trademarks or trademarks of KONICA MINOLTA, INC. All other product and brand names are trademarks or registered trademarks of their respective companies or organizations. All features and functions described here may not be available on some products. Design & specifications are subject to change without notice.



KONICA MINOLTA  
KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC.  
100 Williams Drive, Ramsey, New Jersey 07446  
[CountOnKonicaMinolta.com](https://www.CountOnKonicaMinolta.com)



Item #: C75165  
5/2024




KONICA MINOLTA

AccurioPress  
C4080/C4070

# BUILD YOUR BRIDGE TO SUCCESS

RETHINK VERSATILITY



**Giving Shape to Ideas**

# HAVE IT ALL WITH ONE PRESS. RETHINK THE FUTURE OF DIGITAL PRINT

Imagine having just a single press that is good for everything: 2-sided banner printing, professional inline finishing, highest productivity, real-time automated quality adjustments, excellent print quality, and so much more. That's the AccurioPress C4080 series from Konica Minolta for you: our agile production color press with features that enable you to expand your business into new markets and develop new revenue streams.

## Exceptional quality, every print

Exclusive Intelligent Quality Optimizer IQ-501 leverages Konica Minolta's long history of brilliant imaging technology, allowing you to wow your customers with stunning consistent color prints time and time again.

## Grow your business

The AccurioPress C4080 series expands your business with new capabilities. Our system offers the biggest media variety in the market, from thin to thick paper, embossed paper, envelopes, and many more. All supported by our new optional media sensor to guarantee worry-free operation.

## A single engine does it all

The AccurioPress C4080 series is a fully configured press to expand your business as you wish. You can print flat sheets, duplex long sheets of up to 34", or directly finish prints inline with our extensive choice of finishing options to meet your clients' every need in one integrated production process.

## Boost efficiency

Operators of any AccurioPress system can count on simple setup, an ultra-reliable paper path, exceptional productivity, and outstanding automated image stability. Our R&D Team has given highest priority to fulfilling today's high demands in the printing industry. What's more, the AccurioPress system seamlessly integrates into various software applications from our portfolio that will make your business more economic.





# AUTOMATE FULL-BLEED OUTPUT WITH THE TU-510 INLINE TRIMMER

Experience fully finished output with the new TU-510 inline trimmer. This finisher provides inline slitting and trimming to output finished documents ready for boxing and shipping. The TU-510 has options for inline Creasing, Business Card and Postcard Cutting, and Perforation. Plus, the TU-510 has an option to deliver fully trimmed and creased long sheets of up to 51" to the output tray to realize a high-level integrated workflow.

## INCREASE OPPORTUNITIES FOR BUSINESS EXPANSION.

- Automate workflow to reduce labor costs and eliminate unnecessary touches
- Produce full-bleed output ready to box
- Automate common print jobs such as business cards, postcards, and sell sheets
- Maximize output by printing multi-up on larger sheets
- Integrate with other inline finishers to produce full-bleed saddle stitch, perfect bound, and wire bound output all in the time it takes to print
- Avoid toner cracking with the creasing option
- Produce perforated output inline in one easy step

## NOW FULL-BLEED OUTPUT IS FINALLY POSSIBLE.

This new finisher offers advanced automation to deliver fully trimmed, full-bleed brochures, flyers, postcards, business cards, and more directly to the output tray. This new trimmer creates sophisticated, professional documents ready for delivery to your customer in the time it takes to print them. This is the industry's first inline trimmer and is compatible with the new AccurioPress series of digital presses.



# YOUR ADVANTAGES WITH THE AccurioPress C4080/C4070

## RETHINK PRODUCTION PRINTING

### READY-MADE PRINT PRODUCTS

- 50-sheet booklet making with front trimming and optional creasing, slitting, and spine corner forming
- Perfect binding for books of up to 300 pages
- 100-sheet stapling with cutting mechanism
- Automated inline business card and postcard cutting
- Full bleed banners and posters
- Inline full-bleed trimming with options for creasing, perforation, business cards, and long sheets


### DURABLE PERFORMANCE

#### AccurioPress C4080

- Up to 80 8.5"x11" color pages per minute
- Up to 44 11"x17" color pages per minute

#### AccurioPress C4070

- Up to 70 8.5"x11" color pages per minute
- Up to 38 11"x17" color pages per minute



### SIMPLY EFFICIENT

- Automated engine linearization
- Automated duplex registration
- Automated profiling
- Real-time adjustments
- Purge function

## HIGHEST RELIABILITY

- Long-life platform, long-lasting parts and consumables
- Accurate front-to-back registration
- Fusing-rolling mechanism

## HIGH-END PRINT CONTROL

- Flexible choice of controller technology: EFI® or Konica Minolta controller
- Integration into hybrid workflows

## EASE OF USE

- Automated real-time engine calibration
- Simple paper catalog settings
- Open API/IWS support

## SOPHISTICATED MEDIA HANDLING

- Air suction or air-assisted paper feeding technology
- Up to 11 paper trays
- Long sheet printing of up to 51" (simplex), 34" (duplex)

## PERFECT IMAGE QUALITY

- S.E.A.D. X technology and 3,600 x 2,400 dpi x 8-bit resolution
- Simitri HDe toner technology
- Image density control technology

## COMPREHENSIVE MEDIA PROCESSING

- Up to 360gsm paper weight in simplex and duplex
- Optional media sensor senses paper weight and type
- Envelope printing with standard fuser



# SPECIFICATIONS AND OPTIONS

## RETHINK THE NEEDS

### SYSTEM SPECIFICATIONS

|                   |  |
|-------------------|--|
| Resolution        | 3,600 x 2,400 dpi x 8 bit  |
| Paper weight      | 62 – 360 g/m <sup>2</sup>  |
| Paper sizes       | 330.2 x 487.7 mm<br>330.2 x 662 mm (max duplex)<br>330.2 x 1300 mm (max simplex) |
| Paper input       | Max.: 15,390 sheets  |
| Dimension (WxDxH) | 31.49" x 35.55" x 42.36"   |
| Unit weight       | 696.66 lb.   |

### PRODUCTIVITY

#### AccurioPress C4080

|                            |        |
|----------------------------|--------|
| 8.5 x 11 – max. per minute | 80 ppm |
| 11 x 17 – max. per minute  | 44 ppm |

#### AccurioPress C4070

|                            |        |
|----------------------------|--------|
| 8.5 x 11 – max. per minute | 70 ppm |
| 11 x 17 – max. per minute  | 38 ppm |

### KONICA MINOLTA IMAGE CONTROLLER IC-609

|                           |   |
|---------------------------|---|
| Architecture              | Internal  |
| OS                        | Linux   |
| CPU                       | Intel Core i5 6500  |
| Clock speed               | 3.2 GHz   |
| RAM std                   | 16 GB   |
| HDD                       | 2TB (2 x 1TB)   |
| Page-description language | Adobe PostScript 3; PDF v1.7; APPE v4.6 (with MK-220); TIFF (v6); PPML v2.2 |
| Applicable OS             | Windows 8.1/10; Windows Server 2012/R2/2016/2019; Mac OS X 10.11–14         |

### FIERY IMAGE CONTROLLER IC-317

|                           |   |
|---------------------------|---|
| Architecture              | External  |
| OS                        | Windows 10  |
| CPU                       | Intel® Core™ i5-6500 processor  |
| Clock speed               | 3.2 GHz up to 3.6 GHz Turbo   |
| RAM std                   | 8 GB  |
| HDD                       | 1TB   |
| Page-description language | Adobe® PostScript® Levels 1, 2, 3, APPE 5, PDF/X-1a, 3, and 4, EPS, Microsoft Office document formats: doc, docx, xls,xlsx, ppt, pptx, pub (via Hot Folders), JPEG, 1-bit TIFF, TIFF (optional via Graphic Arts Pro Package), Fiery FreeForm™ Plus, PPML v3.0, PDF/VT 1 & 2, Creo VPS |
| Applicable OS             | Windows 8.1/10; Windows Server 2012/R2/2016/2019; Mac OS X 10.11–14   |

### FIERY IMAGE CONTROLLER IC-419

|                           |  |
|---------------------------|--|
| Architecture              | Internal   |
| OS                        | Linux  |
| CPU                       | Intel® Pentium® Processor G4400  |
| Clock speed               | 3.3 GHz  |
| RAM std                   | 8 GB   |
| HDD                       | 500 GB   |
| Page-description language | Adobe® PostScript® Levels 1, 2, 3, APPE 5, Microsoft Office document formats: doc, docx, xls, xlsx, ppt, pptx, pub (via Hot Folders) |
| Applicable OS             | Windows 8.1/10; Windows Server 2012/R2/2016/2019; Mac OS X 10.11–14  |

- All specifications refer to A4-size paper of 80 gsm quality.

- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.

- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.

- Some of the product illustrations contain optional accessories.

- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.

- Konica Minolta does not warrant that any prices or specifications mentioned will be error-free.

- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

### OPTIONS

|                                      |           |
|--------------------------------------|-----------|
| KM Image Controller                  | IC-609    |
| EFI external Controller              | IC-317    |
| EFI internal Controller              | IC-419    |
| Paper Feeding Unit                   | PF-602m   |
| Dehumidifier heater                  | HT-504    |
| Paper feeding unit                   | PF-707m   |
| Dehumidifier heater                  | HT-506    |
| PFU connection Kit                   | FA-502    |
| Large capacity feeding unit          | LU-202m   |
| Dehumidifier heater f. LU            | HT-503    |
| Envelope printing guide f. LU        | MK-746    |
| Large capacity feeding unit (banner) | LU-202XLm |
| Multi bypass feeding                 | MB-508    |
| Banner Paper Feeder kit              | MK-760    |
| Multi bypass tray                    | MB-509    |
| Intelligent Media Sensor             | IM-101    |
| Output Tray                          | OT-511    |
| Relay Unit                           | RU-518m   |
| Humidifier                           | HM-103    |
| Intelligent Quality Optimizer        | IQ-501    |
| Purge Unit                           | PU-702    |
| Auto Inspection Unit                 | UK-301    |
| Envelope Feeding Unit                | EF-107    |
| Long Sheet Kit (Output)              | MK-761    |
| Trimmer Unit                         | TU-510    |
| Creasing kit (Downwards)             | CR-102    |
| Creasing kit (Upwards)               | CR-103    |
| Center Slit kit                      | TU-504    |
| CD Perforation kit                   | PE-102    |
| FD Perforation kit                   | PE-103    |
| Banner paper kit                     | MK-764    |
| Business Card kit                    | JS-507    |
| Folding and Punching Unit            | FD-503    |
| Stacking Unit                        | LS-507    |
| Handcart                             | LC-502    |
| Booklet Making Unit                  | SD-506    |
| Booklet Making Unit                  | SD-513    |
| Square Folding Kit                   | FD-504    |
| Slitter Kit                          | TU-503    |
| Creaser Kit                          | CR-101    |
| Perfect Binding Unit                 | PB-503    |
| Stapling Unit                        | FS-532m   |
| Saddle Stitcher Kit                  | SD-510    |
| Punch Kit                            | PK-525    |
| Post inserter Kit                    | PI-502    |
| Output Tray Unit                     | OT-512    |
| Long Sheet Kit (Output)              | MK-761    |

# STATE-OF-THE-ART PRINT SERVERS

## RETHINK YOUR USER EXPERIENCE

### THE IC-609 KONICA MINOLTA CONTROLLER

The Konica Minolta IC-609 print controller brings powerful workflow benefits – including 2,400 dpi printing at full rated engine speed, high-speed RIP processing, enhanced accuracy in color reproduction, color management functions, and full compatibility with print engine on-board job control and editing functions.

### THE IC-317 FIERY IMAGE CONTROLLER

Providing advanced job management and workflow automation, the Fiery® IC-317 reduces labor costs, cuts turnaround times, and minimizes errors as well as waste. The instant visual preview and advanced make ready capabilities streamline job layouts. Support of industry-leading variable data printing (VDP) formats facilitates the profitable production of personalized short-run jobs.

### THE IC-419 EMBEDDED FIERY IMAGE CONTROLLER

As the embedded Fiery® controller alternative, the IC-419 offers a combination of affordability, versatile color management, and PCL support plus a wide range of security features. It helps improve the ease of use of AccurioPress systems, and simplifies workflows so that our digital color presses deliver truly professional print results, making any configuration an ideal business solution for your company's printing facilities.

# MADE FOR YOUR BUSINESS

## RETHINK WHAT'S POSSIBLE

### Commercial Printers

The AccurioPress C4080 series supports you in growing your business and getting the most out of your investment. Its high speed, high productivity, and high uptime help you achieve shortest turnaround times, while the great media flexibility with stocks of up to 360gsm, long sheets of up to 51", envelopes, and structured media will further enhance the variety of our print offerings. Color quality issues are a thing of the past as the AccurioPress C4080 includes numerous auto control and adjustment features. What's more, an inspection system can be applied to make sure only impeccable prints leave your shop.

### CRDs

The AccurioPress C4080 series provides the highest degree of automation and produces quality on the highest level. With its professional inline finishing, you can create ready-made products at the push of a button; and the Intelligent Quality Optimizer IQ-501 makes sure that the print quality is automatically set, monitored, and continuously corrected. The versatile media flexibility and high productivity make the AccurioPress C4080 series a solid and lucrative investment for the future.

# TAKE THE LEAD AND SHOW RESPONSIBILITY

## RETHINK TOMORROW'S BUSINESS

### Sustainability

Konica Minolta promotes sustainable development and integrates environmental and social perspectives into its business strategies. In building your business, you can rely on Konica Minolta products to underpin your green strategy.

Committed to help prevent global warming, Konica Minolta strives to reduce CO<sub>2</sub> emissions during product manufacture, product distribution, at the sales stage, and during product use – with even stricter targets than demanded by the Kyoto Protocol.

Enabling carbon neutrality, Konica Minolta proposes to its customers the offset of unavoidable CO<sub>2</sub> emissions for production printing. Together with the experts from Climate Partner, we offer a new and profound concept for professional production devices.





KONICA MINOLTA

# KEEP YOUR BUSINESS IN THE BLACK

## RETHINK MONOCHROME PRINT PRODUCTION



**AccurioPress**  
7136/7136P/7120

### ACCELERATE YOUR BUSINESS WITH AccurioPress SYSTEMS

To stay in the black, your business needs to stay productive. The AccurioPress 7136 series is all you need for Smart Factory printing at speed. Optimise your print production planning and maximise the profitability of your mid-volume print environment with these next generation systems. Built on almost 20 years of expertise in print production the AccurioPress 7136 series knows what you need, integrating seamlessly with your workflow. Better still, it connects easily with your service and business platforms – whether they're on site or in the cloud.

**Giving Shape to Ideas**

# TECHNICAL SPECIFICATIONS

## SYSTEM SPECIFICATIONS

|                                     |  |
|-------------------------------------|--|
| Resolution                          | 1,200 x 1,200 dpi  |
| Paper weight                        | 40–350 gsm   |
| Paper sizes                         | Min.: 9.74" x 5.24" (95 x 133 mm) *<br>Max.: 12.76" x 19.02" (324 x 483 mm) *with PF-710 |
| Paper input capacity                | Max.: 18,000 sheets  |
| Main unit dimensions<br>(W x D x H) | 39" x 35.8" x 57" (990 x 910 x 1,454 mm)   |
| Main unit weight                    | 813.5 lb (AccurioPress 7136/7120)<br>761 lb (AccurioPress 7136P)                         |

- All specifications refer to 8.5 x 11" (216 x 279 mm) paper size unless otherwise indicated.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any prices or specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

## PRODUCTIVITY

### AccurioPress 7136/7136P

|                             |           |
|-----------------------------|-----------|
| 8.5 x 11" – max. per minute | 136 ppm   |
| 11 x 17" – max. per minute  | 76 ppm    |
| 12 x 18" – max. per minute  | 74 ppm    |
| 8.5 x 11" – max. per hour   | 7,940 ppm |
| 11 x 17" – max. per hour    | 4,526 pph |
| 12 x 18" – max. per hour    | 4,274 pph |

## PRODUCTIVITY

### AccurioPress 7120

|                             |           |
|-----------------------------|-----------|
| 8.5 x 11" – max. per minute | 120 ppm   |
| 11 x 17" – max. per minute  | 78 ppm    |
| 12 x 18" – max. per minute  | 66 ppm    |
| 8.5 x 11" – max. per hour   | 7,034 pph |
| 11 x 17" – max. per hour    | 4,072 pph |
| 12 x 18" – max. per hour    | 3,846 pph |



# CONTROLLER AND OPTIONS

## KONICA MINOLTA CONTROLLER

|                  |   |
|------------------|---|
| Type             | Build-in type   |
| Resolution       | Print: 1,200 x 1,200 dpi; 600 dpi x 600 dpi   |
| CPU              | Intel i5 6500 3.2 GHz   |
| Memory           | 16 GB   |
| HDD              | 2x 1TB  |
| SSD              | 4 GB  |
| Interface        | Ethernet 10/100/1000BASE-T; USB 3.0<br>(for direct print, service) USB 2.0 (for local print)                        |
| Page description | PCL5E/XL (PCL6); Adobe PostScript 3 (PS3020);   |
| Language         | PDF directprint (PDF Ver. 1.7); TIFF (TIFF Ver.6) direct print;<br>PPML (Ver 2.2); APPE (Ver. 4.6, UK-217 required) |

## FIERY IMAGE CONTROLLER MIC-4160

|                  |   |
|------------------|---|
| Architecture     | External  |
| OS               | Windows 10  |
| CPU              | Intel Pentium Gold G5400  |
| Clock speed      | 3.7 GHz   |
| RAM              | 8 GB (2x 4 GB)  |
| HDD              | 500 GB, SSD boot driver for OS and Fiery software   |
| Page description | Adobe PostScript 3; PDF v1.7; APPE v5.5; PDF/VF-1/-2 v3;  |
| Language         | PDF/X1a, 3.4; PPML v3.0; PCL; Creo VPS;<br>Applicable OS Windows 8.1/10;<br>Windows Server 2012/R2/2016/2019; Mac OS X 10.11-14 |

## FIERY IMAGE CONTROLLER MIC-4170

|                  |   |
|------------------|---|
| Architecture     | External  |
| OS               | Windows 10  |
| CPU              | Intel i5-8500 processor   |
| Clock speed      | 3.2 GHz   |
| RAM              | 8GB (2x4GB)   |
| HDD              | 1TB, SSD boot driver for OS and Fiery software  |
| Page description | Adobe PostScript 3; PDF v1.7; APPE v5.5; PDF/VF-1/-2 v3;  |
| Language         | PDF/X1a, 3.4; PPML v3.0; PCL; Creo VPS;<br>Applicable OS Windows 8.1/10;<br>Windows Server 2012/R2/2016/2019; Mac OS X 10.11-14 |

## IC-316M CREO CONTROLLER

|                  |   |
|------------------|---|
| Architecture     | External  |
| OS               | Windows 10  |
| CPU              | Intel i7-8700   |
| Clock speed      | 3.7 GHz   |
| RAM              | 8GB (2x4GB)   |
| HDD              | 8 TB (2 TB system; 3x 2 TB image)   |
| Page description | Adobe PostScript 3; PDF v1.7; APPE v4.9; PDF/VF-1/-2; PDF/  |
| Language         | X1a, 3.4; PPML; Creo VPS; AFP; IPDS; JPEG; TIFF (v6, tbit)<br>Applicable OS Windows 8.1/10; Windows Server 2012/<br>R2/2016/2019; Mac OS X 10.11-15 |

## OPTIONS

|                                       |                  |
|---------------------------------------|------------------|
| Air assist paper feed unit            | PF-709           |
| Pre-printed paper feed kit for PF-706 | PP-701           |
| Air assist paper feed unit            | PF-710           |
| Heating unit for PF-710               | HT-506           |
| Post insertion unit                   | PI-PFU           |
| Relay unit                            | RU-518m          |
| Humidification unit                   | HM-103           |
| Integrated Color Care unit            | IQ-501           |
| Purge Unit                            | RU-702           |
| Auto Inspection Unit                  | UK-301           |
| Envelop Fusing Unit                   | EF-109           |
| Intelligent Media Sensor              | IM-101           |
| Relay unit                            | RU-510           |
| Folding and punching unit             | FD-503           |
| Stacking unit                         | LS-507           |
| Booklet making unit                   | SD-506           |
| Booklet making unit                   | SD-513           |
| Creasing unit for SD-513              | CR-101           |
| Slitting unit for SD-513              | TU-503           |
| Spine corner forming unit for SD-513  | FD-504           |
| Perfect binding unit                  | PB-503           |
| Stapling unit                         | FS-532m          |
| Stapling unit                         | FS-541           |
| Saddle stitch kit for FS-532m /FS-541 | SD-510           |
| Punch kit for FS-532m/FS-541          | PK-525           |
| Post inserter for FS-532m /FS-541     | PI-502           |
| Open stacker                          | OT-512           |
| Trimmer Unit                          | TU-510           |
| Creaser kit (Downwards)               | CR-102           |
| Creaser kit (Upwards)                 | CR-103           |
| Trimmer kit                           | FU-504           |
| Business Card Unit                    | JS-507           |
| Perforation kit Horizontal            | PE-101           |
| Perforation kit Vertical              | PE-102           |
| Scrap ejection kit                    | MK-765           |
| Mount kit for 3rd-party options       | MK-737           |
| GBC Punch                             | G3               |
| GBC Wire Binder                       | G1               |
| Plockmatic                            | PowerSquare™ 160 |
| Plockmatic                            | PowerSquare™ 224 |
| Plockmatic                            | SD-450/SD-435    |

# Introducing the **ONE** GUARANTEE That Puts the Customer First.



KONICA MINOLTA

## CUSTOMER **ONE** GUARANTEE

We believe the best customer experience comes from not only how our products perform and how easy they are to use, but also from giving our customers the peace of mind to know that our MFPs (Multifunction Products) are backed by one of the best guarantees in the industry. So when your new Konica Minolta branded MFP arrives, you'll know you are getting the latest technology, superior service and support, and a guarantee **direct from the manufacturer.**

### "It Works or It Walks"

We are so confident in the quality of our products that we guarantee your Konica Minolta branded MFP will (1) meet factory specifications and (2) be compatible with your network, or we'll replace it with an equivalent model:

- First two years: replacement will be a **brand new MFP**
- After two years: replacement may be new or **refurbished**
- **Plus**, Konica Minolta will also provide a \$1,000 rebate towards your next Konica Minolta branded MFP leased through Konica Minolta Premier Finance (KMPF) as a way to say "we're sorry for the inconvenience."

### We've Got You Covered

The best customer experience is one that avoids problems altogether, which is why we've established remote monitoring and a rapid response process in conjunction with your local sales representative.

- Our Solutions & Support team will proactively monitor our installed MFP's performance, looking to identify potential issues before they become problems for our customers.
- Should a problem arise, our technical support, local service manager and advanced diagnostics team members are all empowered to authorize a replacement, allowing for a fast and easy resolution.

To learn more about the Konica Minolta **Customer One Guarantee**, contact your local sales representative.



## Terms & Conditions

- Equipment must be under continuous maintenance coverage from the date of installation.
  - *Genuine Konica Minolta parts and consumables must be used and maintenance procedures must be performed according to published schedules.*
  - *Improper use, electrical power, customer abuse and/or negligence and acts of God are not covered under this program.*
- Equipment Replacement Guarantee
  - *If Konica Minolta or its authorized dealer is unable to service a Konica Minolta product in the customer's office, a loaner will be provided at no charge while in-shop repairs are performed.*
  - *If within the first two years after installation the equipment cannot be repaired to meet factory specifications, we will replace it with a brand new equivalent model.*
  - *After the first two years, if the equipment cannot be brought to original specification, we will replace it with an equivalent model that may be new or refurbished.*
  - *If the equipment is replaced, the customer will receive a \$1,000 rebate\* towards the lease of a new Konica Minolta branded MFP, provided the new equipment is leased through KMPF.*
- Published Specifications include those listed on official Konica Minolta product literature for that model.
- Except as provided herein, Konica Minolta makes no other warranties whatsoever, expressed or implied, with regard to the products purchased, leased or rented by customer, the service, the software included with the product or its installation and maintenance and expressly excludes all other warranties including the implied warranties of merchantability and fitness for a particular purpose.
- Customer's exclusive remedy shall be replacement or repair of the product or non-conforming parts at the option of Konica Minolta as provided in this Customer One Guarantee. Neither Konica Minolta or its dealer shall be liable for any damages, including but not limited to damages due to loss of data or information of any kind, loss of or damages to revenue, profits or goodwill, damages due to any interruption of business, damage to customer's computers or networks, even if advised of the possibility of such damages. Customer expressly waives its rights to special, consequential, exemplary, incidental or punitive damages or monetary damages of any kind.
- **Products purchased or installed over 5-years from Konica Minolta invoice date are not eligible for Customer One claims.**
- **Konica Minolta reserves the right to accept or deny Customer One claims based on product life attained and / or total copies on product(s).**
- Customer One Guarantee only applies to the lease or purchase of **new** Konica Minolta branded equipment.
- Customer One Guarantee excludes desktop printers which has a standard warranty.

## Network Environment

- The guarantee specifies that the network environment, including PC's and other access devices, remains the same as it was when the MFP was installed. Konica Minolta cannot guarantee the functionality of the MFP after customer network upgrades, software version & peripheral changes or the addition of non-approved 3rd party software. In this case, Konica Minolta will make every effort to work with you to ensure your MFP can function in the new environment up to and including requesting and implementing approved specification changes to the Konica Minolta firmware in order to function after the changes are completed.

\*Rebate must be used within 36 months from date of equipment replacement.

**KONICA MINOLTA**





KONICA MINOLTA

AccurioPro Flux



# AccurioPro Flux

RETHINK WORKFLOW

Giving Shape to Ideas

# INDISPENSABLE PRINT PROCESS OPTIMIZATION – FOR EVERYONE!

## INTRODUCING AccurioPro Flux FROM KONICA MINOLTA

### AccurioPro Flux Premium

Naturally, this includes the complete Essential functionality,  
plus other attractive features like these:



Collaboration



Process automation



### AccurioPro Flux Essential



Make Ready



Output  
Management

**AccurioPro Flux is Konica Minolta's professional print software solution for powerful make-ready, workflow automation, convenient collaboration and effective output management. Offering essential functionality to minimize costs and maximize return on investment, AccurioPro Flux can be of interest to you as a commercial printer, print service provider or manager of an in-house InPlant.**



Remote status tracking



Job submission via client or shared virtual printers



Data analysis



Integration services / API



Imposition



Color Management




VDP



# OPTIMIZE YOUR PROCESS

## RETHINK WORKFLOW



With AccurioPro Flux, you can flexibly import files from a variety of sources and easily allocate tasks among colleagues. Prepare jobs using the Flux Workflow application or within your web browser in seconds, then subsequently dispatch them to any designated printer or printer cluster.

## AccurioPro Flux Essential

The basic AccurioPro Flux Essential software tool targets the prepress situation, allowing you to import, impose, prepare and print files with ease. You are bound to appreciate its timesaving properties if you grapple with ever-shorter deadlines and increasing cost pressure. Essential is easy to use and has a minimal learning curve. Misprints are avoided and costs reduced thanks to the easy checking of job files for their printability. And AccurioPro Flux Essential provides the one, central point of control even for a fleet of output devices, ensuring optimal job distribution as well as fastest order completion.

## AccurioPro Flux Premium

This is the answer for printing companies requiring automation and the flexible collaboration of a team of operators. If you head a print environment where several operators process a high number of short- and longer-run print jobs and possibly have to work on the same job list, or where job processing requires frequent manual intervention and customers keep enquiring about the status of their print order, Premium offers you numerous advantages for the above issues and can help you streamline your overall print production. In short, this product edition controls and automates many processes in the print room: It handles the communication with customers and facilitates the coordination of the workload in the print room. Avoiding errors and providing print-ready files, it eases the transfer of jobs to print. It also enables the integration with other applications, e.g. MIS, accounting solutions, etc. and provides convenient flexible access letting operators work from anywhere.



# PRODUCTIVITY WITH TEMPLATES & ADVANCED MAKE-READY

## AccurioPro Flux Essential

As a print provider or CRD manager, take advantage of AccurioPro Flux Essential's efficient templates feature: You only need to set up templates once and will make great time savings on repetitive prepress work forever after. You can choose from a wide range of intelligent print functions to administrate all incoming jobs. And thanks to its powerful make-ready functionality, AccurioPro Flux Essential also facilitates professional job editing. Late job editing enhances the flexibility of your print room, while impositioning simplifies and speeds up time-consuming tasks such as arranging several pages on a single sheet. Essential includes:

### – Impositioning

AccurioPro Flux Essential provides a predefined set of imposition schemes (such as booklet, gang-up, etc.) to automate the error-prone task of arranging several pages on a single sheet. The functionality also allows creating individual paper formats and signatures to produce bespoke print products such as customized brochures.

### – Create new 'products'


Saving operating steps and time, you can store individual combinations of print settings that are frequently used as 'products'. As soon as you import a document and choose such a 'product', the correct print settings are automatically applied to the job, which arrives instantly and print-ready. You can also link a hot folder to each 'product' and share the folder in your intranet. Users can simply put their documents into the folder for printing, and files will be uploaded with the print settings automatically applied.

### – Make-ready on the fly

While Essential offers the possibility to save often used print settings as products for reuse, you can also set up jobs easily on the fly. With just a few clicks you can select imposition, media and finishing, run a preflight and immediately send the job to the printer. You can even use the included layout optimization function to fill the sheet in the best possible way. The real-time preview helps you to check if the settings are correct.

### – Job editing

A convenient job editor lets you easily adjust paper size and weight; change jobs from color to black & white and vice versa; change the finishing mode; add or delete tab sheets, slip sheets or empty pages, and much more. Advanced editing is also possible via external applications (e.g. Adobe Acrobat). The built-in real-time preview allows instant switching between three different previews (page preview, sheet preview and list view) – however, modifications can be made regardless of the selected view.



– **Add VDP content from a CSV file**

Operators can automatically create personalised print products, such as flyers, tickets, postcards, mailings, etc., with unique text content, barcodes and QR codes. The operator simply adds a CSV file with the variable data sets to the print job and inserts the VDP content via placeholders.

– **Printer clusters**

With AccurioPro Flux Essential, you'll find it easy to optimise the capacity utilization of your production equipment. Simply organize your output devices in printer clusters. This facilitates distributing print jobs evenly across all machines of a cluster, even taking the devices' varying printing speeds into account.

Splitting pages between color and b/w printers based on their color status is also possible. The color split function will ensure that all pages are still collated in the correct order.

– **Job management**

The main program window gives a comprehensive overview listing all active print jobs. Beyond this, you can easily create custom filters for special tasks so that only those jobs are displayed that interest you at that moment. For instance, create a filter to only see the jobs that have been assigned to a particular printer.

– **Repeat range programming**

You will see how very easy it is to prepare large incoming VDP jobs for printing – such as serial letters – simply by adjusting the settings for one set (i.e. the first letter) and then applying these settings to all remaining letters with a single click.

– **Integrate 3<sup>rd</sup>-party devices**

AccurioPro Flux Essential is optimised for output on the Konica Minolta production presses. Nevertheless, printing devices from other manufacturers can also be connected. This gives you convenient central control of all output devices in your print room, quite independent of their brand.

– **Import jobs from anywhere**

Files can be imported directly or sent to AccurioPro Flux in a variety of ways, including directly from a scanner, or with the use of Hot Folders or virtual printers. Imported files can be assigned automatically to existing products, or they can be edited and imposed manually.

– **TU-510 integration**

TU-510 inline cutting units can cut, crease and fold products directly during the printing process. With AccurioPro Flux, you can create complex print products quickly and easily by directly creating, saving and apply print profiles for the TU-510.

### AccurioPro Flux Essential options

- **Flux Raster Editor**

This advanced editor allows editing documents on image/raster basis. It enables typical image editing operations (e.g. despeckle, deskew, brush, erase, line, fill) for single and multiple pages.

- **Flux Document Converter > Operator option**

Enables the operator to import native MS Office file formats without prior conversion manually, via hot folders or when editing print jobs in the job editor.

- **Flux Preflight Pro**

Detects and fixes PDF problems and runs automatic routines. Provides the power of the callas pdfToolbox engine fully integrated into AccurioPro Flux.

- **Flux Multi Seat**

Up to 3 operators can work as a team simultaneously and even collaborate on the same job; one license per seat.

- **Flux Label Impose**

This option provides an automated label workflow for the Konica Minolta label printers. Flux Label Impose gives users a simple and intuitive interface to impose and prepare label jobs for printing and also supports the creation of PDF files as basis for the corresponding cutting tools on the die cutting equipment.

- **Flux Barcode Pro**

Allows the use of many additional barcode types for VDP and on signatures to drive offline finishers, including EAN, PDF417 and Data Matrix.

# PROFESSIONAL PRINT WORKFLOW AUTOMATION

## AccurioPro Flux Premium

With its job-ticket based print workflow, AccurioPro Flux Premium is your tool to offer easy and convenient ordering of print products via the company intranet. Users can send their print jobs directly from the source application to the print room; operators can rely on a wide range of intelligent print functions to administrate incoming jobs. Premium facilitates the automatic setup of devices as well as inline finishing and lets you configure and manage products automatically. In addition to the complete Essential functionality, Premium includes other attractive features like these:

- **Convenient collaboration**  
Several operators can work simultaneously and even collaborate on the same job; all operators can see who is working on which job. Three user seats are included in AccurioPro Flux Premium; and if your print environment needs more, you can purchase additional Flux Multi Seat licenses.
- **Automated job assignment**  
Rule-based job assignment allows creating rules to assign jobs automatically to specific operators. Individual rules can be created for different products helping to automate workflows further and reduce the number of operation steps.
- **Job submission via client or shared virtual printers**  
Users can send print files directly from the source application via the intranet using a dedicated client; they don't need to convert their work to PDF format. Alternatively, print jobs can be submitted via ticketless virtual printers that are shared in the intranet. Either way, print files are automatically converted to PDF, imposed and arrive print-ready in your print room.
- **Industrial device support**  
Cut lines and special colors can be detected, excluded from printing and instead exported for further processing on MGI JetVarnish, Motioncutter or other finishers. AccurioPro Flux Premium provides additional features for power users, including support for KM-1 devices and more.
- **Automatic status tracking**  
Don't spend valuable time anymore on writing emails to confirm the status of print jobs to their originators. With Premium, users will receive emails automatically updating them on the status of each of their print job.
- **Data analysis & custom reports**  
For up-to-date, graphic overviews displayed on the dashboard, use the included report assistant to have print data analysed and create custom reports. Different chart types are available to choose from; based on all stored data, reports can be created and changed quickly and flexibly.
- **Work and track your jobs from anywhere**  
Check, edit and print jobs either from a dedicated workstation or from your browser on any PC, Mac or mobile device. Operators can track, update and print their jobs from a mobile device by scanning the QR code on the job ticket.
- **Integrations**  
Options for Premium help you integrate other systems such as MIS, accounting solutions, XML workflows and more. In addition, you can use the API to create a custom integration with other software.



## AccurioPro Flux Premium options

- **Flux Accounting Connector**  
Integrates external accounting solutions into the print workflow. Connects AccurioPro Flux Premium to the accounting applications SafeQ (Ysoft) or PaperCut.
- **Flux Multi Seat**  
One Flux Multi Seat license per additional operator work on jobs simultaneously with other operators, one license per seat. (3 seats included; max 15)
- **Flux PitStop Connector**  
Connects the external application PitStop Server (Enfocus) to fix PDF problems and avoid production errors.
- **Flux XML Connector**  
Integrates 3rd party applications with AccurioPro Flux, e.g. external Web-to-Print solutions.
- **Flux Document Converter – Customer option**  
Allows you to accept native Office file formats from your customers when they submit print jobs via the Flux Printer web app (available in Premium and Ultimate) or the web shop (available in Ultimate).



KONICA MINOLTA



**bizhub<sup>®</sup>**  
**SECURE**  
**RETHINK SECURITY**



**Giving Shape to Ideas**

# LOCKDOWN WITH THE LEADING MFP PROTECTION

Of all the resources in today's business and professional world, your data can be the most valuable – and also the most vulnerable. That's why Konica Minolta offers lockdown protection with bizhub® SECURE: a set of enhanced password and data security measures to give your bizhub MFP an extra level of security. We offer professional safeguard services for both our full size and small MFPs that will be provided by your Konica Minolta field engineer. Ensure that your data is more than just secure – it's bizhub SECURE.



# bizhub SECURE

How can you make certain your valuable data is safe from theft – and prevent it from being stolen from your MFP by an unauthorized user or extracted if the storage media is removed from your multifunction device?

## The answer is simple

All it takes is allowing an authorized Konica Minolta field engineer to activate the bizhub security features of your bizhub MFP. With bizhub SECURE safeguards in place, you'll know that your documents have uncompromising security protection.

## Peace of mind

At Konica Minolta we understand that your organization may not have the bandwidth or infrastructure to enable, configure and track the security functions that are required for compliance or internal mandates.

That is why we developed the bizhub SECURE Service. To provide you with the resource you need to lockdown and protect any document data that might reside on the bizhub's internal storage media.

Ultimately, a secure document workflow is everyone's responsibility. Konica Minolta has led the industry by providing enhanced security features for the digital era – and with powerful bizhub SECURE functions activated by your authorized Konica Minolta field engineer, you'll have an additional line of defense against data theft and unauthorized access to documents or devices.

To order the bizhub SECURE Service, just contact your bizhub representative – and count on Konica Minolta to provide the MFP Security Services that your company or organization demands.

## Konica Minolta's bizhub SECURE provides the following set of features:

- Create a 20-digit secure alphanumeric password to lock down your bizhub storage media
- Encrypt the entire contents of your bizhub storage media for remarkable data security
- Time your bizhub MFP to auto-delete any material located in personal or public User Boxes, System User Boxes, Documents and Folders
- Automatic overwrite of Temporary Image Data (not required on iSeries due to SSD technology)
- Disable non-secured and unwanted services, protocols and ports at the MFP





# THE FOLLOWING SECURITY FEATURES WILL BE ENABLED ON YOUR MFP BASED ON THE MODEL TYPE:

|  | <b>Monochrome Small MFPs</b><br>bizhub 4752, 4052, 4750K,<br>4050, 4700K | <b>Color Small MFPs</b><br>bizhub C4250, C3350i, C3320i,<br>C3330, C4000 | <b>Monochrome Large MFPs</b><br>bizhub 958, 800, 750, 650, 550,<br>450, 360, 300, 250, 558, 458,<br>368, 308, 287, and 227 | <b>Color Large MFPs</b><br>bizhub C759, C750, C754e, C650i,<br>C654e, C658, C550i, C558, C450i,<br>C454e, C360i, C300i, C368, C308,<br>C287, C250i, C254, C227 |
|--|--|--|--|--|
| CHANGE ADMINISTRATOR PASSWORD <sup>1</sup>                               | ✓  | ✓  | ✓  | ✓  |
| ENABLE HARD DRIVE ENCRYPTION   | ✓  | ✓  | ✓  | ✓  |
| TIMED AUTOMATIC OVERWRITE OF A FILE IN AN ELECTRONIC FOLDER (BOX)        |  | ✓  | ✓  | ✓  |
| AUTOMATIC OVERWRITE OF TEMPORARY IMAGE DATA <sup>2</sup>                 |  | ✓  | ✓  | ✓  |
| HARD DRIVE LOCK PASSWORD   |  | ✓  | ✓  | ✓  |
| TIMED, AUTOMATIC DELETION OF A FILE IN AN ELECTRONIC FOLDER <sup>3</sup> | ✓  |  |  |  |
| DISABLE UNPROTECTED SERVICES, PROTOCOLS AND PORTS                        | ✓  | ✓  | ✓  | ✓  |
| ENABLE SSL (SELF-SIGNED CERTIFICATE)                                     | ✓  | ✓  | ✓  | ✓  |
| ENABLE MFP AUTO LOGS   | ✓  | ✓  | ✓  | ✓  |
| ENABLE ADMINISTRATOR ACCOUNT AUTO LOGOFF                                 | ✓  | ✓  | ✓  | ✓  |
| ENABLE USER ACCOUNT AUTO LOGOFF  | ✓  | ✓  | ✓  | ✓  |
| ENABLE USER AUTHENTICATION   | ✓  | ✓  | ✓  | ✓  |

<sup>1</sup> bizhub SECURE may be disabled using the customer's unique Administrative Password. It is recommended that customers not disclose the unique Administrative Password and keep the Administrative Password in a safe place. Customers shall indemnify and hold Konica Minolta harmless of any claims, damages or costs relating to loss of data or disclosure of data due to intentional acts or omissions of others, end-user error or release of Administrative Password.

<sup>2</sup> Large MFP and C3551, C3851FS only. Automatic overwrite of Temporary Image Data not required on iSeries MFPs due to SSD technology.

<sup>3</sup> Deletion does not overwrite the data on the hard drive.

For more information on Konica Minolta's end-to-end security offering, including the bizhub SECURE Suite, please visit: <http://kmb.konicaminolta.us/security>

## PARTNERSHIP

Konica Minolta can help give shape to your ideas and partner with you to achieve your corporate objectives. Contact us to realize opportunities in:

### INFORMATION MANAGEMENT

Enterprise Content Management (ECM)  
Document Management  
Automated Workflow Solutions  
Business Process Automation  
Security and Compliance  
Mobility

### IT SERVICES

Application Services  
Cloud Services  
IT Security  
Managed IT Services  
IT Consulting & Projects  
Apple Managed Services  
Managed Voice Services  
Technology Implementation and Deployment

### TECHNOLOGY

Office Multifunction Business Solutions  
Commercial and Production Printers  
Industrial Printers  
Wide Format Printers  
3D Printers  
Scanners  
Security Surveillance Systems  
Laptops, Desktops and Computer Hardware  
Servers and Networking Equipment  
Managed Print Services (MPS)  
Managed Enterprise Services



**KONICA MINOLTA**

KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC.  
100 Williams Drive, Ramsey, New Jersey 07446

[CountOnKonicaMinolta.com](http://CountOnKonicaMinolta.com)



Item # bizSECUREUm  
2/2021 2



KONICA MINOLTA

**Giving Shape to Ideas**

*Anytime, Anywhere Access.*

**vCare**

**bizhub vcare™**



# what is bizhub vCare?

bizhub vCare consists of vCare-enabled bizhub printer, bizhub MFP, bizhub PRO, or bizhub PRESS products, the central vCare diagnostic server, and the web application that gives your participating, authorized Konica Minolta business partner a comprehensive diagnostic view of their customers' vCare-enabled products. vCare-enabled bizhub products communicate via brief email or http messages to the central vCare diagnostic server for routine status updates, consumable levels and meter reads, as well as urgent messages when service is required. This all happens transparently 24 hours-a-day, 7-days-a-week, and never gets in the way of using your bizhub product.



**bizhub vCare**



## Unparalleled Support.

KMBS Field technicians are equipped with vCare Integrated Mobile Devices that enables a field service technician to:

- Check PM parts counters and know what to bring to the customer
- Check MFP & accessories standards
- Check supply levels on any connected MFP
- Review MFP service history with specific code information
- Generate and email MFP-specific vCare reports to anyone

## Automated Meter Collection

In today's hectic business environment, the last thing you want is an interruption every month to "get the meter reading" from your MFP — or a bill that's wrong. Whether it's by phone or fax, it's still an interruption. The good news is that Konica Minolta's bizhub vCare automatically reads the meters of your Konica Minolta bizhub products — accurate and on-time — month-after-month.



## Intelligent Auto Service Dispatch

When you purchase or lease an MFP, the last thing you want to see is an orange start button. bizhub vCare™ works behind the scenes and automatically dispatches a KMBS Technician whenever a malfunction is detected.



## Convenient Tracking

Activity such as Service Calls automatically dispatched by vCare can be tracked on [www.kmbs.com](http://www.kmbs.com).



## Proactive Service

bizhub vCare™ Monitors Consumable parts such as Fuses, Developers and Drums, this so that your KMBS Servicing Location will know in advance when a Maintenance Item needs to be replaced.

**green.** bizhub vCare's ability to pinpoint any impending or actual technical malfunction is a green technology, as it helps to reduce unnecessary service visits, such as call-backs, and the associated travel time by service technicians.



bizhub vCare is offered as a service by KMBS. Contact your KMBS Sales Representative or KMBS Service Branch for more information.



**KONICA MINOLTA**

KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC.  
100 Williams Drive, Ramsey, New Jersey 07446

[CountOnKonicaMinolta.com](http://CountOnKonicaMinolta.com)



Printed on a **bizhub PRESS**

© 2014 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. KONICA MINOLTA, the KONICA MINOLTA logo, Count On Konica Minolta, bizhub and PageScope are registered trademarks or trademarks of KONICA MINOLTA, INC. All other product and brand names are trademarks or registered trademarks of their respective companies or organizations. All features and functions described here may not be available on some products.



**Giving Shape to Ideas**

Productivity Has a New Home: MyKMBS.com

**MyKMBS**

**Convenience.** Welcome to MyKMBS.com, a complete and comprehensive tool for managing, maintaining and controlling your Konica Minolta bizhub fleet. MyKMBS.com has everything you need to keep your business moving forward. Whether you have one or one hundred Konica Minolta bizhub systems, this online management website conveniently helps you perform a multitude of valuable functions, including: placing service calls, ordering supplies, entering meter reads and even paying invoices. All in one place.





<https://www.mykmbs.com>

**Easy.** MyKMBS.com is a useful resource for managing and controlling your fleet, regardless of size or locations. It's simple to use, providing you with amazing functions and capabilities that save you time and money—while increasing your productivity.

Every detail of information about your equipment is at your fingertips: install dates ... service contract coverage dates ... service history ... and the exact location of the equipment down to the floor or department. MyKMBS.com makes managing your fleet quick and easy. Order supplies when you need them. Put a call in for service at the touch of a button. View and pay invoices. Customize reports. It's all yours and it's free. Just another way Konica Minolta helps give shape to your business—and your ideas.



Order Supplies



Service Call



Pay Invoices



Enter Meter Reads



and More...



A Complete and Comprehensive Tool for Managing, Maintaining and Controlling Your Konica Minolta bizhub® Fleet.



## Fast.

### Supplies

Not only faster and more accurate than other methods of ordering, but convenient. Ordering online at MyKMBS.com eliminates the worry and wonder. Once your order is placed, you can track it from our warehouse right to your door.

### Service

Placing service calls is fast and easy. With a couple of clicks, your technician gets instant notification of the call and will contact you with an ETA... Now THAT'S service. You'll also get an email confirmation that the call has been placed!

## Reliable.

### Meter Reads

Submitting meter reads can easily slip your mind. MyKMBS.com will send you an email reminder to let you know when your meter reads are due. And, because MyKMBS.com is available day and night, you can enter the reads at the time most convenient for you.

### Pay Invoices

Quick, convenient and secure. View your open receivables and pay via credit card online - anytime.

## Targeted.

### Reporting

MyKMBS.com gives you fast access to customized reports. View your entire fleet including install and service contract dates. The Fleet Up-Time Performance Report provides you with up-time, response-time statistics, average monthly copy volume and more. You can view a summary of your fleet performance when you need it!