

TO: HARBOR DEPARTMENT PURCHASING OFFICE
500 Pier "A" Street
Berth 161
Wilmington, CA 90744

BID NO. F-1218 1
Show this number on envelope

Contract No. 40059

1. COMPLETE CONTRACT

This entire Bid Request shall become the contract upon its execution by the Executive Director on behalf of the Harbor Department of the City of Los Angeles. The complete contract shall consist of the entire Bid (including Specifications), this page, terms and conditions, any addenda, and when required, CONTRACTOR'S BOND. Contractor will be provided with a copy of the executed contract.

2. GOODS AND SERVICES TO BE PROVIDED BY THE CONTRACTOR

The Contractor agrees, upon acceptance of this offer by the City, to furnish the goods and services herein specified according to the terms and conditions as set forth herein.

3. AMOUNT TO BE PAID

The City agrees to pay the contractor for the goods or services in the manner described in the paragraph entitled "PAYMENTS" according to the terms and conditions. Unless otherwise indicated by the Bidder, remittance by the City for goods or services will be made to the address below.

4. CHOICE OF ALTERNATIVE PROVISIONS; OPTIONS; NOTIFICATION

When alternative provisions are requested, or options are offered, the contractor will be notified as to which provision, or option, is being accepted when notification is sent that the Contractor is the successful bidder.

5. DECLARATION OF NON-COLLUSION

The undersigned certifies (or declares) under penalty of perjury that this Bid is genuine and not sham or collusive, or made in the interest or on behalf of any person, firm, or corporation not herein named; that the bidder has not directly or indirectly induced or solicited any other bidder to put up a sham Bid, or any other person, firm or corporation to refrain from bidding, and that the bidder has not in any manner sought by collusion to secure any advantage over other bidders.

6. LEGAL JUSTIFICATION

This agreement shall be deemed entered into in Los Angeles, California, and shall be governed and construed in accordance with the laws of the State of California.

EXECUTED AT: _____ ON THE _____ DAY OF _____, 2024
City, State Date Month Year

BIDDER MUST COMPLETE AND SIGN BELOW:

Firm Name _____

Phone _____ Fax _____

Address _____
Street City State Zip

Signature _____ Printed Name _____ Printed Title _____

Signature _____ Printed Name _____ Printed Title _____

(Approved Corporate Signature Methods)

(AFFIX CORPORATE SEAL HERE)

a) **Two signatures:** One by Chairman of Board of Directors, President, or a Vice-President **AND** one by Secretary, Assistant Secretary, Chief Financial Officer or an Assistant Treasurer.

b) **One signature:** By corporate designated individual together with properly attested resolution of Board of Directors authorizing person to sign.

NOTARIZATION: Bids executed outside the State of California must be sworn to and notarized below.

County of _____ State of _____ S.S. Subscribed and sworn this date _____, 2024 _____ Notary Seal Signature	In witness whereof the Board of Harbor Commissioners of the City of Los Angeles has caused this contract to be executed by the Executive Director of the Harbor Department of said City and said Contractor has executed this contract the day and year written below. By _____ Executive Director Harbor Department _____ Date	Approved as to form and legality _____, 2024 City Attorney BY _____ Deputy
--	---	---

FORMAL REQUEST FOR BID

CITY OF LOS ANGELES
HARBOR DEPARTMENT

BID NO. F-1218

SUBMIT BID TO : Los Angeles Harbor Department Purchasing Office, 1st Floor 500 Pier A Street Wilmington, CA 90744	BID DUE BEFORE 2:00 P.M. AUGUST 23, 2024
Buyer: Jacquelyn Estrada, Procurement Analyst Email: JEstrada@portla.org	BIDS WILL BE PUBLICLY OPENED

ALL ITEMS REQUESTED MAY BE QUOTED AS "OR EQUAL".

AFFIRMATIVE ACTION – AN APPROVED AA PLAN OR CERTIFICATION, IF NOT ON FILE, WILL BE REQUIRED PRIOR TO AWARD OF CONTRACT.

CANON (OR COMPARABLE) PHOTOCOPIERS AND RELATED SOFTWARE LICENSING, SERVICES AND ACCESSORIES

Bids are requested for the Annual Requirements of the Los Angeles Harbor Department ("Department" or "City") for the above-referenced products and services for a term of one (1) year, commencing at the execution of the agreement, with two (2) one-year renewal options, subject to the approval of the Board of Harbor Commissioners. This Request for Bid/Contract represents the current requirements of the Los Angeles Harbor Department for Canon-branded Photocopiers and related software licensing, services, accessories and equipment. However, bids for comparable products, equipment and services will be considered, provided those products and services meet or exceed the minimum specifications per **Attachment A**.

PRICING. As quoted in Section 1. Attach additional terms as applicable.

SPECIFICATIONS. As per Attachment A, or comparable as provided by Bidder.

LEASE TERMS. The Terms and conditions of the Bidder's photocopier leasing program (attached) are incorporated herein by reference. To the extent that the terms and conditions of the Bidder's leasing program are in conflict with the terms and conditions contained in this contract, the terms and conditions of this contract will govern.

PRICES ARE TO INCLUDE ALL DELIVERY CHARGES AND FEES, UNLESS OTHERWISE QUOTED, EXCLUDING SALES TAX.

REQ. NO.: P-25-003
NOTIFY: S. John
JLE 073024
Prev: F-1098/39940

BIDDER MUST SIGN THIS BID ON PAGE 1. WET SIGNATURES REQUIRED.

FORMAL REQUEST FOR BID

**CITY OF LOS ANGELES
HARBOR DEPARTMENT**

BID NO. F-1218

(SHOW THIS NUMBER ON ENVELOPE)

BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024

1. PHOTOCOPIER LEASE COSTS.

Monthly

Line	Description	Qty	Lease Payment (Per Month)	Click Rate, Black and White (Per Copy)	Click Rate, Color (Per Copy)
A	IMAGERUNNER ADVANCE DX 4935i	26	\$	\$	N/A
A-C		26	\$	\$	N/A
B	IMAGERUNNER ADVANCE DX 4945i	12	\$	\$	N/A
B-C		12	\$	\$	N/A
C	IMAGERUNNER ADVANCE DX 6870i	12	\$	\$	N/A
C-C		12	\$	\$	N/A
D	IMAGERUNNER ADVANCE C5850i	15	\$	\$	\$
D-C		15	\$	\$	\$
E	IMAGEPRESS V800	1	\$	\$	\$
E-C		1	\$	\$	\$
F	IMAGEPRESS V800, INCL. FIERY N500 SERVER	1	\$	\$	\$
F-C		1	\$	\$	\$
G	VARIOPRINT 140 SERIES QUARTZ SET	2	\$	\$	N/A
G-C		2	\$	\$	N/A
TOTAL UNITS		69			

2. AS-NEEDED MAINTENANCE, PARTS AND ACCESSORIES.

Quarterly

As-needed maintenance, parts, accessories and included consumables, based on actual Click-Rate Usage.

3. SOFTWARE LICENSING AND TRAINING.

Monthly

Canon PRISMAprepare Document Preparation Software Licensing, maintenance, set-up, and training fees.

\$ _____

3-C. _____

4. LEASE INITIATION COSTS.

One-Time

Fees and charges associated with the initiation of the lease of the quoted products and services.

\$ _____

FORMAL REQUEST FOR BID

CITY OF LOS ANGELES
HARBOR DEPARTMENT

BID NO. F-1218

(SHOW THIS NUMBER ON ENVELOPE)

BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024

5. LEASE TERMINATION AND CLOSE-OUT COSTS.

One-Time

Lease close-out and termination costs associated with the finalization of the previous or existing lease term.

\$ TBD

6. NEW EQUIPMENT DELIVERY AND INSTALLATION.

**As-Needed, Per Hour,
Per Device**

Delivery and Installation Fees for newly-installed photocopiers during Normal Business Hours.

\$ _____

7. NEW EQUIPMENT DELIVERY AND INSTALLATION, AFTER HOURS.

**As-Needed, Per Hour,
Per Device**

Delivery and Installation Fees for newly-installed photocopiers, provided outside of Normal Business Hours.

\$ _____

8. SHIPPING CHARGES – COMMON CARRIER. Shipping/Freight charges for parts, equipment, and materials from manufacturer to Vendor. Shipping charges are not subject to markup. Vendor will prepay and add shipping or delivery charges to invoices. Ship cheapest way, unless otherwise authorized, for goods to arrive within the time requested by Department personnel. Freight bills must be provided at invoicing, upon request. Air shipment must be specifically pre-authorized.

9. DELIVERY CHARGES – BY VENDOR.

Delivery charges for parts and materials, delivered by Vendor. Delivery charges are not subject to markup.

BIDDERS' INSTRUCTIONS

REQUEST FOR QUOTATION BIDDER RESPONSIVENESS. In order to be responsive, Bidder ("Contractor", "Vendor", "Supplier") shall complete and return all Quotation documents requested by the Department, including addenda, specifications, drawings and all forms. It shall be the Bidder's responsibility to **provide one (1) original and one (1) copy** of the completed Quotation documents. The original and all copies shall include all quotation documents requested by the Department, including addenda, specifications, drawings and all forms. The Director of the Contracts and Purchasing Division ("Director") may deem a Bidder non-responsive if the Bidder fails to provide all Quotation documents requested by the Department at the Quotation closing date and time.

ADDENDA. From time to time, the Harbor Department may deem it necessary to issue an addendum(a) to modify or cancel a Bid Request. Such addendum(a) will be available on the Port of Los Angeles internet website – www.portoflosangeles.org and the Los Angeles Regional Alliance Marketplace for Procurement website – <https://www.rampla.org/s/> . It is the responsibility of the Bidder to be aware of, and respond to, any such addendum(a) before the deadline of the applicable Bid request. Failure to do so may deem the Bid non-responsive.

FORMAL REQUEST FOR BID

CITY OF LOS ANGELES
HARBOR DEPARTMENT

BID NO. F-1218

(SHOW THIS NUMBER ON ENVELOPE)

BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024

BID SUBMITTAL TIMELINESS. Bidders solely are responsible for the timeliness of their submittals. As such, bidders are cautioned to budget adequate time to ensure that their bids are delivered at the location designated at or before the deadline set forth above. Bidders are cautioned that matters including, but not limited to, traffic congestion, power and internet outages, mail delivery delays, security measures and/or events in or around the Port of Los Angeles, may lengthen the amount of time necessary to deliver the Bid, whether the Bid is submitted in person or by mail.

MAKES, MODELS AND BRAND NAMES. Makes, Models and Brand Names referenced are for illustrative or descriptive purposes only, and are not intended to be restrictive to any particular product. If Bidder proposes to furnish another product equal in quality and purpose, such bids will be considered as long as they materially comply with the specifications.

Alternate Make, Model, Brand Names, and/or Catalog Number(s) must be indicated opposite each item in the shaded space provided marked "C".

The specified Make, Model, and Brand Name must be furnished unless otherwise specified by Bidder.

AWARD. The Harbor Department reserves the right to reject any or all Bids, award Bid as a whole, split award or delete line items, as it may deem necessary, unless otherwise stated herein.

SPECIFICATION CHANGES. If any provisions of the Specifications preclude Bidder from submitting a Bid, the Bidder may request in writing that the specifications be modified. Such request must be received by the Buyer or Director at least five (5) working days before the Bid opening date. All bidders will be notified by Addendum of any approved changes in the specifications.

DEVIATION FROM SPECIFICATIONS. Specifications contained herein are to describe the construction, design, size, and quality of the desired product and are not intended to be restrictive to any particular product. If Bidder proposes to furnish another product equal in quality and purpose, such bids will be considered as long as they materially comply with the specifications. Each deviation from the specifications must be stated in a letter, attached to Bidder's submittal. Failure to do so may void the Bid.

ILLUSTRATIVE AND TECHNICAL DATA. When quoting other than the specified brand or when no brand is indicated, Bidder must submit with Bid, complete illustrative and technical data on materials or equipment proposed to be furnished. Failure to furnish such data may void the Bid.

TECHNICAL CORRECTIONS. The Executive Director or designee is authorized to make minor technical corrections or clarifications in order to effectuate the intent of this contract/Bid.

BID RECAPS. Bid recaps, with a summary of all bids received, will be posted to the following website within two weeks of the bid closing date: <https://www.portoflosangeles.org/business/contracting-opportunities/purchasing-bids>

FORMAL REQUEST FOR BID

**CITY OF LOS ANGELES
HARBOR DEPARTMENT**

BID NO. F-1218

(SHOW THIS NUMBER ON ENVELOPE)

BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024

CONTRACTUAL AND SERVICE TERMS

VENDOR CONTACT INFORMATION FOR CONTRACTUAL ISSUES.

Contact Person: _____
Title: _____
Telephone: _____
Email Address: _____

VENDOR CONTACT INFORMATION FOR SERVICE REQUESTS AND TECHNICAL SUPPORT.

Contact Person: _____
Title: _____
Telephone: _____
Email Address: _____

EQUIPMENT CONDITION UPON DELIVERY. The Photocopiers (“Fleet”) and materials furnished shall be new and unused upon delivery and installation, newest model or offering.

FLEET EQUIPMENT REPLACEMENT. The equipment and pricing quoted represents that equipment to be delivered and installed at the start of the first term of this Lease/Contract and are subject to change at the discretion of the Harbor Department, as approved by the Director, provided that any additional equipment added to the Fleet during the contract term, or provided in replacement or exchange, meets the minimum requirements and specifications of the Department, and does not represent a decrease in service or functionality.

SECURITY REQUIREMENTS.

1. Canon ImageWARE Remote (for meters) and Auto Toner Program (or quoted comparable products and services) will be **deactivated** by Vendor for the duration of the Lease/Contract term.
2. All equipment must include security code functionality, programmable by Department personnel, at no charge.

AUTHORIZED DISTRIBUTOR/DEALER. Bidder must indicate if it is an authorized distributor/dealer for the goods/services being quoted (**please initial**).

Yes: _____ No: _____

If Bidder is not an authorized distributor/dealer, the Bidder shall submit with its Quotation a formal Letter of Certification from the manufacturer(s), stating that the manufacturer(s) will honor any warranty claims by the City for equipment, parts, and/or materials provided by the Bidder. The manufacturer(s) will be responsible

FORMAL REQUEST FOR BID

CITY OF LOS ANGELES
HARBOR DEPARTMENT

BID NO. F-1218

(SHOW THIS NUMBER ON ENVELOPE)

BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024

for any default of the Supplier that is not corrected by the Supplier in a timely and efficient manner. This responsibility includes replacing incorrect or defective parts, troubleshooting, and correcting problems that are traceable to the manufacturer(s).

BUSINESS HOURS. Vendor to indicate Normal Business Hours:

Monday-Friday: _____ A.M. to _____ P.M. Time Zone: _____

Saturday: _____ A.M. to _____ P.M. Closed

Sunday: _____ A.M. to _____ P.M. Closed

DELIVERY

DELIVERY. Please specify delivery terms for supplies, equipment, hardware and accessories.

_____ Days after receipt of order (ARO) for normally-stocked items.

_____ Days after receipt of order for special-order and non-stock items.

Delivery and installation of photocopiers is required within thirty days of contract execution.

DELIVERY POINT. Unless otherwise specified, prices to include all delivery charges, F.O.B. the Harbor Department, Community Relations and Graphics Services Division, 425 S. Palos Verdes Street, San Pedro, CA 90731.

FINANCIAL TERMS

ESTIMATED EXPENDITURE. Total expenditures under this contract are estimated to be **\$235,000.00** annually. No guarantee can be given that this total will be reached or that it will not be exceeded. Vendor agrees to furnish more or less at the unit prices quoted in accordance with actual requirements throughout the contract period, however, this amount may not be exceeded without prior written approval from the Board of Harbor Commissioners.

SALES TAXES. Do not include Sales Taxes in your Bid. Sales Taxes will be added at time of order.

SALES TAX PERMIT. A valid California State Board of Equalization Seller's Permit No. is required to collect California State Sales Tax.

Permit Number: _____ **N/A** (Invoices will not include sales taxes.)

FEDERAL EXCISE TAX. The City of Los Angeles Harbor Department is exempt from payment of Federal Excise Taxes, and will furnish Vendor with a Tax Exemption Certificate. **PRICING NOT TO INCLUDE ANY FEDERAL EXCISE TAX.**

TAXPAYER IDENTIFICATION NUMBER. Contractor declares that it has an authorized Taxpayer Identification Number (TIN), which must be indicated on all invoices. No payments will be made under this agreement without a valid TIN number.

FORMAL REQUEST FOR BID

CITY OF LOS ANGELES
HARBOR DEPARTMENT

BID NO. F-1218

(SHOW THIS NUMBER ON ENVELOPE)

BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024

BUSINESS TAX REGISTRATION CERTIFICATE (BTRC). In accordance with the City of Los Angeles Municipal Code, a Business Tax Registration Certificate may be required of persons engaged in business activity within the City. The Office of Finance, Tax and Permit Division, (213) 473-5901, has sole authority in determining a firm's tax requirements and in issuing Business Tax Registration Certificates or Business Tax Exemption Numbers. Accordingly, firm's current Business Tax Registration Certificate or Business Tax Exemption Number must be clearly shown on all invoices submitted for payment. Bidder, in submitting this Bid, acknowledges and accepts the above requirements and recognizes that no invoice will be processed for payment without inclusion of the Business Tax Registration Certificate or Business Tax Exemption Number. **New Vendors will be permitted to provide a BTRC Account Number after award but prior to invoicing.**

BTRC Number: _____.

VENDOR PAYMENT. Please note. Vendor name and address must be submitted exactly as they will appear on the invoice(s). **Please provide a copy of your firm's IRS Form W-9 with your Bid.** Please confirm the remit address for invoice payment below:

COMPANY: _____

REMIT
TO:

ADDRESS: _____

A/R EMAIL: _____

Invoices submitted for payment where the invoice name and address do not match the name and address as they appear on the Contract, or as indicated in the space above, will not be processed and will be returned to the Vendor.

WITHHOLDING REQUIREMENTS. The State of California Franchise Tax Board (FTB) requires that the City of Los Angeles Harbor Department withhold income taxes from payments to out-of-state vendors for services performed within California unless the Vendor submits one of the required forms listed below. The tax withholding rate is seven percent (7%) of payments subject to withholding.

This requirement applies to vendors whose legal address (as indicated on their IRS W-9 Form), or payment address (as indicated on this Request for Bid/Quote), is outside of California. **Should either of these two situations apply to your company, please attach one of the following forms to your Bid** in order to help the Harbor Department clarify your nonresident tax withholding status:

- Form 590, *Withholding Exemption Certificate*, certifying exemption from the withholding requirement.
- Form 587, *Nonresident Income Allocation Worksheet*, which allocates the expected income under the City contract for work completed within and outside of California.
- Notice from the CA Franchise Tax Board (CAFTB) that a withholding waiver was authorized (you must first file CA Form 588, *Nonresident Withholding Waiver Request* to the CAFTB).
- Notice from CAFTB that a reduced withholding request was authorized (you must first file CA Form 589 *Nonresident Reduced Withholding Request* to CAFTB).

FORMAL REQUEST FOR BID

CITY OF LOS ANGELES
HARBOR DEPARTMENT

BID NO. F-1218

(SHOW THIS NUMBER ON ENVELOPE)

BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024

Further information regarding this requirement may be found here:

<https://www.ftb.ca.gov/pay/withholding/withholding-on-nonresidents.html>

Please Check One:

Both Bidder's Legal Address and Remittance Address are located within the State of California. Withholding Forms Not Required.

Withholding Forms Attached **Withholding Forms on File with the Department**

RENEWAL OPTIONS. State if you will grant the Harbor Department the option to extend any contract awarded hereunder for a period of one (1) or two (2) additional years from the date of expiration, under the same terms and conditions, subject only to price changes which can be justified by increases in Vendor's costs but not to exceed the percentage stated below. Option(s) granted will not be considered in awarding contracts.

YES or NO Option granted for one (1) additional year at a price increase not to exceed _____%.

YES or NO Option granted for second (2nd) additional year at a price increase not to exceed _____% over first (1st) option year prices.

It is agreed that if any renewal option granted herein is exercised, the City will notify the contractor prior to the expiration date. Escalating factors in options will not be automatically granted. Any request for an increase in price must be substantiated by corresponding increases in Vendor's costs, and submitted, in writing, to the Director of Contracts and Purchasing at the address on Page 1. No increase will be granted without prior approval of the Director.

MISCELLANEOUS PURCHASES. The Harbor Department requests the option to purchase miscellaneous related materials and services, in conjunction with the purchase of items covered by the contract, under the condition that such items may be purchased in amounts not to exceed \$1,000.00 per order, per invoice.

Check one:

Option Granted Option Not Granted INITIAL: _____

FORMAL REQUEST FOR BID

CITY OF LOS ANGELES
HARBOR DEPARTMENT

BID NO. F-1218

(SHOW THIS NUMBER ON ENVELOPE)

BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024

INSURANCE AND INDEMNIFICATION

INDEMNIFICATION AND INSURANCE:

Indemnification

Except for the sole negligence or willful misconduct of the City, or any of its Boards, Officers, Agents, Employees, Assigns and Successors in Interest, Vendor undertakes and agrees to defend, indemnify and hold harmless the City and any of its Boards, Officers, Agents, Employees, Assigns, and Successors in Interest from and against all suits and causes of action, claims, losses, demands and expenses, including, but not limited to, attorney's fees (both in house and outside counsel) and cost of litigation (including all actual litigation costs incurred by the City, including but not limited to, costs of experts and consultants), damages or liability of any nature whatsoever, for death or injury to any person, including Vendor's employees and agents, or damage or destruction of any property of either party hereto or of third parties, arising in any manner by reason of the negligent acts, errors, omissions or willful misconduct incident to the performance of this Purchase Order by Vendor or its subcontractors of any tier. Rights and remedies available to the City under this provision are cumulative of those provided for elsewhere in this Purchase Order and those allowed under the laws of the United States, the State of California, and the City.

Acceptable Evidence and Approval of Insurance

Electronic submission is the required method of submitting Vendor's insurance documents. KwikComply is the City's online insurance compliance system, designed to be used primarily by insurance brokers and agents as they submit client insurance certificates directly to the City. It uses the standard insurance industry form known as the ACORD 25 Certificate of Liability Insurance in electronic format. The advantages of KwikComply include standardized, universally accepted forms, paperless approval transactions (24 hours, 7 days per week), and security checks and balances. Vendor's insurance broker or agent shall obtain access to KwikComply at <https://kwikcomply.org/> and follow the instructions to register and submit the appropriate proof of insurance on Vendor's behalf.

POLICY COPIES

Upon request by City, Vendor must furnish copy of binder of insurance and/or full certified policy of any insurance policy required herein. Such request may occur outside of termination and/or expiration date of this contract.

PRIMARY COVERAGE

The coverages submitted must be primary with respect to any insurance or self-insurance of the City of Los Angeles Harbor Department. The City of Los Angeles Harbor Department's program shall be excess of this insurance and non-contributing.

If the Vendor maintains higher limits than the minimums shown below, the City requires and shall be entitled to coverage for the higher limits maintained by the Vendor. Any available insurance proceeds in excess of the specified minimum limits of insurance and coverage shall be available to the City.

ADDITIONAL INSURED

The City of Los Angeles Harbor Department, its officers, agents, and employees must be included as additional insureds in applicable liability policies to cover the City of Los Angeles Harbor Department's vicarious liability for the acts or omissions of the named insured. Such coverage is not expected to respond to the active negligence of the City of Los Angeles Harbor Department.

FORMAL REQUEST FOR BID

CITY OF LOS ANGELES
HARBOR DEPARTMENT

BID NO. F-1218
(SHOW THIS NUMBER ON ENVELOPE)

BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024

NOTICE OF CANCELLATION

By terms of the contract, the contracting company agrees to maintain all required insurance in full force for the duration of the contractor's business with the City of Los Angeles Harbor Department. Each contractually required insurance policy shall provide that it will not be canceled or reduced in coverage until after the Board of Harbor Commissioners, Attention: Risk Manager and the City Attorney of the City of Los Angeles Harbor Department have been given thirty (30) days' prior notice (or 10 days' notice of non-payment of premium) by registered mail addressed to 425 S. Palos Verdes Street, San Pedro, California 90731.

RENEWAL

When an existing policy is timely renewed, you are encouraged to submit your renewal policy as soon as it is available to KwikComply. All renewals must continue to meet the policy conditions listed above. As a courtesy, Risk Management sends notifications of expiring or expired insurance. However, it is the responsibility of the contracting company to ensure evidence of insurance remains effective for the duration of the contract.

For further clarification on Insurance procedures, coverage information and documentation please go to <http://www.portoflosangeles.org/business/risk.asp>.

Vendor will be required to furnish, at its own expense and within TEN (10) days of notification of pending award, proof of insurance, in accordance with the types and in the minimum limits shown below:

NOTE
FAILURE TO SUBMIT PROOF OF INSURANCE WITHIN (10) DAYS UPON RECEIPT OF NOTICE OF INTENT TO AWARD WILL DEEM THE BIDDER NON- RESPONSIVE AND THE PROSPECTIVE AWARD MAY BE CANCELLED.

General Liability Insurance

Vendor shall procure and maintain in effect throughout the term of this Purchase Order, without requiring additional compensation from the City, commercial general liability insurance covering personal and advertising injury, bodily injury, and property damage providing contractual liability, independent contractors, products and completed operations, and premises/operations coverage written by an insurance company authorized to do business in the State of California rated VII, A- or better in Best's Insurance Guide (or an alternate guide acceptable to City if Best's is not available) within Vendor's normal limits of liability but not less than one million Dollars (\$1,000,000.00) combined single limit for injury or claim. Said limits shall provide first dollar coverage except that Executive Director may permit a self-insured retention or self-insurance in those cases where, in his or her judgment, such retention or self-insurance is justified by the net worth of Vendor. The retention or self-insurance provided shall provide that any other insurance maintained by the Harbor Department shall be excess of Vendor's insurance and shall not contribute to it. In all cases, regardless of any deductible or retention, said insurance shall contain a defense of suits provision and a severability of interest clause. Additionally, each policy shall include an additional insured endorsement (CG 2010 or equivalent) naming the City of Los Angeles Harbor Department, its officers, agents and employees as Primary additional insureds, a 10-days' notice of cancellation for nonpayment of premium, and a 30-days' notice of cancellation for any other reasons.

FORMAL REQUEST FOR BID

CITY OF LOS ANGELES
HARBOR DEPARTMENT

BID NO. F-1218

(SHOW THIS NUMBER ON ENVELOPE)

BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024

Auto Liability Insurance

Vendor shall procure and maintain at its expense and keep in force at all times during the term of this Purchase Order, automobile liability insurance written by an insurance company authorized to do business in the State of California rated VII, A- or better in Best's Insurance Guide (or an alternate guide acceptable to City if Best's is not available) within Consultant's normal limits of liability but not less than one million Dollars (\$1,000,000.00) covering damages, injuries or death resulting from each accident or claim arising out of any one claim or accident. Said insurance shall protect against claims arising from actions or operations of the insured, or by its employees. Coverage shall contain a defense of suits provision and a severability of interest clause. Additionally, each policy shall include an additional insured endorsement (CG 2010 or equivalent) naming the City of Los Angeles Harbor Department, its officers, agents and employees as Primary additional insureds, a 10-days' notice of cancellation for nonpayment of premium, and a 30-days' notice of cancellation for any other reasons.

Workers' Compensation and Employer's Liability

Vendor shall certify that it is aware of the provisions of Section 3700 of the California Labor code which requires every employer to be insured against liability for Workers' Compensation or to undertake self-insurance in accordance with the provisions of that Code, and that Vendor shall comply with such provisions before commencing the performance of the tasks under this Purchase Order. Coverage for claims under U.S. Longshore and Harbor Workers' Compensation Act, if required under applicable law, shall be included. Vendor shall submit Workers' Compensation policies whether underwritten by the state insurance fund or private carrier, which provide that the public or private carrier waives its right of subrogation against the City in any circumstance in which it is alleged that actions or omissions of the City contributed to the accident. Such Worker's Compensation and occupational disease requirements shall include coverage for all employees of Vendor, and for all employees of any subcontractor or other Vendor retained by Vendor.

INITIAL HERE ACKNOWLEDGING INSURANCE REQUIREMENTS:

_____ (initial)

Upon approval of insurance, contractor will receive written authorization to proceed.

NO WORK MAY BE PERFORMED WITHOUT SUCH WRITTEN AUTHORIZATION TO PROCEED

FORMAL REQUEST FOR BID

CITY OF LOS ANGELES
HARBOR DEPARTMENT

BID NO. F-1218

(SHOW THIS NUMBER ON ENVELOPE)

BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024

GENERAL TERMS – LAW, CHARTER, ADMINISTRATIVE CODE

COMPLIANCE WITH LAWS. Vendor shall comply with all applicable Ordinances, laws, Rules and Regulations of the City and of any County, State or Federal Government, or subdivision thereof.

DEFAULT BY SUPPLIER. In case of default by Vendor, the City reserves the right to procure the articles or services from other sources and to hold the Vendor responsible for any excess costs occasioned to the City thereby.

LOCAL BUSINESS PREFERENCE PROGRAM

The Harbor Department is committed to maximizing opportunities for local and regional businesses, as well as encouraging local and regional businesses to locate and operate within the Southern California region. It is the policy of the Harbor Department to support an increase in local and regional jobs. The Harbor Department's Local Business Preference Program (LBPP) aims to benefit the Southern California region by increasing jobs and expenditures within the local and regional private sector.

Vendors who qualify as a Local Business Enterprise (LBE) will receive an 8% preference on any bid for goods, materials, supplies, and related services valued in excess of \$150,000. The preference will be applied by calculating the Bidder's price at 8% less than the quoted price. The Harbor Department will use the applied preference for bid tabulation only. Actual amount paid to the lowest Bidder will be the price quoted by the lowest Bidder meeting specifications.

The Harbor Department defines an LBE as:

- (a) A business headquartered within Los Angeles, Orange, Riverside, San Bernardino, or Ventura Counties. Headquartered shall mean that the business physically conducts and manages all of its operations from a location in the above-named counties; or
- (b) A business that has at least 50 full-time employees, or 25 full-time employees for specialty marine contracting firms, working in Los Angeles, Orange, Riverside, San Bernardino, or Ventura Counties.

In order for Harbor Department staff to determine the appropriate LBE preference, Bidder shall complete, sign, notarize and submit the attached Affidavit and Bidder Description Form. The Affidavit and Bidder Description Form will signify the LBE status of the Bidder and subcontractors.

In the event of Bidder's noncompliance during the performance of the Contract, Bidder shall be considered in material breach of contract. In addition to any other remedy available to City under this Contract or by operation of law, the City may withhold invoice payments to Bidder until noncompliance is corrected, and assess the costs of City's audit of books and records of Bidder and its subcontractors. In the event the Bidder falsifies or misrepresents information contained in any form or other willful noncompliance as determined by City, City may disqualify the Bidder from participation in City contracts for a period of up to five (5) years.

SWEAT-FREE PROCUREMENT POLICY. The Board of Harbor Commissioners of the City of Los Angeles adopted Resolution No. 6455 on October 19, 2006, agreeing to adopt provisions of Los Angeles City Ordinance 176,291, relating to Sweat-Free Procurement, Section 10.43 et seq. of the Los Angeles Administrative Code, as a policy of the Harbor Department. Contractor shall comply with the policy wherever applicable. Violation of the policy shall entitle the City to terminate any Agreement with Contractor and pursue any and all other legal remedies that may be available.

FORMAL REQUEST FOR BID

CITY OF LOS ANGELES
HARBOR DEPARTMENT

BID NO. F-1218

(SHOW THIS NUMBER ON ENVELOPE)

BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024

ETHICS. Persons who submit a response to this solicitation (bidders) are subject to Charter section 470(c)(12) and related ordinances. As a result, bidders may not make campaign contributions to and or engage in fundraising for certain elected City officials or candidates for elected City office from the time they submit the response until either the contract is approved or, for successful bidders, 12 months after the contract is signed. The Bidder's principals and subcontractors performing \$100,000 or more in work on the contract, as well as the principals of those subcontractors, are also subject to the same limitations on campaign contributions and fundraising.

Bidders must submit CEC Forms 50 and 55, attached, to the awarding authority at the same time the response is submitted. The forms require bidders to identify their principals, their subcontractors performing \$100,000 or more in work on the contract, and the principals of those subcontractors. Bidders must also notify their principals and subcontractors in writing of the restrictions and include the notice in contracts with subcontractors. Responses submitted without completed CEC Forms 50 and 55 shall be deemed nonresponsive. Bidders who fail to comply with City law may be subject to penalties, termination of contract, and debarment. Additional information regarding these restrictions and requirements may be obtained from the City Ethics Commission at (213) 978-1960 or ethics.lacity.org.

MINORITY, WOMEN, AND OTHER BUSINESS ENTERPRISE (MBE/WBE/OBE). It is the policy of the Los Angeles Harbor Department to provide minority (MBE), women (WBE) and all other (OBE) business enterprises an equal opportunity to participate in the performance of all Harbor Department contracts. Such opportunities have resulted in combined M/WBE participation of over 20%. Bidders are encouraged to continue assisting the Department in implementing this policy by taking all reasonable steps to ensure that all available business enterprises have an equal opportunity to compete for and participate in Department contracts. All bidders are encouraged to reach out to M/W/OBEs when opportunities are available.

EQUAL BENEFITS POLICY. The Board of Harbor Commissioner of the City of Los Angeles adopted Resolution No. 6328 on January 12, 2005, agreeing to adopt the provisions of Los Angeles City Ordinance 172,908, as amended, relating to Equal Benefits (Section 10.8.2 et seq. of the Los Angeles Administrative Code) as a policy of the Harbor Department. Bidder shall comply with the policy whenever applicable. Violation of the policy shall entitle the City to terminate any agreement with Bidder and pursue any or all other legal remedies that may be available.

REGIONAL ALLIANCE MARKETPLACE FOR PROCUREMENT (RAMP).

PRIOR TO BEING AWARDED A CONTRACT with the Harbor Department, all vendors must be registered on the City's Contracts Management and Opportunities Database, Regional Alliance Marketplace for Procurement (RAMP), at <http://www.RAMPLA.org>.

Respondents are advised, pursuant to [Executive Directive 35](#), if a Bidder is selected and awarded a contract, and if the Vendor is a for-profit company or corporation, the Vendor shall, within 30 days of the effective date of the contract and on an annual basis thereafter (i.e., within 30 days of the anniversary of the effective date of the contract), report the following information to City via the Regional Alliance Marketplace for Procurement ("RAMP") or via another method specified by City: Vendor's and any subcontractor's annual revenue, number of employees, location, industry, race/ethnicity and gender of majority owner ("contractor/subcontractor Information"). On an annual basis, the Vendor shall further request that any subcontractor input or update its business profile, including the Vendor/subcontractor information, on RAMP or via another method prescribed by City. Vendors who are already registered may look up their RAMP ID at: <https://www.rampla.org/s/regional-profiles>.

VENDOR'S RAMP ID Number(s): _____

FORMAL REQUEST FOR BID

CITY OF LOS ANGELES
HARBOR DEPARTMENT

BID NO. F-1218

(SHOW THIS NUMBER ON ENVELOPE)

BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024

GENERAL CONDITIONS READ CAREFULLY

- FORM OF BID AND SIGNATURE.** The Bid must be made on this form only, and is limited to the Terms and Conditions contained herein, unless expressly agreed otherwise in writing by the City. No telephonic or facsimile Bid is acceptable, unless otherwise indicated. Bid should be enclosed in a sealed envelope, showing the Bid No. in the lower left corner, and addressed to the Port of Los Angeles Contracts and Purchasing Division, 500 Pier "A" Street, Wilmington, CA 90744. Bids must be signed with the firm's corporate name or DBA and by a responsible officer or authorized employee. In case of error in extension of prices, unit price will govern. All prices must be firm unless the specification provides for adjustment.
- TAXES:** Do not include any Sales or Federal Excise Tax in prices unless the specifications specifically require that they be included. Sales tax will be added by the City at time of award. The City will furnish Federal Excise Tax Exemption Certificate to Supplier. Any other taxes must be included in Bid prices.
- SPECIFICATION CHANGES.** Vendor may request in writing that specifications be modified if its provisions restrict vendor from bidding. Such request must be received by the Director of Purchasing at least five (5) working days before Bid opening date. All vendors will be notified by Addendum of any approved changes in the specifications.
- BRAND NAMES AND SPECIFICATIONS.** The detailed specifications and/or brand name references are descriptive and indicate quality, design, and construction of items required. Offers will be considered to supply articles substantially the same as those described therein but with minor variations. Vendor must describe variations in their Bid.
- AWARD OF CONTRACT.** Bid shall be subject to acceptance by the City for a period of three (3) months unless a lesser period is prescribed in the quotation by the vendor. The City may make combined award of all items complete to one vendor or may award separate items to various vendors. Vendors may submit alternate prices, a lump sum or a discount conditional on receiving an award for two or more items. The right is reserved to reject any, or all, bids and to waive informality in bids.
- PURCHASE AGREEMENT.** A copy of the Bid, Specifications and General Conditions will remain on file in the Purchasing Office. All material or services supplied by the Contractor shall conform to the applicable requirements of the City Charter, City Ordinances, and all applicable State and Federal Laws, as well as conforming to the Specifications, Terms and Conditions contained herein.
- PRICE GUARANTEE.** If during the term of any agreement awarded pursuant to this Bid, the supplier sells the same materials or services under similar quantity and delivery conditions, at prices below those stated herein, such lower prices are to immediately be extended to the City.
- DEFAULT BY SUPPLIER.** In case of default by supplier, the City reserves the right to procure the articles or services from other sources and to hold the supplier responsible for any excess costs incurred by the City.
- DELIVERY:** If delivery of the commodity or service cannot be made exactly as specified and at the price shown, notify the Director of Contracts and Purchasing immediately. Do not make delivery without his approval. Any correspondence, other than invoices, relating to this order must be sent to the Director of Contracts and Purchasing.
- INSPECTION:** All materials furnished on this order will be subject to test and inspection and, if rejected, will be held subject to order of shipper and subject to accrued charges.
- INVOICING:** The point of free delivery, terms, contract number, name and address of department must appear on all invoices.

The Harbor Department will not be responsible for services, materials, or supplies furnished without prior authorization from the Director of Contracts and Purchasing.

This contract must not be assigned or transferred to anyone without the written approval of the Director of Contracts and Purchasing.

Discount period to be computed from date of receipt of invoice, or complete acceptance of goods or services, whichever is the later date.

In case of delay of payment beyond 30 days after acceptance of goods or services or date of invoice, whichever is later, please write the Harbor Department Accounting Section giving the contract number, stating to which division and on what date delivery was made.

Harbor Department may pay on partial deliveries, but right is reserved by the Director of Contracts and Purchasing to require complete delivery before payment.

- TIME AND MATERIALS WITH NO FIXED FEES:** ALL INVOICES WITH PAYMENTS FOR TIME AND MATERIALS MUST BE SUPPORTED / BACKED UP BY TIME SHEETS.

NOTE: THOSE INVOICES WITH FIXED FEE RATES DO NOT REQUIRE TIME SHEETS.

- CITY OF LOS ANGELES MUNICIPAL CODE:** All items must meet the requirements of the City of Los Angeles Municipal Code.
- PAYMENTS.** Payment terms are NET 30 days unless vendor quotes otherwise. Cash discounts allowing less than 20 days or 20th Proxima will not be considered by the City when evaluating Bids. All Cash Discounts are computed from the date of delivery in full or completion and acceptance of the work or material, or from date of receipt of invoice, whichever is latest. Partial payments may be made by the City on delivery and acceptance of goods and on receipt of vendor's invoice. Invoices must be submitted as specified on the Purchase Order or Notice to Proceed.
- ASSIGNMENT.** The supplier shall not assign or transfer by operation of law any obligation without the prior written consent of the Director of Contracts and Purchasing.
- NONDISCRIMINATION.** During the performance of this contract, the contractor shall not discriminate in employment practices against any employee or applicant for employment because of the employee's race, religion, national origin, ancestry, sex, sexual orientation, age, disability, marital status, domestic partner status or medical condition, in accordance with L.A. Admin. Code Sections 10.8 to 10.13, whose provisions are incorporated herein. All subcontracts awarded under any such contract shall contain a like nondiscrimination provision.
- SAFETY APPROVAL.** Articles supplied under this contract will not be accepted unless they comply with current safety regulations of the City Department of Building and Safety, U.L., the Safety Orders of the California Division of Occupation Safety and Health (CalOSHA) and OSHA requirements.
- PREVAILING WAGES.** Where labor is required for public work as a part of this contract, pursuant to the provisions of the Labor Code of the State of California, contractor shall pay no less than the general prevailing wages for the area as determined by the Director of the Department of Industrial Relations, State of California. Copy of wage schedule is obtainable from the Office of the Board of Public Works, City Hall, Los Angeles.
- CONTRACTOR'S LIABILITY.** The contractor agrees to, at all times, relieve, protect, save harmless, and fully indemnify the City of Los Angeles, its officers, agents and employees from any and all liability whatsoever that may arise or be claimed by reason of any acts of said contractor, contractor's employees and agents, in connection with the work to be performed under the contract.
- PATENT RIGHTS.** The person, firm, or corporation, upon whom this order is drawn, does, in case the materials or supplies to be furnished are covered wholly or in part by U.S. Letters Patent, by the acceptance of this order agrees to indemnify and hold the City of Los Angeles harmless from any and all injuries or damage which the City may sustain by reason of the sale to or use by it of such materials or supplies and arising out of the alleged or actual infringement of said letters patent.

All materials must be marked and tagged with the Contract number and be accompanied by packing list in detail. Material must be packed and shipped in conformity with tariff or classification requirements.

Prices on the contract include delivery to the division within building unless otherwise specified on the contract.

Prepaid charges for transportation must be accompanied by original expense bill marked paid and is not subject to transportation tax, due to the exemption permitted municipalities as indicated.

Materials shall be listed separately on invoices covering repairs or installation service.

FORMAL REQUEST FOR BID

**CITY OF LOS ANGELES
HARBOR DEPARTMENT**

BID NO. F-1218

(SHOW THIS NUMBER ON ENVELOPE)

BID DUE BEFORE 2:00 PM ON: FRIDAY, AUGUST 23, 2024

21. **LEGAL JUSTIFICATION.** This agreement shall be deemed entered into in Los Angeles, California, and shall be governed and construed in accordance with the laws of the State of California.
22. **TERMINATION FOR NON-APPROPRIATION.** The Harbor Department of the City of Los Angeles' (City's) obligation to pay any amount hereunder, for any City fiscal year after the current fiscal year is contingent upon City's appropriation of funds for that purpose. The City's fiscal year ends on June 30th of each calendar year. Accordingly, anything to the contrary notwithstanding, the City may terminate this contract and future monetary obligations hereunder as of the end of any fiscal year.
23. **CANCELLATION.** The contract may be terminated in whole or in part by the Harbor Department of the City of Los Angeles (City) for its convenience, without penalty, provided that the Vendor is given not less than 30 days' written notice (delivered by certified mail, return receipt requested) of the intent to terminate. The City will pay for that portion of the orders fulfilled or work performed. The City has the right to cancel the contract for cause at any time.

THE END

No. 285 Rev. 07/15-116

This form must be submitted with your bid or proposal to the City department that is awarding the contract noted below. If you have questions about this form, please contact the Ethics Commission at (213) 978-1960.

Original Filing **Amendment:** Date of Signed Original _____ Date of Last Amendment _____

Reference Number (Bid, Contract, or RAMP) F-1218	Awarding Authority (Department awarding the contract) HARBOR
Bidder Name	
Address	
Email Address	Phone Number

Certification

I certify the following on my own behalf or on behalf of the entity named above, which I am authorized to represent:

A. I am applying for one of the following types of contracts with the City of Los Angeles:

1. A goods or services contract with a value of more than \$25,000 and a term of at least three months;
2. A construction contract with any value and duration;
3. A financial assistance contract, as defined in Los Angeles Administrative Code § 10.40.1(h), with a value of at least \$100,000 and a term of any duration; or
4. A public lease or license, as defined in Los Angeles Administrative Code § 10.40.1(i), with any value and duration.

B. I acknowledge and agree to comply with the disclosure requirements and prohibitions established in the Los Angeles Municipal Lobbying Ordinance if I qualify as a lobbying entity under Los Angeles Municipal Code § 48.02.

I certify under penalty of perjury under the laws of the City of Los Angeles and the state of California that the information in this form is true and complete.

Name

Signature

Title

Date

This form must be completed in its entirety and submitted with your bid or proposal to the City department that is awarding the contract. Failure to submit a completed form may affect your bid or proposal. If you have questions about this form, please contact the Ethics Commission at (213) 978-1960.

Original Filing **Amendment:** Date of Signed Original _____ Date of Last Amendment _____

Reference Number (Bid, Contract, or RAMP): F-1218 Date Bid Submitted: _____

Contract Description (Title of the RFP or City contract solicitation and description of the services to be provided):
PHOTOCOPIERS AND RELATED SOFTWARE LICENSING, SERVICES, AND ACCESSORIES

Awarding Authority (Department awarding the contract): HARBOR

Bidder Name: _____

Bidder Address: _____

Bidder Email Address: _____ Bidder Phone Number: _____

Schedule Summary

Please complete all three of the following:

- | | | |
|--|--|---|
| <p>1. SCHEDULE A – Bidder's Principals <i>(check one)</i>
The bidder has one or more PRINCIPALS, as defined in LAMC § 49.7.35(A)(6).
At least one principal is required for entities. <i>(If you check "Yes", Schedule A is required.)</i></p> | <p>Yes
<input type="checkbox"/></p> | <p>No
<input type="checkbox"/></p> |
| <p>2. SCHEDULE B – Subcontractors and Their Principals <i>(check one)</i>
The bidder has one or more SUBCONTRACTORS on this bid or proposal with subcontracts worth \$100,000 or more. <i>(If you check "Yes", Schedule B is required.)</i></p> | <p>Yes
<input type="checkbox"/></p> | <p>No
<input type="checkbox"/></p> |
| <p>3. TOTAL NUMBER OF PAGES SUBMITTED (including this cover page): <u> </u></p> | | |

Certification

I certify the following under penalty of perjury under the laws of the City of Los Angeles and the state of California:
A) I understand, will comply with, and have notified my principals and subcontractors of the requirements and restrictions in Los Angeles City Charter § 470(c)(12) and any related ordinances; B) I understand that I must amend this form within ten business days if any information changes; C) I am the bidder named above or I am authorized to represent the bidder named above, and my name appears below; and D) The information provided in this form is true and complete to the best of my knowledge and belief.

Name

Signature

Title

Date

Schedule A - Bidder's Principals

Please identify the names and titles of all the bidder's principals (attach additional sheets if necessary). Principals include a bidder's board chair, president, chief executive officer, chief operating officer, and individuals who serve in the functional equivalent of one or more of those positions. Principals also include individuals who hold an ownership interest in the bidder of at least 20 percent and employees of the bidder who are authorized by the bid or proposal to represent the bidder before the City.

Name: _____	Title: _____
Address: _____	

Name: _____	Title: _____
Address: _____	

Name: _____	Title: _____
Address: _____	

Name: _____	Title: _____
Address: _____	

Name: _____	Title: _____
Address: _____	

Name: _____	Title: _____
Address: _____	

Name: _____	Title: _____
Address: _____	

Name: _____	Title: _____
Address: _____	

Name: _____	Title: _____
Address: _____	

Check this box if additional Schedule A pages are attached.

Schedule B - Subcontractors and Their Principals

Please identify all subcontractors whose subcontracts are worth \$100,000 or more. Separate Schedule B pages are required for each subcontractor who meets the threshold.

Subcontractor's Name
Subcontractor's Address

Please check one of the following options:

This subcontractor has one or more principals. Yes* No

** Each principal's name and title must be identified below. Attach additional sheets if necessary. Principals include a subcontractor's board chair, president, chief executive officer, chief operating officer, and individuals who serve in the functional equivalent of one or more of those positions. Principals also include individuals who hold an ownership interest in the subcontractor of at least 20 percent and employees of the subcontractor who are authorized by the bid or proposal to represent the subcontractor before the City.*

Name: _____	Title: _____
Address: _____	

Name: _____	Title: _____
Address: _____	

Name: _____	Title: _____
Address: _____	

Name: _____	Title: _____
Address: _____	

Name: _____	Title: _____
Address: _____	

Name: _____	Title: _____
Address: _____	

Check this box if additional Schedule B pages are attached.

LOCAL BUSINESS PREFERENCE PROGRAM

The Harbor Department is committed to maximizing opportunities for local and regional businesses, as well as encouraging local and regional businesses to locate and operate within the Southern California region. It is the policy of the Harbor Department to support an increase in local and regional jobs. The Harbor Department's Local Business Preference Program (LBPP) aims to benefit the Southern California region by increasing jobs and expenditures within the local and regional private sector.

Vendors who qualify as a Local Business Enterprise (LBE) will receive an 8% preference on any bid for goods, materials, supplies, and related services valued in excess of \$150,000. The preference will be applied by calculating the bidder's price at 8% less than the quoted price. The Harbor Department will use the applied preference for bid tabulation only. The actual amount paid to the lowest bidder will be the price quoted by the lowest bidder meeting specifications.

The Harbor Department defines an LBE as:

- (a) A business headquartered within Los Angeles, Orange, Riverside, San Bernardino, or Ventura Counties. Headquartered shall mean that the business physically conducts and manages all of its operations from a location in the above-named counties; or
- (b) A business that has at least 50 full-time employees, or 25 full-time employees for specialty marine contracting firms, working in Los Angeles, Orange, Riverside, San Bernardino, or Ventura Counties.

In order for Harbor Department staff to determine the appropriate LBE preference, Vendor shall complete, sign, notarize and submit the attached Affidavit. The Affidavit will signify the LBE status of the Vendor.

In the event of Vendor's noncompliance during the performance of the Contract, Vendor shall be considered in material breach of contract. In addition to any other remedy available to City under this Contract or by operation of law, the City may withhold invoice payments to Vendor until noncompliance is corrected, and assess the costs of City's audit of books and records of Vendor. In the event the Vendor falsifies or misrepresents information contained in any form or other willful noncompliance as determined by City, City may disqualify the Vendor from participation in City contracts for a period of up to five (5) years.

AFFIDAVIT OF COMPANY STATUS

"The undersigned declares under penalty of perjury pursuant to the laws of the State of California that the following information is true and correct and includes all material information necessary to identify and explain the operations of

Name of Firm

as well as the ownership and location thereof. Further, the undersigned agrees to provide complete and accurate information regarding ownership in the named firm, any proposed changes of the ownership and to permit the audit and examination of firm ownership documents in association with this contract."

Local Business Preference Program: Please indicate the Local Business Enterprise status of your company. Only one box must be checked:

LBE Non-LBE

- A Local Business Enterprise (LBE) is: (a) a business headquartered within Los Angeles, Orange, Riverside, San Bernardino, or Ventura Counties; or (b) a business that has at least 50 full-time employees, or 25 full-time employees for specialty marine contracting firms, working in Los Angeles, Orange, Riverside, San Bernardino, or Ventura Counties. "Headquartered" shall mean that the business physically conducts and manages all of its operations from a location in the above-named counties.
- A Non-LBE is any business that does not meet the definition of an LBE.

Signature: _____

Title: _____

Printed Name: _____

Date Signed: _____

ACKNOWLEDGMENT

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California
County of _____)

On _____ before me, _____
(insert name and title of the officer)

personally appeared _____,
who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/are subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their authorized capacity(ies), and that by his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.

WITNESS my hand and official seal.


Signature _____ (Seal)



CANON SOLUTIONS AMERICA

varioPRINT 140 series QUARTZ

MONOCHROME
PRODUCTION
DIGITAL PRESSES



varioPRINT 140 QUARTZ shown with optional accessories.

varioPRINT 140 series QUARTZ MONOCHROME PRODUCTION DIGITAL PRESSES

Product Specifications

MAIN UNIT

Marking Engine

Technology:	DirectPress
Print Resolution	
Engine:	600 x 2400 dpi, 200 lpi
PCL:	600 x 600 dpi
Adobe® PostScript® 3:	1200 x 1200 dpi (Enhanced), 600 x 2400 dpi
Max. Print Speed (ipm):	140/130/115 (Letter), 73/68/60 (11" x 17")
First-Copy-Out Time:	3.9 Seconds (Letter)
Paper Size	
Maximum:	12.6" x 19.2" (320 mm x 488 mm)
Minimum:	5.5" x 7.2" (140 mm x 182 mm)
Standard Paper Capacity (iPIM):	4,000 Sheets (20 lb. Bond)
2 x Bulk Tray:	1,500 Sheets (Letter, Statement ¹)
2 x Multisize Tray:	500 Sheets
Tray 3:	5.5" x 7.2" to 12.6" x 17"
Tray 4:	5.5" x 7.2" to 12.6" x 19.2"
Feeding (iPIM):	Friction-fed
Paper Weight:	13 lb. Bond to 110 lb. Cover (50 gsm to 300 gsm) (All Trays)
Duplex:	Up to 300 gsm
Power Source:	208 V/20 A
Options:	Bulk Tray Small Format-A1

Duplex Color Image Reader-N1

Image Sensor:	CCD
Document Size:	Statement to 11" x 17"
Resolution:	Up to 600 x 600 dpi
Tray Capacity:	Up to 200 Sheets (20 lb. Bond)
Paper Weight:	10 lb. Bond to 80 lb. Cover (38 gsm to 220 gsm)
Scan Speed	
BW:	Up to 130 ipm (300 x 300 dpi/600 x 600 dpi)
Color:	Up to 135 ipm (300 x 300 dpi) Up to 37 ipm (600 x 600 dpi)

OPTIONAL INPUT ACCESSORIES

ePIM (External Paper Input Module-D1)

Feeding Technology:	Air Separation, Suction Feeding
Standard Paper Capacity:	4,600 Sheets (20 lb. Bond)
Tray 1 and 2:	600 Sheets
Tray 3 and 4:	1,700 Sheets
	3,400 Sheets (20 lb. Bond, Letter, with Duo Tray installed)
Maximum Capacity:	8,000 Sheets (20 lb. Bond) ²
Acceptable Size:	8" x 8" to 12.6" x 19.2" (All Trays)
Paper Weight:	13 lb. Bond to 110 lb. Cover (50 gsm to 300 gsm)
Power Source:	120 V/15 A
Options:	Duo Tray, Forms Assist Module II

varioPRINT 140 SERIES QUARTZ PRODUCT SPECIFICATIONS

Document Insertion Unit-R1

Tray Capacity

Upper Tray:	Up to 200 Sheets (20 lb. Bond)
Lower Tray:	Up to 200 Sheets (20 lb. Bond)

Paper Weight: 14 lb. Bond to 110 lb. Cover
(52 gsm to 300 gsm)

Paper Size:³ 11" x 17", 12" x 18", 13" x 19", Legal, Letter,
Letter-R, Executive, Custom Size
(7.2" x 7.2" to 13" x 19.2")

Power Source: 120 V/15A

OPTIONAL FINISHING ACCESSORIES

Staple Finisher-AG1/Booklet Finisher-AG1

Tray Capacity

Top Tray:	Up to 1,000 Sheets (20 lb. Bond)
Lower Tray:	Up to 4,000 Sheets (20 lb. Bond)
Booklet Tray:	Up to 30 Booklets or Limitless

Staple Positions: Corner Stapling, Double Stapling, Saddle³

Paper Weight: 14 lb. Cover to 110 lb. Cover
(52 gsm to 300 gsm)

Paper Size³

Stapling: 11" x 17", Legal, Letter-R, Executive, Letter,
Custom Size (8.3" x 11" to 13" x 19.2")

Booklet Finisher: 11" x 17", Legal, Letter-R, 12" x 18"
Custom Size (8.3" x 11" to 11.7" x 17")

Stapling Capacity: Up to 100 Sheets, Maximum (Letter,
20 lb. Bond)

Booklet Stapling Capacity

Uncoated:	Up to 25 Sheets (20 lb. Bond/80 gsm)
Coated:	Up to 10 Sheets (28 lb. Bond/106 gsm)
V-Folding:	Up to 5 Sheets without Stitch

Power Source: 120 V/15 A

Puncher Unit-BS1

(Option for Finisher-AG1/Booklet Finisher-AG1)

Paper Weight: 13 lb. Bond to 73 lb. Cover
(50 gsm to 200 gsm)

Paper Size

2-Hole:	Legal, Letter-R
3-Hole:	11" x 17", Letter, Executive

Punch Speed: Same as Speed of Marking Engine

Power Source: From Main Unit

High Capacity Stacker-J1

Offset Stack Capacity: Up to 6,000 Sheets (20 lb. Bond)

Top Tray Capacity: Up to 200 Sheets (20 lb. Bond)

Paper Size:³ 5.5" x 7.2" to 13" x 19.2"

Paper Weight: 13 lb. Bond to 110 lb. Cover
(50 gsm to 300 gsm)

Max. Connectivity: 2 Units

Power Source: 120 V/15 A

Multi Function Professional Puncher-C1

Paper Weight

Plain: 20 lb. Bond to 110 lb. Cover
(75 gsm to 300 gsm)

Coated: 32 lb. Bond to 110 lb. Cover
(118 gsm to 300 gsm)

Paper Size: 12" x 18", 11" x 17", 9" x 12", Letter, Legal,
Letter-R, Statement

Die Set Patterns: Loose Leaf 3-Hole/5-Hole, Velo Bind
11-Hole, Plastic Comb 19-Hole, Twin Loop
21-Hole/32-Hole, Color Coil 44-Hole/
e-Wire/Perforation

Power Supply: 120 V/15 A

GBC eWire Pro⁴

Bound Book Size: 15 to 100 Sheets (20 lb. Bond)

Paper Size: Letter, 5.5" x 8.5", Tab Stock

Paper Weight: 20 lb. Bond to 110 lb. Cover
(75 gsm to 300 gsm)

Wire Choices: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16"

Stack Capacity: Up to 35 Books

Infeed: Multi Function Professional Puncher-B1

Power Supply: 115 V, 60 Hz, 2.8A

Weight: 500 lb.

Dimensions (W x D x H): 35.8" x 31.3" x 42.6"

Booklet Trimmer-G1⁵

Margin Trimming: Front-edge Trim

Trim Amount: 0.08" to 1.1"

Trim Thickness: 50 Sheets (25 Sheets, Folded; 20 lb. Bond)

Paper Weight: 14 lb. Bond to 110 lb. Cover
(52 gsm to 300 gsm)

Output Tray Capacity: 30 Booklets

Power Source: From Booklet Finisher-AG1

varioPRINT 140 SERIES QUARTZ PRODUCT SPECIFICATIONS (Continued)

Two-Knife Booklet Trimmer-B1 (Optional for Booklet Trimmer-G1)

Margin Trimming:	Top and Bottom
Trim Amount:	0.08" to 0.59"
Trim Thickness:	50 Sheets (25 Sheets, Folded; 20 lb. Bond)
Paper Weight:	14 lb. Bond to 110 lb. Cover (52 gsm to 300 gsm)
Power Supply:	120 V/15 A

Paper Folding Unit-K1⁶

Double Parallel Fold:	Legal, Letter-R
C/Accordion Fold:	Letter-R
Z-Fold:	11" x 17"
Half-fold:	Letter-R
Supported Media Weights:	13 lb. Bond to 28 lb. Bond (50 gsm to 105 gsm)
Power Source:	From Finisher-AG1/Booklet Finisher-AG1

Decurler Unit-D1

Paper Weight:	14 lb. Bond to 110 lb. Cover (52 gsm to 300 gsm)
Paper Size:	5.5" x 7.2" to 13" x 19.2"

DFD Adapter and Finisher Bridge-A2/B1

Paper Weight:	13 lb. Bond to 110 lb. Cover (50 gsm to 300 gsm)
Connectivity:	745 mm Paper Path Height (Input), 860 mm Paper Output Path, CAN Connection, Requires Upper Tray from Finisher-AG1 to be Removed and Replaced by the Finisher Bridge
Requirements:	Staple/Booklet Finisher-AG1
Power Supply:	From Finisher

Plockmatic BLM50/35 Professional Booklet Maker⁷

Booklet Size:	Up to 50 Sheets (20 lb. Bond)
Paper Size:	8.1" x 10.8" to 12.6" x 18"
Paper Weight	
Uncoated:	16 lb. Bond to 110 lb. Cover (60 gsm to 300 gsm)
Coated:	28 lb. Bond to 110 lb. Cover (105 gsm to 300 gsm)
Trim Amount	
Face:	0.04" to 1"
Top/Bottom:	0.196" to 1.18"
Paper Rotating:	SDD Rotator RTM3550 required
Weight:	1,235.7 lb.
Dimensions (W x D x H):⁸	86.2" x 28.8" x 41.4"

SDD Square Fold Booklet Maker⁹

Booklet Capacity:	Up to 25 Sheets (20 lb. Bond)
Booklet Input Size:	4.71" x 8.27" to 9.6" x 12.6"
Booklet Output Size:	4.71" x 7.87" to 9.6" x 12.6"
Paper Weight:	16 lb. Bond to 110 lb. Cover
Trim Amount:	0.08" to 1.38"
Power Supply:	120 V, 60 Hz, 15 A
Weight:	154 lb.
Dimensions (W x D x H):	44.9" x 23.6" x 44.9"

SDD Square Fold Booklet Maker with Two Knife Trim⁹

Booklet Capacity:	Up to 25 Sheets (20 lb. Bond)
Booklet Input Size:	4.88" x 5.51" to 9.6" x 12.6"
Booklet Output Size:	4.88" x 5.51" to 9.6" x 12.6"
Paper Weight:	16 lb. Bond to 110 lb. Cover
Trim Amount:	0.08" to 1.38"
Power Supply:	120 V, 60 Hz, 15 A
Weight:	573 lb.
Dimensions (W x D x H):	62.7" x 27.6" x 51.2"

varioPRINT 140 SERIES QUARTZ PRODUCT SPECIFICATIONS (Continued)

PRINT SERVER

Processor:	2.7 GHz
Memory:	4 GB
Hard Drive:	500 GB
OS:	Windows 10 LTSC
Supported PDLs:	APPE, PDF/PS, PCL, XPS ¹⁰ , PPML ¹⁰
Standard:	Scheduler, Remote Manager, PRISMAlytics Dashboard, Automated Workflows, Remote Control
Optional:	DocBox, Color Scanning, Multiple Queues, Streaming, Accounting, Integrity Checker, E-Shredding, DP Link, KDK Link

¹ Requires Bulk Tray Small Format-A1.

² With Duo Tray option installed in Tray 3 and 4 of ePIM. Letter only in trays with Duo Tray option installed.

³ Maximum supported size for varioPRINT 140 series QUARTZ engine is 12.6" x 19.2". Document Insertion Unit supports 13" x 19.2".

⁴ Requires Multi Function Professional Puncher-C1 and Decurler Unit-D1.

⁵ Requires Booklet Finisher-AG1.

⁶ Requires Staple Finisher-AG1 or Booklet Finisher-AG1.

⁷ High Capacity Stacker-J1, DFD Interface Kit, and DFD Paper Path, or DFD Adapter and Finisher Bridge-AZ/BI required.

⁸ Dimensions include Plockmatic BLM 50/35 Booklet-maker, Booklet Fold Module, and Trimmer.

⁹ Booklet Finisher-AG1 and Booklet Trimmer-G1 required.

¹⁰ Optional.

For more information,
call 1.800.815.4000
or visit CSA.CANON.COM



Canon
CANON SOLUTIONS AMERICA

As an ENERGY STAR® Partner, Canon U.S.A., Inc. has qualified these models as meeting the ENERGY STAR® energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon and the GENUINE logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. varioPRINT, PRISMA and PRISMA product, logo, and service names are registered trademarks of Canon Production Printing Netherlands B.V. All other referenced product names and marks are trademarks of their respective owners. All output is simulated. Specifications and availability subject to change without notice. Not responsible for typographical errors.
©2023 Canon Solutions America, Inc. All rights reserved.



imageRUNNER ADVANCE DX 4900 Series

Black-and-white
Mid-volume
Multifunction

Print up to 45 ppm (BW)

Scan up to 270 ipm (300 dpi) (BW/color, duplex)

Print up to 12" × 18"

3,650-sheet maximum paper capacity

Canon's comprehensive portfolio of imageRUNNER ADVANCE multifunction printers and integrated solutions can help **simplify** the end user experience and management of technology, better **control** sensitive information and print-related costs, and help ensure that technology investments proactively **evolve** with changing needs.



WORKFLOW EFFICIENCY

- A large, 10.1" responsive and intuitive touchscreen with smartphone-like usability, making operation clear and virtually seamless.
- Consistent interface across the imageRUNNER ADVANCE DX product line, allowing work to proceed effortlessly and with a minimal learning curve.
- A unique, customized experience that can be tailored to individual preferences using My ADVANCE.
- Supports mobile solutions and integration with many popular cloud services like Google Drive.¹
- Scan and convert documents to searchable digital files in a variety of file formats.
- Integration with Canon and various third-party software with embedded application platform.
- Easily scan to, and print from, cloud services or email directly from the device User Interface.^{**}



SECURITY

- Advanced standard security feature set to help safeguard sensitive information and assist in regulatory compliance.
- Integrates with existing, third-party SIEM² systems to help provide real-time, comprehensive insights into potential threats to the network and printers.
- Technology to verify that the device boot process, firmware, and applications initialize without alteration at setup. Includes automatic recovery of boot process for self resiliency.
- McAfee Embedded Control³ utilizes whitelisting to help protect against malware and tampering of firmware and applications.
- Security settings can be established at once by selecting the environment type in Recommended Security Settings. Security policy settings can be configured from a central location and exported to other supported devices.
- Control access to the device and specific features using a host of flexible authentication methods—PIN code, user name/password, or card access.⁴



QUALITY AND RELIABILITY

- Canon's signature reliability and engine technologies help keep productivity high and minimize the impact on support resources.
- Outstanding imaging technologies and toner allow for consistently striking images, thanks to Canon's V² color profile.
- Designed to achieve maximum uptime with status notifications that help keep supplies replenished and intuitive maintenance videos for consumables replacement.
- imageRUNNER ADVANCE models have received many awards and recognition from leading industry analysts, often referencing strong reliability. This includes the 2022-2024 BLI Most Reliable A3 Brand Award from Keypoint Intelligence.

^{*} Security Information and Event Management.

^{**} Optional Cloud Connector term license required.



DEVICE AND FLEET MANAGEMENT

- Designed for quick, easy deployment.
- Remote diagnostics and parts life management for proactive maintenance and rapid fixes.
- Easy and intuitive to monitor device status and consumable levels, turn off devices remotely, observe meter readings, manage settings, and implement security policies.
- Common firmware and regular updates with Unified Firmware Platform (UFP) for continuous improvements and consistency across a fleet.



COST MANAGEMENT

- Track and assess print, copy, scan, and fax usage and allocate costs to departments or projects.
- Apply print policies and restrict usage by user to help reduce unnecessary printing and contribute to cost efficiency.
- Standard cloud-based solution provides a centralized dashboard with up-to-the-minute insights into printer activity.
- Upgrade to uniFLOW server or cloud-based solutions for full accounting and reporting for compatible Canon and third-party devices, pull printing, job routing, and powerful scan workflows.




SUSTAINABILITY

- A combination of fusing technologies and lower-melting-point toner minimizes power requirements and helps achieve low energy consumption.
- Cardboard is now utilized as a sustainable packaging solution.
- Drum covers are constructed of regrind plastic, lowering environmental impact.
- ENERGY STAR® certified and rated EPEAT® Gold.⁵

CONFIGURATION OPTIONS

imageRUNNER ADVANCE DX 4900 Series



Not Shown

- Inner 2/3 Hole Puncher-D1 (for Inner Finisher-L1)
- 2/3 Hole Puncher Unit-A1 (for External Finishers)
- Platen Cover Type-Y3

ATTACHMENT A

* Staple-Free stapling, up to 5 pages of 17 lb. Bond.

Main Unit

Type

Monochrome Laser Multifunctional

Core Functions

Standard: Print, Copy, Scan, Send, Store
Optional: Fax

Processor

1.8 GHz Dual Core Processor

Control Panel

10.1" TFT LCD WSVGA Color Touch-panel

Memory

3.5 GB RAM

Solid State Drive

Standard: 256 GB
Maximum: 1 TB

Print Resolution

1200 dpi x 1200 dpi

Interface Connection

Network

Standard: 1000Base-T/100Base-TX/10Base-T
Optional: Wireless LAN (IEEE 802.11 b/g/n)

Others

Standard: USB 2.0 x1 (Host), USB 3.0 x1 (Host),
USB 2.0 x1 (Device)
Optional: Copy Control Interface, Serial Interface

Paper Capacity (LTR, 20 lb. Bond)

Standard: 1,200 Sheets
Maximum: 3,650 Sheets

Paper Sources (LTR, 20 lb. Bond)

Standard: Two 550-sheet Paper Cassettes,
100-sheet Stack Bypass

Optional: High-Capacity Cassette Feeding Unit-E1
(2,450 sheets)

Paper Output Capacity (LTR, 20 lb. Bond)

Standard: 250 Sheets
Maximum: 3,450 Sheets (with Staple Finisher-AE1 or
Booklet Finisher-AE1 and Copy Tray-T2)

Finishing Capabilities

Standard: Collate, Group
With Finishers: Collate, Group, Offset, Staple,
Saddle-Stitch, Hole Punch, Staple-Free
Stapling, Staple On Demand

Supported Media Types

Upper Thin, Plain, Heavy, Recycled, Color, Bond,
Cassette: Pre-punched, Letterhead, Envelope
Multi-purpose Thin, Plain, Heavy, Recycled, Coated,
Tray: Color, Tracing, Bond, Label, Pre-punched,
Letterhead, Envelope

Supported Media Sizes

Upper Standard size: Letter, Executive,
Cassette: Statement-R
Custom Size: 4-1/8" x 5-7/8" to 11-3/4" x
8-1/2" (105.0 mm x 148.0 mm to 297.0 mm
x 215.9 mm)
Envelopes: ISO-C5
Lower Standard size: 12" x 18", 11" x 17", Legal,
Cassette: Letter, Letter-R, Executive, Statement-R
Custom Size: 4-1/8" x 5-7/8" to 12" x 18"
(105.0 mm x 148.0 mm to 304.8 mm x
457.2 mm)
Envelopes⁶: COM10 No.10, Monarch, DL
Multi-purpose Standard size: 12"x18", 11"x17", Legal,
Tray: Letter, Letter-R, Executive, Statement,
Statement-R
Custom size: 3-7/8" x 5-1/2" to 12-5/8" x
18" (98.4 mm x 139.7 mm to 320.0 mm x
457.2 mm)
Free size: 4" x 5-7/8" to 12" x 18" (100.0 mm x
148.0 mm to 304.8 mm x 457.2 mm)
Envelopes: COM10 No.10, Monarch,
ISO-C5, DL
Envelope custom size: 3-7/8" x 3-7/8" to
12-5/8" x 18" (98.0 mm x 98.0 mm to 320.0
mm x 457.2 mm)

Supported Media Weights

Upper/Lower
Cassette: 14 lb. Bond to 140 lb. Index (52 to 256 g/m²)
Multi-purpose
Tray: 14 lb. Bond to 110 lb. Cover (52 to 300 g/m²)
Duplexing: 14 lb. Bond to 80 lb. Cover (52 to 220 g/m²)

Print/Copy Speed (One-sided)

4945i: Up to 45 ppm (Letter), Up to 22 ppm
(Legal/11"x17"), Up to 32 ppm (Letter-R)
4935i: Up to 35 ppm (Letter), Up to 17 ppm
(Legal/11"x17"), Up to 23 ppm (Letter-R)
4925i: Up to 25 ppm (Letter), Up to 15 ppm
(Legal/11"x17"), Up to 20 ppm

Warm-up Time

From Power On: Approx. 10 Seconds or Less⁷
From Sleep
Mode: Approx. 10 Seconds⁸
Quick Startup
Mode: Approx. 4 Seconds⁹

Dimensions (W x D x H)

With Platen Cover-Y3: 22-1/4" x 27-1/4" x 31"
(565 mm x 692 mm x 788 mm)
With Single Pass DADF-C1: 22-1/4" x 28-1/2" x 35-3/8"
(565 mm x 722 mm x 897 mm)
With DADF-BA1: 22-1/4" x 28-3/8" x 35-1/8"
(565 mm x 719 mm x 891 mm)

Installation Space (W x D)

Basic: 38-1/2" x 44-1/8" (978 mm x 1119 mm)
(with Single Pass DADF-C1 + right door
and multipurpose tray opened + paper
cassette opened)
38-1/2" x 45" (978 mm x 1116 mm) (with
DADF-BA1 + right door and multipurpose
tray opened + paper cassette open)
Fully 65" x 44-1/8" (1651 mm x 1119 mm)
Configured: (with Single Pass DADF-C1 + Staple
Finisher-AE1/Booklet Finisher-AE1 +
Copy Tray-T2 extended + paper cassette
open) 1651 mm x 1116 mm (with DADF-BA1
+ Staple Finisher-AE1/Booklet Finisher-AE1
+ Copy Tray-T2 extended + paper
cassette open)

Weight¹⁰

With Platen Cover-Y3: Approx. 134.5 lb. (61 kg)
With Single Pass DADF-C1: Approx. 163.1 lb. (74 kg)
With DADF-BA1: Approx. 149.9 lb. (68 kg)

Print Specifications

Standard Page Description Languages

UFR II, PCL[®]6, Adobe[®]PS[®] 3

Supported File Types for Direct Print

PDF, TIFF, JPEG, EPS, XPS

Printing from Mobile Devices and Cloud-based Services

A range of standard and optional software and MEAP-
based solutions (including Cloud Connector, AirPrint,
Mopria, Universal Print by Microsoft[®], Canon PRINT
Business, and uniFLOW Online) are available to provide
printing from mobile devices or internet-connected
devices and cloud-based services depending on your
requirements. Please contact your sales representative
for further information.

Fonts

PCL: 93 Roman, 10 Bitmap fonts, 2 OCR fonts,
Andalé Mono WT J/K/S/T (Japanese,
Korean, Simplified and Traditional
Chinese),¹¹ Barcode Fonts¹²
PS: 136 Roman

Operating System¹³

UFR II: Windows[®] 8.1/10/11/Server2012/
Server2012 R2/Server2016/Server2019/
Server2022, Mac OS X (10.11 or later)
PCL: Windows[®] 8.1/10/11/Server2012/
Server2012 R2/Server2016/Server2019/
Server2022
PS: Windows[®] 8.1/10/11/Server2012/
Server2012 R2/Server2016/Server2019/
Server2022, Mac OS X (10.11 or later)
PPD: Windows[®] 8.1/10/11, Mac OS X (10.11
or later) As of Jan. 2022

Copy Specifications

First-Copy-Out Time (Letter)

4945i: As fast as 4.6 seconds
4935i: As fast as 5.5 seconds
4925i: As fast as 6.1 seconds

Copy Resolution (dpi)

600 x 600

Multiple Copies

Up to 9,999 Copies

Copy Exposure

Automatic or Manual (9 Levels)

Magnification

25%-400% (1% Increments)

Preset Reduction/Enlargement

25%, 50%, 64%, 73%, 78%, 100% (1:1), 121%, 129%,
200%, 400%

Scan Specifications

Type

Standard: Color Platen
Optional: Platen Cover-Y3, Single Pass DADF-C1¹⁴ or
DADF-BA1 [2-sided to 2-sided (Automatic with DADF)]

Document Feeder Paper Capacity

Single Pass DADF: Up to 200 Sheets
DADF: Up to 100 Sheets

Document Feeder Supported Media Sizes

11" x 17", Legal, Letter, Letter-R, Statement, Statement-R

Document Feeder Supported Media Weights

Single Pass DADF-C1
Single-sided 13.3 lb. Bond to 80 lb. Cover
Scanning: (50 to 220 g/m²)
Double-sided 13.3 lb. Bond to 80 lb. Cover (50 to 220
Scanning: g/m²)
DADF-BA1
Single-sided 13.3 lb. Bond to 34 lb. Bond (50 to 128
Scanning: g/m²) (BW), 17 lb. Bond to 34 lb. Bond
(64 to 128 g/m²) (CL)
Double-sided 13.3 lb. Bond to 34 lb. Bond (50 to 128
Scanning: g/m²) (BW), 17 lb. Bond to 34 lb. Bond
(64 to 128 g/m²) (CL)

Platen Acceptable Originals

Sheet, Book, 3-Dimensional Objects

Platen Supported Media Size

Up to 11-3/4" x 17" (297 mm x 431.8 mm)

Pull Scan

Color Network ScanGear2 for both Twain and WIA
Supported OS: Windows[®] 8.1/10/11/Server2012/Server2012
R2/Server 2016/Server 2019/Server 2022

Scan Resolution (dpi)

Push: Up to 600 x 600
Pull: Up to 600 x 600

Scan to Mobile Devices and Cloud-based Services

A range of solutions is available to provide scanning to
mobile devices and cloud-based services depending on
your requirements.

Scan Speed (Letter)

Single Pass DADF-C1
Single-sided Scanning
BW/Color: 135/135 (300 x 300 dpi, send),
80/80 (600 x 600 dpi, copy)
Double-sided Scanning
BW/Color: 270/270 (300 x 300 dpi, send),
160/160 (600 x 600 dpi, copy)
DADF-BA1
Single-sided Scanning
BW/Color: 70/70 (300 x 300 dpi, send),
51/51 (600 x 600 dpi, copy)
Double-sided Scanning
BW/Color: 35/35 (300 x 300 dpi, send),
25.5/25.5 (600 x 600 dpi, copy)

Send Specifications

Destination

Standard: Email/Internet FAX (SMTP), SMB 3.1.1, FTP, WebDAV, Mail Box
Optional: Super G3 FAX, IP Fax
Super G3 Fax, IP Fax

Address Book

LDAP (2,000)/Local (1,600)/Speed dial (200)

Send Resolution (dpi)

Push: Up to 600 x 600
Pull: Up to 600 x 600

Communication Protocol

File: FTP (TCP/IP), SMB3.1.1 (TCP/IP), WebDAV
Email/Fax: SMTP (Send), POP3 (Receive)

File Format

TIFF (MMR), JPEG¹⁵, PDF (Compact, OCR (Text Searchable), Optimize PDF for Web, Format to PDF/A-1b, Trace & Smooth, Encrypt), XPS (Compact), PDF/XPS (Device Signature, User Signature), Office Open XML (PowerPoint, Word)

Fax Specifications (Optional)

Maximum Number of Connection Lines

4

Modem Speed

Super G3: 33.6 Kbps
G3: 14.4 Kbps

Compression Method

MH, MR, MMR, JBIG

Resolution (dpi)

400 x 400, 200 x 400, 200 x 200, 200 x 100

Sending/Recording Size

Statement-R to 11" x 17"

Fax Memory

Up to 30,000 Pages (2,000 Jobs)

Speed Dials

Max. 200

Group Dials/Destinations

Max. 199 Dials

Sequential Broadcast

Max. 256 Addresses

Memory Backup

Yes

Store Specifications

Mail Box (Number Supported)

100 User Inboxes, 1 Memory RX Inbox, 50 Confidential Fax Inboxes, Maximum 30,000 Pages (2,000 Jobs) Stored

Advanced Box

Communication Protocol: SMB or WebDAV Supported
Client PC: Windows (Windows 10/11)
Concurrent Connections (Max.):
SMB: 64
WebDAV: 3 (Active Sessions)

Advanced Box Available Disk Space

Approx. 16 GB (Standard HDD)
Approx. 480 GB (With Optional 1 TB HDD)

Memory Media

Standard: USB

Security Specifications

Authentication

Standard: Universal Login Manager, uniFLOW Online Express,¹⁶ User Authentication, Department ID Authentication, Access Management System, Device and Function Level Log-in
Optional: uniFLOW

Data

Standard: Protecting SSD Data [SSD Data Encryption (FIPS140-2 Validated), SSD Lock], Standard SSD Initialize, Trusted Platform Module (TPM), Job Log Conceal Function, Protecting MFP Software Integrity, Checking MFD Software Integrity (Verify System at Startup, Automatic Recovery, Runtime Intrusion Detection), Common Criteria Certification (HCD-PP) (pending confirmation)³
Optional: Hard Disk Drive Mirroring, IEEE 2600.2 Common Criteria Certification, Data Loss Prevention (Requires uniFLOW)

Network

Standard: TLS 1.3, IPSec, IEEE802.1X authentication, SNMP V3.0, Firewall Functionality (IP/MAC Address Filtering), Dual Network Support, Disabling Unused Functions (Enabling/Disabling Protocols/Applications, Enabling/Disabling Remote UI, Enabling/Disabling USB Interface), Communication Line Separation (G3 FAX, USB Port, Advanced Space, Scan and Send -Virus Concerns for Email Reception)
Optional: WPA3 support (Wi-Fi), (Wired LAN/ Wireless LAN, Wired LAN/Wired LAN)

Document

Standard: Secure Watermark, Secure Print, Forced Hold Printing, Adobe LiveCycle[®] Rights Management ES2.5 Integration, Encrypted PDF, Encrypted Secure Print, Device Signature, User Signature

Environmental Specifications

Operating Environment

Temperature: 50 to 86 °F
Humidity: 20 to 80% RH (Relative Humidity)

Power Requirements

110 - 127 V 60 Hz, 8.5 A

Power Consumption

Maximum: Approx. 1,500 W
Copying (with DADF continuous scan): Approx. 649 W (110 - 127 V)

Sleep Mode:

Approx. 0.8 W¹⁷

Typical Electricity Consumption (TEC) Rating¹⁸

4945i: 0.45 kWh
4935i: 0.34 kWh
4925i: 0.24 kWh

Standards

ENERGY STAR[®] Certified
Rated EPEAT[®] Gold⁵

Consumables

Toner

GPR-67 Toner BK

Toner Yield (Estimated @ 6% Coverage)

Black: 44,500 Pages

¹ Subscription to a third-party cloud service required. Subject to third-party cloud service provider's Terms and Conditions.

² Third-party SIEM system required. Subject to third-party SIEM system's Terms and Conditions. Canon cannot ensure compatibility with all third-party SIEM systems.

³ This feature is off by default and must be turned on by the user. Warm-up times are affected once turned on.

⁴ Requires additional option.

⁵ For current EPEAT rating (Gold/Silver/Bronze), please visit www.epeat.net.

⁶ Envelope Attachment A (standard) is required.

⁷ Time from device power-on until copy ready (not print reservation).

⁸ Time from exiting Sleep mode to when printing is operational.

⁹ Time from device power on to when the copy icon appears and is enabled to operate on the touch panel display.

¹⁰ Includes toner.

¹¹ Requires the optional PCL International Font Set-A1.

¹² Requires the optional Barcode Printer Kit-D1.

¹³ Other operating systems and environments, including AS/400, UNIX, Linux, and Citrix may be supported. Some of these solutions are chargeable. SAP Device Types are available via the SAP Market Place. For more information, contact your sales representative.

¹⁴ Detect Feeder Multi Sheet Feed is supported.

¹⁵ Single-Page only.

¹⁶ No charge for this solution; however, activation is required.
¹⁷ 0.8 W Sleep mode not available in all circumstances due to certain settings.

¹⁸ Based on ENERGY STAR Product Specification for Imaging Equipment Version 3.0.

AirPrint and the AirPrint logo are trademarks of Apple Inc. Canon, imageRUNNER, imagePASS, and the GENUINE logo are registered trademarks or trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of its features will prevent security issues. Some security features may impact functionality/performance; you may want to test these settings in your environment. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. McAfee and the McAfee logo are trademarks of McAfee LLC in the US and/or other countries. All other referenced product names and marks are trademarks of their respective owners. All printer output images are simulated. All features presented in this brochure may not apply to all Series and/or products and may be optional; please check with your Canon Authorized Dealer for details. Products shown with optional accessories. Canon U.S.A. does not provide legal counsel or regulatory compliance consultancy, including without limitation, Sarbanes-Oxley, HIPAA, GLBA, Check 21 or the USA Patriot Act. Each customer must have its own qualified counsel determine the advisability of a particular solution as it relates to regulatory and statutory compliance. Specifications and availability subject to change without notice. Not responsible for typographical errors.

©2023 Canon U.S.A., Inc. All rights reserved.

11/23-0342-7993

ATTACHMENT A

usa.canon.com




To learn about Canon's many awards, visit usa.canon.com/awards.

imageRUNNER ADVANCE DX C5800 Series

Color
Mid-volume
Multifunction

Print up to 70 ppm (BW/color)

Scan up to 270 ipm (300 dpi) (BW/color, duplex)

Print up to 12" × 18"

6,350-sheet maximum paper capacity

Canon's comprehensive portfolio of imageRUNNER ADVANCE DX multifunction printers and integrated solutions can help **simplify** the end user experience and management of technology, better **control** sensitive information and print-related costs, and help ensure that technology investments proactively **evolve** with changing needs.



WORKFLOW EFFICIENCY

- 10.1" intuitive touchscreen with smartphone-like usability.
- A unique, customized experience tailored to individual preferences using My ADVANCE.
- Supports mobile solutions and integration with many popular cloud services like Google Drive.¹
- Scan and convert documents to searchable digital files in a variety of file formats.
- Integration with Canon and various third-party software with embedded application platform.
- Hot Folders allow users to drag and drop a file into a hot folder and automatically print with pre-defined settings such as number of copies and finishing requirements.



SECURITY

- Advanced standard security feature set to help safeguard sensitive information and assist in regulatory compliance.
- Integrates with existing, third-party SIEM*² systems to help provide real-time, comprehensive insights into potential threats to the network and printers.
- Technology to verify that the device boot process, firmware, and applications initialize without alteration at startup. McAfee Embedded Control³ utilizes a whitelist to protect against malware and tampering of firmware and applications.
- Security policy settings can be controlled with a dedicated password, configured from a central location, and exported to other supported devices.
- Control access to the device and specific features, using a host of flexible authentication methods—PIN code, user name/password, or card access.⁴



QUALITY AND RELIABILITY

- Canon's signature reliability and engine technologies help keep productivity high and minimize the impact on support resources.
- Outstanding imaging technologies and toner allow for consistently striking images, thanks to Canon's V² color profile.
- Designed to achieve maximum uptime with status notifications that help keep supplies replenished and intuitive maintenance videos for consumables replacement.
- imageRUNNER ADVANCE models have received many awards and recognition from leading industry analysts, often referencing strong reliability.



DEVICE AND FLEET MANAGEMENT

- Designed for quick, easy deployment.
- Remote diagnostics and parts life management for proactive maintenance and rapid fixes.
- Easy and intuitive to monitor device status and consumable levels, turn off devices remotely, observe meter readings, manage settings, and implement security policies.
- Common firmware and regular updates with Unified Firmware Platform (UFP) for continuous improvements and consistency across a fleet.



COST MANAGEMENT

- Track and assess print, copy, scan, and fax usage and allocate costs to departments or projects.
- Apply print policies and restrict usage by user to help reduce unnecessary printing and contribute to cost efficiency.
- Standard cloud-based solution provides a centralized dashboard with up-to-the-minute insights into printer activity.
- Upgrade to uniFLOW server or cloud-based solutions for full accounting and reporting for compatible Canon and third-party devices, pull printing, job routing, and powerful scan workflows.



SUSTAINABILITY

- A combination of fusing technologies and low-melting-point toner minimizes power requirements and helps achieve low energy consumption.
- Encourage environmentally conscious work practices by enabling multiple settings that can help save paper and energy.
- ENERGY STAR® certified and rated EPEAT® Gold⁵

CONFIGURATION OPTIONS

imageRUNNER ADVANCE DX C5800 Series



STAPLE FINISHER-AB2*

- 2-tray, 3,250-sheet capacity
- Corner and double stapling up to 50 sheets
- Supports Staple-Free Stapling (up to 10 pages, 17 lb. Bond) and Staple on Demand
- Supports optional internal 2/3-hole puncher (2/3 Hole Puncher Unit-A1)



BOOKLET FINISHER-A1 WITH TRI-FOLD*

- 2-tray, 3,250-sheet capacity
- Corner and double stapling up to 50 sheets
- Booklet-making up to 20 sheets and saddle-folding up to 3 sheets
- Supports Staple-Free Stapling (up to 10 pages, 17 lb. Bond) and Staple on Demand
- Supports optional internal 2/3-hole puncher (2/3 Hole Puncher Unit-A1)
- Built in C-Fold up to 5 sheets



INNER FINISHER-L1

- 2-tray, 550-sheet capacity
- Corner and double stapling up to 50 sheets within the footprint of the main unit
- Supports Staple-Free Stapling (up to 10 pages, 17 lb. Bond) and Staple on Demand
- Supports optional internal 2/3-hole puncher (Inner 2/3 Hole Puncher-D1)



INNER 2-WAY TRAY-M1



BUFFER PASS UNIT-P2



HIGH CAPACITY CASSETTE FEEDING UNIT-C1

- 2,450-sheet capacity
- Supports up to Letter
- 14 lb. Bond to 140 lb. Index




CASSETTE FEEDING UNIT-AQ1


- Two 550-sheet cassettes
- Supports up to 12" x 18"
- 14 lb. Bond to 140 lb. Index



CABINET TYPE-V



INNER TRAY*



COPY TRAY KIT



PAPER DECK UNIT-F1

- 2,700-sheet capacity
- 14 lb. Bond to 140 lb. Index
- Supports Letter



PAPER FOLDING UNIT-L1**

- Offers Z-Fold



imagePASS-R1

- Delivers fast processing speed, outstanding image quality, and time-saving workflow
- Personalized printing with the built-in, entry-level Fiery FreeForm™ or with the supported variable data printing (VDP) formats

* Requires Buffer Pass Unit-P2.
 • Required when Staple Finisher-AB2/Booklet Finisher-A1 with Tri-Fold or Inner Finisher-L1 is not installed.
 •• Requires Buffer Pass Unit-P2 and either Booklet Finisher-A1 with Tri-Fold or Staple Finisher-AB2.

Main Unit**Type**

Color Laser Multifunctional

Core FunctionsStandard: Print, Copy, Scan, Send, Store
Optional: Fax**Control Panel**

10.1" TFT LCD WSVGA Color Flat-panel

Memory

5.0 GB RAM

Solid State DriveStandard: 256 GB
Optional: 1 TB**Interface Connection**Network: 1000Base-T/100Base-TX/10Base-T,
Wireless LAN (IEEE 802.11 b/g/n)
Optional: Bluetooth Low Energy**Others**Standard: USB 2.0 (Host) x1, USB 3.0 (Host) x1,
USB 2.0 (Device) x1
Optional: Copy Control Interface**Paper Output Capacity (LTR, 20 lb. Bond)**Standard: 250 Sheets
Maximum: 3,450 Sheets
(with Staple Finisher-AB2 or Booklet Finisher-A1
with Tri-Fold and 3rd Copy Tray Kit-A1)**Paper Sources (LTR, 20 lb. Bond)**Standard: Dual 550-sheet Paper Cassettes,
100-sheet Stack Bypass
Optional: Dual 550-Sheet Paper Cassettes
(Cassette Feeding Unit-AM1), 2,450-Sheet
High Capacity Paper Cassette (High
Capacity Cassette Feeding Unit-C1),
2,700-Sheet Paper Deck
(Paper Deck Unit-F1)**Paper Capacity (LTR, 20 lb. Bond)**Standard: 1,200 Sheets
Maximum: 6,350 Sheets**Finishing Capabilities**Standard: Collate, Group
With Options: Collate, Group, Offset, Staple, Saddle-Stitch,
Hole Punch, Staple Free Stapling, Staple On
Demand⁶**Supported Media Types**Multi-Purpose Tray: Thin, Plain, Recycled, Color, Heavy, Coated,
Tracing, Bond, Transparency, Label,
Pre-punched, Letterhead, Tab, Envelope
Paper: Thin, Plain, Recycled, Color, Heavy, Bond,
Cassettes: Transparency, Pre-punched, Letterhead,
Envelope⁷**Supported Media Sizes**Upper Cassette: Letter, Executive, Statement-R, Envelope
[No.10 (COM10), Monarch, DL, ISO-C5],
Custom Size (3-7/8" x 5-7/8" to 11-3/4" x
8-1/2")
Lower Cassette: 12" x 18", 11" x 17", Legal, Letter, Letter-R,
Executive, Statement-R, Envelope
[No.10 (COM10), Monarch, DL, ISO-C5],
Custom Size (3-7/8" x 5-7/8" to 12" x 18")
Multi-Purpose Tray: 12" x 18", 11" x 17", Legal, Letter, Letter-R,
Executive, Statement, Statement-R,
Envelope [No.10 (COM10), Monarch, DL,
ISO-C5], Envelope Custom Size (3-7/8" x
3-1/2" to 12-5/8" x 18"), Custom Size/
Free Size (3-7/8" x 5-1/2" to 12-5/8" x 18")**Supported Media Weights**Cassettes: 14 lb. Bond to 140 lb. Index (52 to 256 g/m²)
Stack Bypass: 14 lb. Bond to 110 lb. Cover (52 to 300 g/m²)
Duplexing: 14 lb. Bond to 140 lb. Index (52 to 256 g/m²)**Print/Copy Speed (BW and Color)**C5870i: Up to 70 ppm (Letter); Up to 42 ppm
(Letter-R); Up to 40 ppm (Legal);
Up to 35 ppm (11" x 17")
C5860i: Up to 60 ppm (Letter); Up to 36 ppm
(Letter-R); Up to 34 ppm (Legal);
Up to 32 ppm (11" x 17")
C5850i: Up to 50 ppm (Letter); Up to 30 ppm
(Letter-R); Up to 29 ppm (Legal);
Up to 27 ppm (11" x 17")
C5840i: Up to 40 ppm (Letter); Up to 24 ppm
(Letter-R); Up to 23 ppm (Legal);
Up to 21 ppm (11" x 17")**Warm-up Time**From Power On: Approx. 6 Seconds⁸

On:

From Sleep Mode⁹C5870i: Approx. 7 Seconds
C5860i/ C5850i/
C5840i:Quick Startup Mode: Approx. 4 Seconds¹⁰**Dimensions (W x D x H)**24-3/8" x 28-1/2" x 36-7/8" (620 x 722 x 937 mm)¹¹**Installation Space (W x D)**Basic: 44-7/8" x 45-3/4" (1,138 x 1,162 mm)
(Right Cover Open with Multi-purpose
tray extended + Cassette Drawers Open)
Fully Configured: 73-1/2" x 45-3/4" (1,866 x 1,162 mm)
(Staple Finisher-AB1 or Booklet Finisher-AB1
with the extension tray extended + Paper
Deck Unit-F1 + Cassette Drawers open)**Weight¹²**C5870i: Approx. 238.1 lb. (108 kg)
C5860i/
C5850i: Approx. 231.5 lb. (105 kg)
C5840i: Approx. 229.3 lb. (104 kg)**Print Specifications****Print Resolution (dpi)**

1200 x 1200

Standard Page Description Languages

UFR II, PCL6, Adobe PS 3

Supported File TypesPDF, TIFF, JPEG, EPS,¹³ XPS**Printing from Mobile Devices and Cloud-based Services**A range of standard and optional software and MEAP-based
solutions (including AirPrint, Mopria, Universal Print by
Microsoft[®], Canon PRINT Business, and uniFLOW Online)
are available to provide printing from mobile devices or
internet-connected devices and cloud-based services
depending on your requirements. Please contact your
sales representative for further information.**Fonts**PCL: 93 Roman, 10 Bitmap fonts, 2 OCR fonts,
Andalé Mono WT J/K/S/T (Japanese,
Korean, Simplified and Traditional Chinese),¹⁴
Barcode Fonts¹⁵
PS: 136 Roman**Operating System¹⁶**UFR II/PS: Windows[®] 7/8.1/10/Server2008/
Server2008 R2/Server2012/Server2012
R2/Server2016/Server2019, Mac OS X
(10.11 or later)
PCL: Windows[®] 7/8.1/10/Server2008/
Server2008 R2/Server2012/Server2012
R2/Server2016/Server2019
PPD: Windows[®] 7/8.1/10, Mac OS X(10.10 or later)**Copy Specifications****First-Copy-Out Time**C5870i: As fast as 2.7 seconds (BW)/
3.7 seconds (Color)
C5860i: As fast as 2.9 seconds (BW)/
4.2 seconds (Color)
C5850i: As fast as 3.3 seconds (BW)/
4.9 seconds (Color)
C5840i: As fast as 4.1 seconds (BW)/
6.1 seconds (Color)**Copy Resolution (dpi)**

600 x 600

Multiple Copies

Up to 999

Magnification

25%-400% (1% Increments)

Preset Reductions/Enlargements25%, 50%, 64%, 73%, 78%, 100% (1:1), 121%, 129%,
200%, 400%**Scan Specifications****Type**

Single-Pass Duplexing Automatic Document Feeder

Document Feeder Paper Capacity

Up to 200 Sheets (20 lb. Bond)

Document Feeder Supported Media Sizes11" x 17", Legal, Letter, Letter-R, Statement, Statement-R,
Custom Size: 2-3/4" x 5-1/2" to 12" x 17"**Document Feeder Supported Media Weights**Single-Sided Scanning: 13.3 lb. Bond to 80 lb. Cover (50 to 220 gsm)
(BW, CL)
Double-Sided Scanning: 13.3 lb. Bond to 80 lb. Cover (50 to 220 gsm)
(BW, CL)**Platen Acceptable Originals**

Sheet, Book, 3-Dimensional Objects

Pull ScanColor Network Supported OS: ScanGear2 for both Twain and WIA
Windows[®] 7/8.1/10/Server 2008/
Server 2008 R2/Server 2012/
Server 2012 R2/Server 2016**Scan Resolution (dpi)**Scan for Copy: 600 x 600
Scan for Send: (Push) 600 x 600 (SMB/FTP/WebDAV/
iFAX), (Pull) 600 x 600
Scan for Fax: 600 x 600**Scan to Mobile Devices and Cloud-based Services**A range of solutions is available to provide scanning to
compatible mobile devices and certain cloud-based
services depending on your requirements.**Scan Speed (LTR) (BW/CL)**Single-sided Scanning: 135/135 (300 dpi), 80/80 (600 dpi)
Double-sided Scanning: 270/270 (300 dpi), 160/90 (600 dpi)**Send Specifications****Destination**Standard: E-mail/Internet FAX (SMTP), SMB3.0, FTP,
WebDAV, Mail Box
Optional: Super G3 FAX, IP Fax**Address Book**

LDAP (2,000)/Local (1,600)/Speed Dial (200)

Send Resolution (dpi)Push: Up to 600 x 600
Pull: Up to 600 x 600**Communication Protocol**File: FTP(TCP/IP), SMB3.0 (TCP/IP), WebDAV
Email: SMTP, POP3**File Format**Standard: TIFF, JPEG, PDF (Encrypted, Compact,
Searchable, Apply Policy, Optimize for
Web, User Signature, PDF A/1-b, Limited
Color, Device Signature, User Signature),
XPS (Compact, Searchable, Device Signature,
User Signature), Office Open XML
(PowerPoint, Word)**Fax Specifications (Optional)****Modem Speed**Super G3: 33.6 Kbps
G3: 14.4 Kbps**Compression Method**

MH, MR, MMR, JBIG

Resolution (dpi)

400 x 400, 200 x 400, 200 x 200, 200 x 100

Sending/Recording Size

Statement-R to 11" x 17"

Fax Memory

Up to 30,000 Pages (2,000 jobs)

Speed Dials

Max. 200

Group Dials/Destinations

Max. 199 Dials

Sequential Broadcast

Max. 256 Addresses

Memory Backup

Yes

Store Specifications

Mail Box (Number Supported)

100 User In-boxes, 1 Memory RX In-box, 50 Confidential Fax In-boxes, Maximum 10,000 Pages (2,000 jobs) Stored

Advanced Box

Communication Protocol: SMB or WebDAV

Supported

Client PC: Windows (Windows 8.1/10)

Concurrent Connections (Max.)

SMB: 64

WebDAV: 3

Advanced Box Available Disc Space

Approx. 16 GB (Standard HDD)

Approx. 480 GB (With Optional 1 TB HDD)

Security Specifications

Authentication and Access Control

User Authentication (Picture Login, Picture and PIN Login, Card Login, Username and Password Login, Function Level Login, Mobile Login), Department ID Authentication (Department ID and PIN Login, Function Level Login), uniFLOW Online Express¹⁷ (PIN Login, Picture Login, Picture and PIN Login, Card Login, Card and PIN Login, Username and Password Login, Department ID and PIN Login, Function Level Login), Access Management System (Access Control)

Document Security

Print Security (Secure Print, Encrypted Secure Print, Forced Hold Printing, uniFLOW Secure Print¹⁸), Receive Data Security (Confidential Fax In-box Forwarding Received Documents Automatically), Scan Security (Encrypted PDF, Device Signature PDF/XPS, User Signature PDF/XPS, Adobe LiveCycle[®] Rights Management ES2.5 Integration), BOX Security (Mail Box Password Protected, Advanced Box Access Control), Send Data Security (Setting for requesting password input per transmission, Restricted E-mail/File send functions, Confirming FAX number, Allow/Restrict Fax Driver Transmissions, Allow/Restrict Sending from History, S/MIME Support), Document Tracking (Secure Watermark)

Network Security

TLS 1.3, IPSec, IEEE802.1X authentication, SNMP V3.0, Firewall Functionality (IP/MAC Address Filtering), Dual Network Support (Wired LAN/Wireless LAN, Wired LAN/Wired LAN), Disabling Unused Functions (Enabling/Disabling Protocols/Applications, Enabling/Disabling Remote UI, Enabling/Disabling USB Interface), G3 FAX separation from LAN, USB Port separation from LAN, Prohibit the execution of files stored in Advanced Box in the MFP, Scan and Send-Virus Concerns for E-mail Reception

Device Security

Protecting SSD Data [SSD Data Encryption (FIPS140-2 Validated), SSD Lock], Standard SSD Initialize, Trusted Platform Module (TPM), Job Log Conceal Function, Protecting MFD Software Integrity, Checking MFD Software Integrity (Verify System at Startup, Runtime Intrusion Detection)

Device Management and Auditing

Administrator Password, Digital Certificate and Key Management, Audit Log, Cooperating with External Security Audit System (Security Information and Event Management), Image Data Logging, Security Policy Setting

Environmental Specifications

Operating Environment

Temperature: 50 to 86°F

Humidity: 20 to 80% RH (Relative Humidity)

Power Requirements

C5870i/ C5860i/ 110-127 V, 60 Hz, 12 A

C5850i: 110-127 V, 60 Hz, 10 A

C5840i: 110-127 V, 60 Hz, 10 A

Power Consumption

Maximum: Approx. 1,800 W

Standby: Approx. 56.1 W¹⁹

Sleep Mode: Approx. 0.8 W²⁰

Typical Electricity Consumption (TEC) Rating²¹

C5870i: 0.86 kWh

C5860i: 0.71 kWh

C5850i: 0.57 kWh

C5840i: 0.47 kWh

Standards

ENERGY STAR[®] Certified

Rated EPEAT[®] Gold

Consumables

Toner²²

GPR-61L Toner BK/C/M/Y

GPR-61L Toner C/M/Y

Toner Yield (Estimated @ 5% Coverage)

GPR-61L Toner

BK: 71,000 Pages

GPR-61L Toner

C/M/Y: 60,000 Pages

GPR-61L Toner

C/M/Y: 26,000 Pages

¹ Subscription to a third-party cloud service required. Subject to third-party cloud service provider's Terms and Conditions.

² Third-party SIEM system required. Subject to third-party SIEM system's Terms and Conditions. Canon cannot ensure compatibility with all third-party SIEM systems.

³ This feature is off by default and must be turned on by the user. Warm-up times are affected once turned on.

⁴ Requires additional option.

⁵ For current EPEAT rating (Gold/Silver/Bronze), please visit www.epeat.net.

⁶ Finishing capabilities vary depending on the options connected.

⁷ Envelope Feeder Attachment (standard) is required.

⁸ Time from device power-on, until copy ready (not print reservation).

⁹ Time from exiting Sleep mode to when printing is operational.

¹⁰ Time from device power-on to when the copy icon appears and is enabled to operate on the touch panel display.

¹¹ Includes main unit and either Cassette Feeding Unit-AQ1, High Capacity Cassette Feeding Unit-C1, or Cabinet Type-V.

¹² Includes main unit, consumables, and Cassette Feeding Unit-AQ1.

¹³ EPS can be printed directly only from the Remote User Interface.

¹⁴ Requires the optional PCL International Font Set-A1.

¹⁵ Requires the optional Barcode Printer Kit-D1.

¹⁶ Other operating systems and environments, including AS/400, UNIX, Linux, and Citrix may be supported. Some of these solutions are chargeable. SAP Device Types are available via the SAP Market Place. For more information, contact your sales representative.

¹⁷ No charge for this solution; however, activation is required.


¹⁸ Requires uniFLOW Online/uniFLOW.

¹⁹ Reference Value (measured one unit).

²⁰ 0.8 W Sleep mode not available in all circumstances due to certain settings.

²¹ Based on ENERGY STAR Product Specification for Imaging Equipment Version 3.0.

²² GPR-61L Toner also available for Color (C, M, Y). Yield (estimated @ 5% coverage) is 26,000 images.



Canon imageRUNNER ADVANCE DX C5870i
Outstanding 70-ppm A3 Color MFP

Canon imageRUNNER ADVANCE DX C5860i
Outstanding 60-ppm A3 Color MFP

Canon imageRUNNER ADVANCE DX C5840i
Outstanding 40-ppm A3 Color MFP

As an ENERGY STAR[®] Partner, Canon U.S.A., Inc. has certified these models as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon, imageRUNNER, imagePASS, and the GENUINE logo are registered trademarks or trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of its features will prevent security issues. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. McAfee and the McAfee logo are trademarks of McAfee LLC in the US and/or other countries. All other referenced product names and marks are trademarks of their respective owners. All features presented in this brochure may not apply to all Series and/or products and may be optional; please check with your Canon Authorized Dealer for details. Product shown with optional accessories. Canon U.S.A. does not provide legal counsel or regulatory compliance consultancy, including without limitation, Sarbanes-Oxley, HIPAA, GLBA, Check 21 or the USA Patriot Act. Each customer must have its own qualified counsel determine the advisability of a particular solution as it relates to regulatory and statutory compliance. Specifications and availability subject to change without notice. Not responsible for typographical errors. ©2022 Canon U.S.A., Inc. All rights reserved.

Federal Law prohibits copying of certain documents. Violators may be subject to penalties. We suggest that you check with your own legal counsel. Canon U.S.A., Inc. and Canon Canada, Inc. intend to cooperate with Law Enforcement Agencies in connection with claims of unauthorized copying.



usa.canon.com



To learn about Canon's many awards, visit usa.canon.com/awards.

imageRUNNER ADVANCE DX 6800 Series

Black-and-white
Mid- to High-volume
Multifunction

Print up to 70 ppm (BW)

Scan up to 270/270 ipm (300 dpi) (BW/color, duplex)

Print up to 12" × 18"

6,350-sheet maximum paper capacity

Canon's comprehensive portfolio of imageRUNNER ADVANCE multifunction printers and integrated solutions can help **simplify** the end user experience and management of technology, better **control** sensitive information and print-related costs, and help ensure that technology investments proactively **evolve** with changing needs.



WORKFLOW EFFICIENCY

- 10.1" intuitive touchscreen with smartphone-like usability.
- A unique, customized experience tailored to individual preferences using My ADVANCE.
- Supports mobile solutions and integration with many popular cloud services like Google Drive.¹
- Scan and convert documents to searchable digital files in a variety of file formats.
- Integration with Canon and various third-party software with embedded application platform.
- Hot Folders allow users to drag and drop a file into a hot folder, and automatically print with predefined settings such as number of copies and finishing requirements.

ATTACHMENT A



SECURITY

- Advanced standard security feature set to help safeguard sensitive information and assist in regulatory compliance.
- Integrates with existing, third-party SIEM*² systems to help provide real-time, comprehensive insights into potential threats to the network and printers.
- Technology to verify that the device boot process, firmware, and applications initialize without alteration at startup. McAfee Embedded Control³ utilizes a whitelist to protect against malware and tampering of firmware and applications.
- Security policy settings can be controlled with a dedicated password, configured from a central location, and exported to other supported devices.
- Control access to the device and specific features, using a host of flexible authentication methods—PIN code, user name/password, or card access.⁴



QUALITY AND RELIABILITY

- Canon's signature reliability and engine technologies help keep productivity high and minimize the impact on support resources.
- Outstanding imaging technologies and toner allow for crisp text and consistent images in rich black-and-white tones.
- Designed to achieve maximum uptime with status notifications to help keep supplies replenished and intuitive maintenance videos for consumables replacement.
- imageRUNNER ADVANCE models have received many awards and recognition from leading industry analysts, often referencing strong reliability.

* Security Information and Event Management



DEVICE AND FLEET MANAGEMENT

- Designed for quick, easy deployment.
- Remote diagnostics and parts life management for proactive maintenance and rapid fixes.
- Easy and intuitive to monitor device status and consumable levels, turn off devices remotely, observe meter readings, manage settings, and implement security policies.
- Common firmware and regular updates with Unified Firmware Platform (UFP) for continuous improvements and consistency across a fleet.



COST MANAGEMENT

- Track and assess print, copy, scan, and fax usage and allocate costs to departments or projects.
- Apply print policies and restrict usage by user to help reduce unnecessary printing and contribute to cost efficiency.
- Standard cloud-based solution provides a centralized dashboard with up-to-the-minute insights into printer activity.
- Upgrade to uniFLOW server or cloud-based solutions for full accounting and reporting for compatible Canon and third-party devices, pull printing, job routing, and powerful scan workflows.



SUSTAINABILITY

- A combination of fusing technologies and low-melting-point toner minimizes power requirements and helps achieve low energy consumption.
- Encourage environmentally-conscious work practices by enabling multiple settings that can help save paper and energy.

CONFIGURATION OPTIONS

imageRUNNER ADVANCE DX 6800 Series



STAPLE FINISHER-AB2*

- 2-tray, 3,250-sheet capacity
- Corner and double stapling up to 50 sheets
- Supports Staple-Free Stapling (up to 10 pages, 17 lb. Bond) and Staple on Demand
- Supports optional internal 2/3-hole puncher (2/3 Hole Puncher Unit-A1)



BOOKLET FINISHER-A1 with TRI-FOLD*

- 2-tray, 3,250-sheet capacity
- Corner and double stapling up to 50 sheets
- Booklet-making up to 20 sheets and saddle-folding up to 3 sheets
- Supports Staple-Free Stapling (up to 10 pages, 17 lb. Bond) and Staple on Demand
- Supports optional internal 2/3-hole puncher (2/3 Hole Puncher Unit-A1)
- Built in C-Fold up to 5 sheets



INNER FINISHER-L1**

- 2-tray, 550-sheet capacity
- Corner and double stapling up to 50 sheets within the footprint of the main unit
- Supports Staple-Free Stapling (up to 10 pages, 17 lb. Bond) and Staple on Demand
- Supports optional internal 2/3-hole puncher (Inner 2/3 Hole Puncher-D1)



INNER 2-WAY TRAY-MI



BUFFER PASS UNIT-P2



HIGH CAPACITY CASSETTE FEEDING UNIT-C1

- 2,450-sheet capacity
- Supports up to Letter
- 14 lb. Bond to 140 lb. Index




CASSETTE FEEDING UNIT-AQ1


- Two 550-sheet cassettes
- Supports up to 12" x 18"
- 14 lb. Bond to 140 lb. Index



CABINET TYPE-V



INNER TRAY*



COPY TRAY KIT



PAPER DECK UNIT-F1

- 2,700-sheet capacity
- 14 lb. Bond to 140 lb. Index
- Supports Letter



PAPER FOLDING UNIT-L1**

- Offers Z-Fold

* Requires Buffer Pass Unit-P2.

** Inner Finisher-L1 not available on imageRUNNER ADVANCE DX 6870i.

*** Required when Staple Finisher-AB2/Booklet Finisher-A1 with Tri-Fold or Inner Finisher-L1 is not installed.

**** Requires Buffer Pass Unit-P2 and either Booklet Finisher-A1 with Tri-Fold or Staple Finisher-AB2.

Main Unit

Type
Monochrome Laser Multifunctional

Core Functions
Standard: Print, Copy, Scan, Send, Store
Optional: Fax

Control Panel
10.1" TFT LCD WSVGA Color Flat-panel

Memory
5.0 GB RAM

Solid State Drive
Standard: 256 GB
Optional: 1 TB

Interface Connection
Network: 1000Base-T/100Base-TX/10Base-T, Wireless LAN (IEEE 802.11 b/g/n)
Optional: Bluetooth Low Energy
Others
Standard: USB 2.0 (Host) x1, USB 3.0 (Host) x1, USB 2.0 (Device) x1
Optional: Copy Control Interface

Paper Output Capacity (LTR, 20 lb. Bond)
Standard: 200 Sheets
Maximum: 3,450 Sheets (with Staple Finisher-AB2 or Paper Folding/Booklet Finisher-A1 with Tri-Fold and third Copy Tray Kit-A1)

Paper Sources (LTR, 20 lb. Bond)
Standard: Dual 550-sheet Paper Cassettes, 100-sheet Stack Bypass
Optional: Dual 550-Sheet Paper Cassettes (Cassette Feeding Unit-AM1), 2,450-Sheet High Capacity Paper Cassette (High Capacity Cassette Feeding Unit-C1), 2,700-Sheet Paper Deck (Paper Deck Unit-F1)

Paper Capacity (LTR, 20 lb. Bond)
Standard: 1,200 Sheets
Maximum: 6,350 Sheets

Finishing Capabilities
Standard: Collate, Group
With Options: Collate, Group, Offset, Staple, Saddle-Stitch, Hole Punch, Staple Free Stapling, Staple On Demand⁶

Supported Media Types
Multi-Purpose Tray: Thin, Plain, Recycled, Color, Heavy, Coated, Tracing, Bond, Transparency, Label, Pre-punched, Letterhead, Tab, Envelope
Paper Cassettes: Thin, Plain, Recycled, Color, Heavy, Bond, Transparency, Pre-punched, Letterhead, Envelope⁷

Supported Media Sizes
Upper Cassette: Letter, Executive, Statement-R, Envelope [No.10 (COM10), Monarch, DL, ISO-C5], Custom Size (3-7/8" x 5-7/8" to 11-3/4" x 8-1/2")
Lower Cassette: 12" x 18", 11" x 17", Legal, Letter, Letter-R, Executive, Statement-R, Envelope [No.10 (COM10), Monarch, DL, ISO-C5], Custom Size (3-7/8" x 5-7/8" to 12" x 18")
Multi-Purpose Tray: 12" x 18", 11" x 17", Legal, Letter, Letter-R, Executive, Statement, Statement-R, Envelope [No.10 (COM10), Monarch, DL, ISO-C5], Envelope Custom Size (3-7/8" x 3-1/2" to 12-5/8" x 18"), Custom Size/Free Size (3-7/8" x 5-1/2" to 12-5/8" x 18")

Supported Media Weights
Cassettes: 14 lb. Bond to 140 lb. Index (52 to 256 g/m²)
Stack Bypass: 14 lb. Bond to 110 lb. Cover (52 to 300 g/m²)
Duplexing: 14 lb. Bond to 140 lb. Index (52 to 256 g/m²)

Print/Copy Speed (BW)
6870i: Up to 70 ppm (Letter), up to 42 ppm (Letter-R), up to 40 ppm (Legal), up to 35 ppm (11" x 17")
6860i: Up to 60 ppm (Letter), up to 36 ppm (Letter-R), up to 34 ppm (Legal), up to 32 ppm (11" x 17")
6855i: Up to 55 ppm (Letter), up to 36 ppm (Letter-R), up to 32 ppm (Legal), up to 29 ppm (11" x 17")

Warm-up Time
From Power On: Approx. 6 Seconds⁸
From Sleep Mode⁹
6870i: 7 Seconds or Less
6860i: 6 Seconds or Less
6855i: 6 Seconds or Less
Quick Startup Mode: Approx. 4 Seconds¹⁰

Dimensions (W x D x H)
24-3/8" x 28-1/2" x 36-7/8" (620 x 722 x 937 mm)¹¹

Installation Space (W x D)
Basic: 44-7/8" x 45-3/4" (1,138 x 1,162 mm) (Right Cover Open with Multi-purpose tray extended + Cassette Drawers Open)
Fully Configured: 73-1/2" x 45-3/4" (1,866 mm x 1,162 mm) (Staple Finisher-AB2 or Paper Folding/Booklet Finisher-A1 with Tri-Fold with the extension tray extended + Paper Deck Unit-F1 + Cassette Drawers open)

Weight¹²
6870i: Approx. 205 lb. (93 kg)
6860i: Approx. 200.6 lb. (91 kg)
6855i: Approx. 200.6 lb. (91 kg)

Print Specifications

Print Resolution (dpi)
1200 x 1200

Standard Page Description Languages
UFR II, PCL6, Adobe PS 3

Supported File Types
PDF, TIFF, JPEG, EPS,¹³ XPS

Printing from Mobile Devices and Cloud-based Services
A range of standard and optional software and MEAP-based solutions (including AirPrint, Mopria, Universal Print by Microsoft®, Canon PRINT Business, and uniFLOW Online) are available to provide printing from mobile devices or internet-connected devices and cloud-based services depending on your requirements. Please contact your sales representative for further information.

Fonts
PCL: 93 Roman, 10 Bitmap fonts, 2 OCR fonts, Andalé Mono WT J/K/S/T (Japanese, Korean, Simplified and Traditional Chinese),¹⁴ Barcode Fonts¹⁵
PS: 136 Roman

Operating System¹⁶
UFR II: Windows® 8.1/10/11/Server 2012/Server 2012 R2/Server 2016/Server 2019/Server 2022, Mac OS X (10.11 or later)
PCL: Windows® 8.1/10/11/Server 2012/Server 2012 R2/Server 2016/Server 2019/Server 2022 R2/Server 2016/Server 2019
PS: Windows® 8.1/10/11/Server 2012/Server 2012 R2/Server 2016/Server 2019/Server 2022, Mac OS X (10.11 or later)
PPD: Windows® 8.1/10/11, Mac OS X (10.11 or later)

Copy Specifications

First-Copy-Out Time
6870i: Approx. 2.7 Seconds or Less
6860i: Approx. 2.9 Seconds or Less
6855i: Approx. 2.9 Seconds or Less

Copy Resolution (dpi)
600 x 600

Multiple Copies
Up to 9,999

Magnification
25%-400% (1% Increments)

Preset Reductions/Enlargements
25%, 50%, 64%, 73%, 78%, 100% (1:1), 121%, 129%, 200%, 400%

Scan Specifications

Type
Single-Pass Duplexing Automatic Document Feeder

Document Feeder Paper Capacity
Up to 200 Sheets (20 lb. Bond)

Document Feeder Supported Media Sizes
11" x 17", Legal, Letter, Letter-R, Statement, Statement-R, Custom Size: 2-3/4" x 5-1/2" to 12" x 17"

Document Feeder Supported Media Weights
Single-Sided Scanning: 13.3 lb. Bond to 80 lb. Cover (50 to 220 gsm) (BW, CL)
Double-Sided Scanning: 13.3 lb. Bond to 80 lb. Cover (50 to 220 gsm) (BW, CL)

Platen Acceptable Originals
Sheet, Book, 3-Dimensional Objects

Pull Scan
Color Network Supported OS: ScanGear2 for both Twain and WIA Windows® 8.1/10/11/Server2012/Server2012 R2/Server 2016/Server 2019/Server 2022

Scan Resolution (dpi)
Scan for Copy: 600 x 600
Scan for Send: (Push) 600 x 600 (SMB/FTP/WebDAV/IFAX), (Pull) 600 x 600
Scan for Fax: 600 x 600

Scan to Mobile Devices and Cloud-based Services
A range of solutions is available to provide scanning to compatible mobile devices and certain cloud-based services depending on your requirements.

Scan Speed (LTR) (BW/CL)
Single-sided Scanning: 135/135 (300 dpi), 80/80 (600 dpi)
Double-sided Scanning: 270/270 (300 dpi), 160/90 (600 dpi)

Send Specifications

Destination
Standard: E-mail/Internet FAX (SMTP), SMB3.0, FTP, WebDAV, Mail Box
Optional: Super G3 FAX, IP Fax

Address Book
LDAP (2,000)/Local (1,600)/Speed Dial (200)

Send Resolution (dpi)
Push: Up to 600 x 600
Pull: Up to 600 x 600

Communication Protocol
File: FTP(TCP/IP), SMB3.0 (TCP/IP), WebDAV
Email: SMTP, POP3

File Format
Standard: TIFF, JPEG, PDF (Encrypted, Compact, Searchable, Apply Policy, Optimize for Web, User Signature, PDF A/1-b, Limited Color, Device Signature, User Signature), XPS (Compact, Searchable, Device Signature, User Signature), Office Open XML (PowerPoint, Word)

Fax Specifications (Optional)

Modem Speed
Super G3: 33.6 Kbps
G3: 14.4 Kbps

Compression Method
MH, MR, MMR, JBIG

Resolution (dpi)
400 x 400, 200 x 400, 200 x 200, 200 x 100

Sending/Recording Size
Statement-R to 11" x 17"

Fax Memory
Up to 30,000 Pages (2,000 jobs)

Speed Dials
Max. 200

Group Dials/Destinations
Max. 199 Dials

Sequential Broadcast
Max. 256 Addresses

Memory Backup
Yes

Store Specifications

Mail Box (Number Supported)

100 User In-boxes, 1 Memory RX In-box, 50 Confidential Fax In-boxes, Maximum 30,000 Pages (2,000 jobs) Stored

Advanced Box

Communication Protocol: SMB or WebDAV Supported

Client PC: Windows (Windows 8.1/10)
Concurrent Connections (Max.)

SMB: 64
WebDAV: 3

Advanced Box Available Disc Space

Approx. 16 GB (Standard HDD)
Approx. 480 GB (With Optional 1 TB HDD)

Security Specifications

Authentication and Access Control

User Authentication (Picture Login, Picture and PIN Login, Card Login, Username and Password Login, Function Level Login, Mobile Login), Department ID Authentication (Department ID and PIN Login, Function Level Login), uniFLOW Online Express¹⁷ (PIN Login, Picture Login, Picture and PIN Login, Card Login, Card and PIN Login, Username and Password Login, Department ID and PIN Login, Function Level Login), Access Management System (Access Control)

Document Security

Print Security (Secure Print, Encrypted Secure Print, Forced Hold Printing, uniFLOW Secure Print¹⁸), Receive Data Security (Confidential Fax Inbox Forwarding Received Documents Automatically), Scan Security (Encrypted PDF, Device Signature PDF/XPS, User Signature PDF/XPS, Adobe LiveCycle® Rights Management ES2.5 Integration), BOX Security (Mail Box Password Protected, Advanced Box Access Control), Send Data Security (Setting for requesting password input per transmission, Restricted E-mail/File send functions, Confirming FAX number, Allow/Restrict Fax Driver Transmissions, Allow/Restrict Sending from History, S/MIME Support), Document Tracking (Secure Watermark)

Network Security

TLS 1.3, IPSec, IEEE802.1X authentication, SNMP V3.0, Firewall Functionality (IP/MAC Address Filtering), WPA3 support (Wi-Fi), Dual Network Support (Wired LAN/Wireless LAN, Wired LAN/Wired LAN), Disabling Unused Functions (Enabling/Disabling Protocols/Applications, Enabling/Disabling Remote UI, Enabling/Disabling USB Interface), G3 FAX separation from LAN, USB Port separation from LAN, Prohibit the execution of files stored in Advanced Box in the MFP, Scan and Send -Virus Concerns for Email Reception

Device Security

Protecting SSD Data [SSD Data Encryption (FIPS140-2 Validated), SSD Lock], Standard SSD Initialize, Trusted Platform Module (TPM), Job Log Conceal Function, Protecting MFD Software Integrity, Checking MFD Software Integrity (Verify System at Startup, Runtime Intrusion Detection)

Device Management and Auditing

Administrator Password, Digital Certificate and Key Management, Audit Log, Cooperating with External Security Audit System (Security Information and Event Management), Image Data Logging, Security Policy Setting

Environmental Specifications

Operating Environment

Temperature: 50 to 86° F
Humidity: 20 to 80% RH (Relative Humidity)

Power Requirements

110-127V, 60Hz, 12A

Power Consumption

Maximum: Approx. 1,800 W
Standby: Approx. 48.4 W¹⁹
Sleep Mode: Approx. 0.8 W²⁰
Typical Electricity Consumption (TEC) Rating:²¹
6870i: 0.89 kWh
6860i: 0.74 kWh
6855i: 0.68 kWh

Standards

ENERGY STAR® Certified²²
Rated EPEAT® Gold²³

Consumables

Toner

GPR-63 Toner BK

Toner Yield (Estimated @ 6% Coverage)

GPR-63 Toner: 71,500 Pages

- ¹ Subscription to a third-party cloud service required. Subject to third-party cloud service providers' Terms and Conditions.
- ² Third-party SIEM system required. Subject to third-party SIEM system's Terms and Conditions. Canon cannot ensure compatibility with all third-party SIEM systems.
- ³ This feature is off by default and must be turned on by the user. Warm-up times are affected once turned on.
- ⁴ Requires additional option.
- ⁵ For current EPEAT rating (Gold/Silver/Bronze), please visit www.epeat.net.
- ⁶ Finishing capabilities vary depending on the options connected.
- ⁷ Envelope Feeder Attachment (standard) is required.
- ⁸ Time from device power-on, until copy ready (not print reservation).
- ⁹ Time from exiting Sleep mode to when printing is operational.
- ¹⁰ Time from device power-on to when the copy icon appears and is enabled to operate on the touch panel display.
- ¹¹ Includes main unit and standard ADF.
- ¹² Includes main unit, consumables, and Cassette Feeding Unit-AQ1.
- ¹³ EPS can be printed directly only from the Remote User Interface.
- ¹⁴ Requires the optional PCL International Font Set-A1.
- ¹⁵ Requires the optional Barcode Printer Kit-D1.
- ¹⁶ Other operating systems and environments, including AS/400, UNIX, Linux, and Citrix may be supported. Some of these solutions are chargeable. SAP Device Types are available via the SAP Market Place. For more information, contact your sales representative.
- ¹⁷ No charge for this solution; however, activation is required.
- ¹⁸ Requires uniFLOW Online/uniFLOW.
- ¹⁹ Reference Value (measured one unit).
- ²⁰ 0.8 W Sleep mode not available in all circumstances due to certain settings.
- ²¹ Based on ENERGY STAR Product Specification for Imaging Equipment Version 3.0.
- ²² ENERGY STAR, TEC Values, and EPEAT is based off of ENERGY STAR version 3.0.
- ²³ imageRUNNER ADVANCE DX 6855i is pending EPEAT certification.

As an ENERGY STAR® Partner, Canon U.S.A., Inc. has certified these models as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon, imageRUNNER, imagePASS, and the GENUINE logo are registered trademarks or trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of its features will prevent security issues. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. McAfee and the McAfee logo are trademarks of McAfee LLC in the US and/or other countries. All other referenced product names and marks are trademarks of their respective owners. All features presented in this brochure may not apply to all Series and/or products and may be optional; please check with your Canon Authorized Dealer for details. Product shown with optional accessories. Canon U.S.A. does not provide legal counsel or regulatory compliance consultancy, including without limitation, Sarbanes-Oxley, HIPAA, GLBA, Check 21 or the USA Patriot Act. Each customer must have its own qualified counsel determine the advisability of a particular solution as it relates to regulatory and statutory compliance. Specifications and availability subject to change without notice. Not responsible for typographical errors.
©2022 Canon U.S.A., Inc. All rights reserved.

Canon

usa.canon.com



Trellix

CANON
GENUINE
TONER, CARTRIDGE
& PARTS



To learn about Canon's many awards, visit
usa.canon.com/awards.

Canon

imagePRESS
V900/V800/V700

COLOR PRODUCTION
DIGITAL PRESSES



Brilliant **V**ision. Inside and Out.

ATTACHMENT A

imagePRESS V900/V800/V700

Introducing the imagePRESS V900 Series. Outsized performance in a compact footprint.



FRONT-TO-BACK TOLERANCE UP TO +/- 0.8mm*

PRODUCTION SPEED UP TO 90 ipm (LETTER)

MAXIMUM SHEET FEEDING CAPACITY 10,400**

ENERGY STAR® CERTIFIED

PRINT RESOLUTION 2400 x 2400 DPI



SUPPORTS UP TO 130 lb. COVER*

SUPPORTS MEDIA UP TO 51.2" IN LENGTH*

* Stocks up to 13" x 19.2".
** Capacity based on 20 lb. Bond.
• Optional accessories required.

Efficient, hassle-free production printing.

When it comes to delivering for your customers, you need a partner with vision.

Introducing the imagePRESS V900 Series. These light- to mid-volume production digital color presses are designed to offer impressive productivity, repeatable color, and incredible automation.

The imagePRESS V900 Series' advanced core technologies have been harnessed to allow you to realize your vision more easily and efficiently than ever. Canon has seamlessly blended form and function to help inexperienced operators produce brilliant output with superb color *fast!* Speeds of up to 90 ppm (Letter) and the default High-Productivity Mode can help you hit tight deadlines and get more work done throughout the day. The Inline Spectrophotometers (ILS) allow your operators to quickly produce repeatable, accurate color at just the push of a button.* The Compact Registration Technology helps enable highly accurate front-to-back registration on important print jobs such as booklets, business cards, and direct mail pieces. And the imagePRESS V900 Series supports specialty media, which can help you offer high-margin jobs to your most critical customers.

Productivity. Quality. Versatility. The imagePRESS V900 Series is designed to meet your clients' demanding expectations and can help expand your portfolio to include creative and innovative applications.

 High Productivity
Across Your Run

 Superb Color
Repeatability

 Tight Front-to-Back
Registration Alignment

 Support for a Wide Range
of Specialty Stocks**



imagePRESS V900 shown with optional accessories.

* PRISMAsync print server or imagePRESS Server required.
** Optional accessories may be required.

Remarkable productivity and flexibility.

Built inside the imagePRESS V900 Series are remarkable technologies designed to produce stunning and repeatable output and keep your digital press running.

Impressively Versatile

Productivity that won't quit

With the default High-Productivity Mode, you can realize high throughput on your long runs. Plus, the imagePRESS V900 Series' ability to hold highly accurate color and tight registration across a run with real-time adjustment means you can experience minimal downtime.

Benefit from varied shapes and sizes

Offer customers more with expanded support for a wide variety of media, including coated and thick stocks up to 130 lb. Cover* as well as specialty stocks. The imagePRESS V900 Series easily handles everything from envelopes to rigid, synthetic, and embossed stocks. And the ability to auto duplex media up to 13" x 30" opens the door to six-panel brochures, booklets, and posters/signage, too.*

Waste less, print more

Keeping the press up and running is a top priority. The air separation assists with feeding your stocks reliably into the press, which can help reduce reprints and paper spoilage. The Multi Sheet Detection of the Multi Drawer Paper Deck* automatically diverts any jam-prone sheets to a dedicated purge tray, without stopping the press or requiring immediate operator attention.

* Optional accessories may be required.

Amazingly Vigilant

Precise front-to-back registration

A combination of digital sensors, together with the Compact Registration Unit, help to ensure that even heavy and large sheets are accurately and consistently positioned. The optional Sensing Unit allows the press to do the registration adjustments for you in real time. Improved internal controls offer stable alignment to help deliver repeatable, high-quality output with minimal effort.



Increase efficiency on routine tasks



Quick, Easy Registration

Help reduce the manual process of placing sheets on the glass or measuring with a ruler to improve front-to-back alignment by placing sheets in the ADF tray** and pressing a button.

** Optional. Feature not supported by PRISMAsync print server at launch.



Predictable Color

Making sure that the imagePRESS V900 Series produces your expected results is as simple and fast as placing calibration and density uniformity sheets in the ADF tray** and pressing "Start".



Consistent Quality

Let the press determine the optimal parameters by placing sheets in the ADF tray** to help reduce mottling and produce full, rich solids on a wide range of media surfaces.

Stunning color, on repeat.

Stand out with consistent and accurate color.

Anticipate Every Detail

Automated and efficient color control

The standard Inline Spectrophotometers (ILS) help operators achieve accurate, repeatable color, regardless of skill level. This imagePRESS V900 Series is designed to help you reliably meet deadlines and move projects out the door rapidly and with beautifully consistent results. Once you've initiated the process, the press can create a custom output profile and G7® calibration in just minutes.* Canon's powerful ILS can automate your crucial color tasks. Multi D.A.T. then makes real-time adjustments to help produce consistent color throughout a run.

Offset-like print quality

Canon's Translucent CV Toner allows a media's surface properties to be preserved, producing vibrant, vivid images across the sheet surface on a wide variety of stocks.

Crisp, rich images

The flexible transfer belt and simple transfer adjustment technology allow the toner to fill in the peaks and valleys of textured and embossed stocks. Full, rich solids and high-density images can be reliably produced for custom and premium applications.

Rock-solid stability

Advanced internal stability maintains a consistent environment. Now add to this the automatic measuring of multi-gradation density patches and precise front-to-back registration. The results are stunning highlights, mid-tones, and shadows that can meet high expectations.

* PRISMAsync print server or imagePRESS Server required.



Real-Time Adjustments

With just the push of a button, the optional Sensing Unit** allows operators to set jobs up to adjust color tone accuracy and front-to-back registration before printing. It can help monitor and maintain these settings across a print run, continuously adjusting on the fly.

ATTACHMENT A



Big, colorful results from a compact, reliable, versatile press.



imagePRESS V900 shown with optional accessories.

Visionary technology inside.

High Productivity

The engine will maintain high productivity across your production runs with speeds of 90 ppm.

R-VCSEL Imaging Laser

Canon's advanced 32-beam R-VCSEL laser helps deliver 2400 x 2400 dpi print resolution, outputting detailed color images with outstanding definition at high speeds.

VF Developer Unit

A strategically placed air intake to the developer unit helps keep the environment consistent and stable across a production run.

Multi-Exposure Technology

The R-VCSEL laser writes every dot on the drum twice, which helps maintain high image quality consistently across long production runs.

Translucent CV Toner


Helps produce consistent, vivid, and crisp images on a wide range of media with a realistic, offset-like finish.

Advanced Imaging Transfer Belt

A flexible belt presses the toner into the media for high-density image transfer onto embossed and textured stocks.



Brilliant results outside.



Compact Registration Unit

Designed to achieve highly accurate front-to-back and sheet-to-sheet registration across long runs on large, heavy, and sturdy stocks—all in a compact design.

Multi D.A.T.

Twenty (20) multi-gradation density patches are measured and corrected automatically during production, helping to ensure consistent halftones.

ILS (Inline Spectrophotometers)

With a push of a button, these sensors allow advanced color adjustments such as engine linearization, media calibration, and color profile creation.*

Multi-Sheet Detection

The standard trays are equipped with multi-sheet detection to help prevent blank sheets from entering and helping to prevent issues from these jam-prone sheets.

* PRISMAsync print server or imagePRESS Server required.

Streamline your workflow with state-of-the-art print servers.

Highly efficient, flexible, and accurate—these powerful print servers are designed to get the job done.

PRISMAsync Print Server

Canon's PRISMAsync print server can help boost production capacity and lower costs. It's designed to deliver high-performance, deadline-driven printing that can assist with growing your business and nurturing successful relationships.

Embedded in-RIP G7® Calibration utilizes the ILS to allow operators to calibrate, profile, and verify the colors of the imagePRESS V900 Series to help achieve a near-neutral print condition quickly and easily.

Job Scheduler helps you manage your daily workload with up to eight hours of plan-ahead production. It displays the completion time of jobs and alerts you when an intervention for media, toner, or supplies are upcoming. The intuitive interface makes prepress and production tasks clear.


Pixel Precise Preview incorporates additional flexible color-correction capabilities, such as CMYK curve editing and digital moiré reduction, with immediate visual feedback.

PRISMAsync Remote Manager allows you to monitor multiple presses and edit job properties, manipulate color curves, manage queues, and submit and reroute print jobs.

The **PRISMAsync Automated Color Task** feature combines multiple color setup functions into a single action. Thanks to the ILS, automated press linearization, G7® media calibration and profile creation, and verification procedures can be accomplished quickly and easily for full, hands-off automation.

The **PRISMAlytics Dashboard** puts recorded press data at your fingertips. This can help reduce turnaround time, waste, and costs by giving you access to detailed information on your usage, production, and consumption.





Efficiently manage prepress and color with flexible workflows.

imagePRESS Servers N500/P400

With the ability to easily produce jobs requiring mixed paper sizes, paper types, and finishing as well as powerful spot-color management and advanced color utilities, these controllers can quickly help operators modify routine job properties.

The **Fiery® Spot-On™ Color Matching** utility helps remove the guesswork from color matching, offering an intuitive interface for fast and easy defining and modifying of spot colors.

EFI's **1-Step Color Management** allows users to calibrate and create a media profile for fast, easy, and reliable color management while **Zero-Touch Recalibration** checks each job's paper calibration timer to recalibrate, if necessary, before printing.

Fiery JobFlow automates prepress job preparation steps to produce ready-to-print files. It enables operators to build easy-to-use workflows by performing essential job processing tasks such as image enhancement, imposition, and preflighting.

A user-friendly print management interface for the imagePRESS server, **Command WorkStation®**, centralizes and simplifies job management. Operators can easily monitor and direct jobs, automate workflows, and preview and adjust documents.

Media Librarian, Canon's sophisticated paper management application, can help improve make-ready productivity on the imagePRESS V900 Series digital presses powered by the imagePRESS Servers N500/P400. It creates, edits, and organizes paper stocks from a single, intuitive interface.

imagePRESS Printer Kit

This embedded Adobe PostScript® controller for entry-level production has been designed for operations that use a printer driver workflow or a centralized print, scan, and device management system.

Providing the flexibility that today's demanding business operations require, the interface boasts many customizable, streamlined features. And with Canon's innovative MEAP platform, you can incorporate cost recovery, document distribution, pull printing, advanced scanning, and other customized applications.*

* Separate purchase required.

We are with you from start to finish.

Professional finishing results can be yours with the strong, inline capabilities and extensive, optional integrated solutions.

Produce a broad range of deliverables—from trifold brochures to saddle-stitched booklets, direct mail to business cards, and collateral and training materials to flyers and posters.

Diversify your offerings with the ability to print on attention-grabbing stocks, including textured and thin-coated papers, synthetic media, envelopes in a wide range of sizes, and long sheets.*

Finishing Options



Document Insertion Unit

This module enables insertion of slip sheets or preprinted covers for booklets and complex jobs.



Professional Punching and Creasing

The many die patterns offered for in-line hole punching (including double punching) and creasing help minimize toner cracking on the spines of saddle-stitched booklets.



Perfect Binding

Using hot glue, this module binds covers to book-blocks of up to 200 pages** and can trim on all three sides for full-bleed books or manuals.



High-Capacity Stacking

Realize outstanding productivity with unload-while-run capability, helping to provide uninterrupted printing with stacking up to 6,000 sheets.**



Ring Binding

Use the GBC eWire Pro to automate the time-consuming process of wire binding manuals, booklets, and reports.



Paper Folding

Offer promotional pamphlets, brochures, and more with the ability to produce Z-fold, C-fold, accordion fold, and double-parallel fold documents.



Booklet Trimming

Modules can be combined with the Booklet Finisher to produce professional, full-bleed, square-bound booklets in-line. This helps maintain high productivity with a large-capacity trim waste bin and on-the-fly waste removal for continuous production.



Professional Booklet-Makers

Deliver professional-looking, lay-flat booklets with speed and simplicity using the Plockmatic BLM50/35 for up to 200-page** professional, square-folded, saddle-stitched booklets.

Feeding Options



Multi Drawer Paper Deck

Equipped with air-assist and air-separation, it supports up to 13" x 19.2" and 130 lb. Cover. The 5,000-sheet** capacity allows jobs to run with minimal interruption.




POD Deck Lite

Designed for locations with space restrictions, this deck's 3,500-sheet** capacity with air-assist and air-separation supports paper sizes up to 13" x 19.2".



POD Deck Lite XL

In addition to the capabilities of the POD Deck Lite, this feeding option holds up to 1,000 sheets** of media up to 13" x 30" in size—optimal for six-panel brochures, book covers, and posters.



imagePRESS V900 shown with optional accessories.

* Optional accessories may be required.

** Capacity based on 20 lb. Bond.

Take your printing to the next level.

Open up new possibilities for customer satisfaction with Canon U.S.A., a business partner you can rely on for innovative printing solutions.

Empower Your Printing with PRISMA

Whether you're an in-house print center or a commercial print service provider, you strive to deliver a personal, flexible, and efficient value-added service. You must also be able to produce short runs at competitive rates while still making a profit. This demands efficient workflow management and the ongoing monitoring and control of press performance, wherever you are.

PRISMA Home* is the portal at the heart of PRISMA cloud applications. It provides central and unified access to your PRISMA cloud-connected workflow applications and those tools used for monitoring and controlling press performance. With PRISMA Home, you can leverage multiple engines at once from compatible PRISMA cloud applications and access your critical data from virtually anywhere.

Team Up with a Visionary Leader

The imagePRESS V900 Series of digital presses can help transform your business, helping you increase your efficiency and flexibility. With 80-plus years of experience in designing and developing innovative imaging technology, Canon is constantly coming up with new solutions and refining its offerings to help your business maintain and increase its success. Together, we can help inspire your customers, improve your productivity, and enrich your operation's offerings. Canon's vision, realized through superb advances in technology, can help put your business on the path to a brighter future.



Discover More:
usa.canon.com/productionprinting

* Separate purchase required.

imagePRESS V900/V800/V700

Specifications

		imagePRESS V900	imagePRESS V800	imagePRESS V700
Print Speed (Simplex/Duplex)	Letter	Up to 90 ipm	Up to 81 ipm	Up to 71 ipm
	11" x 17"	Up to 45 ipm	Up to 40 ipm	Up to 35 ipm
	12" x 18"	Up to 42 ipm	Up to 40 ipm	Up to 35 ipm
	13" x 19"	Up to 40 ipm	Up to 38 ipm	Up to 33 ipm
	13" x 30"	Up to 23 ipm	Up to 22 ipm	Up to 19 ipm
Scan Speed* (Letter, 300 dpi)		Up to 270 ipm		
Print Resolution	Maximum	2400 x 2400 dpi		
Paper Capacity	Standard	Up to 1,650 Sheets		
	Maximum	Up to 10,400 Sheets		
Paper Size	Standard	3.9" x 5.8" to 13" x 19.2"		
	Optional	5.5" x 7.2" to 13" x 51.2"		
Paper Weight	Standard	14 lb. Bond to 110 lb. Cover		
	Optional	14 lb. Bond to 130 lb. Cover		
Automatic Duplexing	Standard	3.9" x 5.8" to 13" x 19.2"		
	Optional	5.5" x 7.2" to 13" x 30"		
Envelopes		#10 Business, Monarch, 6" x 9", 9" x 12", 10" x 13", DL, ISO-C5		
Print Servers		PRISMAsync Print Server imagePRESS Server N500 imagePRESS Server P400 imagePRESS Printer Board		

* Optional.

As an ENERGY STAR® Partner, Canon U.S.A., Inc. qualified these models as meeting the ENERGY STAR® energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon, imagePRESS, and the GENUINE logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. PRISMA is a registered trademark of Canon Production Printing Netherlands B.V. All other referenced product names and marks are trademarks of their respective owners. To view detailed specifications, please consult the *Customer Expectations Document*. Printer output images may be simulated. Specifications and availability subject to change without notice. Not responsible for typographical errors.
©2022 Canon U.S.A., Inc. All rights reserved.

Federal Law prohibits copying of certain documents. Violators may be subject to penalties. We suggest that you check with your own legal counsel. Canon U.S.A., Inc. and Canon Canada, Inc. intend to cooperate with Law Enforcement Agencies in connection with claims on unauthorized copying.



1022-IPV900SRBRO-PDF-DW

ATTACHMENT A

Canon

usa.canon.com



CANON
GENUINE
TONER, CARTRIDGE
& PARTS





[Skip to main content](#)

PRISMAprepare Specifications

[Page by category](#) 

[⏪ Back to product overview](#)

[REQUEST INFORMATION](#)

Specifications in detail

Infrastructure Supported

Operating System

64-bit OS:

- Microsoft Windows 8/8.1 or Update 1 (Professional, Enterprise)
 - Microsoft Windows Server 2019 (Datacenter, Standard, Essential)
 - Microsoft Windows 10 & 11(Professional, Enterprise) (1803 or higher)
-

Windows Components (Installed Automatically)

- Microsoft .NET Framework v4.8
 - Microsoft Core XML Services (MSXML) 6.0
-

Native Files Supported

Any file format accepted by Microsoft Office can be used.

- Microsoft Office suite 2013
 - Microsoft Office suite 2016
 - Microsoft Office suite 2019
-

File System

NTFS >= 40 GB Free Space

Network

TCP/IP (IPv4 and IPv6), 100/1000 MB/s

LPR protocol enabled, if needed to drive printer

Other

Latest critical updates from Windows update

PRISMAprepare V8 Configurations

Make-Ready Capabilities

Image, Composition, Content, Colour, Layout, Media, Production

Advanced Document Creation

Optional

Advanced Imposition

Optional

Spot Colour Editing

Optional

Scanning Clean Up

Optional

VDP

Optional

Automation

Optional

Preflight

Optional

Prepare to Finish

Optional¹

Concurrent Users

Up to 99

Supported Number of Printing
Systems

Unlimited

Supported Engines (Canon)

Canon and sheet-fed digital presses as well as high-end office printing and multifunctional systems supported

Supported Engines (Other)

Output toward any printer using the standard Windows driver technology is supported. Limitations for media selection and finishing support apply

Hardware Requirements

Processor

Performance \geq Intel Core i5

An Intel equivalent (like AMD) or VMware Gx server that conforms to this performance demand can also be used.

No restrictions concerning 32/64-bit hardware and single/dual core.

Memory

\geq 2 GB (On VMware servers more memory may be required)

Hard Disk drive

\geq 80 GB (UDMA, SATA / SCSI U320), RPM \geq 7.2 K
Average Seek \leq 10ms, Average Latency \leq 5ms

Video

\geq 1280 x 1024, True colours (24/32-bit)

Screen

\geq 19"

Scanner

TWAIN-compatible scanner (for import of paper originals)

The Product is tested with the following scanners:

- Fuji fi-6670
 - Canon DR-510C
 - Kodak i370
-

1. Prepare to Finish is a connector. Ultimate Bindery V4 Software has to be purchased separately.



PRISMAprepare - Document Preparation Software

[Request a Quote](#)

(<http://info.powerfulproductionprint.com/csa-request-a-quote.html>)
 (<http://info.powerfulproductionprint.com/csa-request-a-quote.html>)

Canon PRISMAprepare is a powerful all-in-one make-ready solution that accelerates all the steps of document preparation, from composition through production. With PRISMAprepare's modular licensing model, you can choose the features that meet your prepress requirements, from composition through finishing, and beyond.

<p>Features (/internet/portal/us/csa/products/details/software/production-software/prisma-prepare-document/prisma-prepare-document#60268fae-dc11-41c8-aa12-c105f093db0a_tab)</p>	<p>Benefits (/internet/portal/us/csa/products/details/software/production-software/prisma-prepare-document/prisma-prepare-document#28f3f5eb-1935-497b-9041-960ae1520667_tab)</p>
<p>Videos (/internet/portal/us/csa/products/details/software/production-software/prisma-prepare-document/prisma-prepare-document#3af6bdf4-5c1b-48d5-9bfe-d5bdd106bd14_tab)</p>	

Features

With PRISMAprepare's modular licensing model, you can choose the features that meet your prepress requirements, from composition through finishing, and beyond.

1. **Composition makeready:** collect and combine various digital (Office/PDF) or analog input files in a single document.
2. **Image makeready:** correct and clean up imperfections. Replace, change or modify (image) color
3. **Color makeready:** correct colors of texts, graphics and images. Manage the ICC profiles
4. **Content makeready:** preflight and make late-stage corrections to document content
5. **Layout makeready:** create the final layout of the document including finishing
6. **Media makeready:** assign media to pages, sections or entire document
7. **Production makeready:** printer-independent document preparation allowing you to prepare once and print to a wide range of devices, including Canon and third party devices
8. **Finishing makeready:** send finishing instructions directly to nearline finishers to eliminate manual entry of job properties data. Validate finishing settings to ensure correction production.

Additional Important Features

- Embedded variable data printing
- Embedded preflighting
- Advanced color detection and color split & merge to cost effectively produce mixed black & white and color jobs
- Automate the preparation of routine jobs using imposition templates and hotfolders
- Seamless integration with Canon PRISMAdirect and PRISMAsync
- Convenient open interface with standalone PDF-enabled programs, such as Adobe Acrobat, Adobe Photoshop, etc.

Contact Us

(/internet/portal/us/csa/contactus)

1-844-443-INFO (4636)

Quick Links

Newsroom

(/internet/portal/us/csa/company/contactus/csa/privacystatement)

Channel Partner Login

(https://partnernetlogin.usa.canon.com/portal/login/csa/terms-conditions) (https://www.facebook.com/CanonSolutionsAmerica)

Careers

(/internet/portal/us/csa/company/contactus/csa/terms-of-purchase)

Meter Reads

(/internet/portal/us/csa/support/meterreads)

VPAT Search

(/internet/portal/us/csa/support/vpat-search)

Safety Data Sheets (SDS)

Search

(/internet/portal/us/csa/support/sds-search)

Sitemap

(/internet/portal/us/csa/sitemap)

Legal

Privacy Statement

(/internet/portal/us/csa/privacystatement)

Terms of Use

(/internet/portal/login/csa/terms-conditions) (https://www.facebook.com/CanonSolutionsAmerica)

Terms of Purchase

(/internet/portal/us/csa/terms-of-purchase)

Order Settings

Social



(https://twitter.com/Canon_Solutions)



(https://www.facebook.com/CanonSolutionsAmerica)



(https://www.linkedin.com/company/2193?trk=tyah&trkInfo=tard%3A1398436455623%2Ctas%1-2)



(https://www.youtube.com/c/CanonSolutionsAmerica)

© 2024 Canon Solutions America, Inc. All rights reserved.

Canon is a registered trademark of Canon Inc. in the United States and elsewhere. All other referenced product names and marks are trademarks of their respective owners and are hereby acknowledged.