



425 S. Palos Verdes Street Post Office Box 151 San Pedro, CA 90733-0151 TEL 310-SEA-PORT portoflosangeles.org

Karen Bass *Mayor, City of Los Angeles*

Board of Harbor  
Commissioners

Lucille Roybal-Allard  
*President*

John A. Pérez  
*Vice President*

Yolanda M. De La Torre  
*Commissioner*

Edward R. Renwick  
*Commissioner*

I. Lee Williams  
*Commissioner*

Eugene D. Seroka

*Executive Director*

**DATE MARCH 13, 2025**

**SUBJECT: BID NO. F-1226, ADDENDUM #1 – TREATED ACZA AND POLYUREA  
COATED ACZA TREATED PILE**

**THAT PORTION WHICH NOW READS IN PART:**

**AS WRITTEN – (ATTACHMENT A)**

**BID DUE BEFORE: MARCH 19, 2025**

**2) ACZA TREATED MARINE PILING**

- a) General: Timber piles shall conform to ASTM D25, Class B, and Reference Specification Subsection 205-1, except that the minimum pile circumference 3 feet from the butt shall be 44 inches.
- b) Treatment: Piles shall be preservative treated per AWWA Standards C18. Preservative shall be ACZA with minimum 2.50 pcf retention.

**IS HEREBY CHANGED TO: (ATTACHMENT A)**

**BID DUE BEFORE: MARCH 26, 2025**

**2) ACZA TREATED MARINE PILING**

- a) General: Timber piles shall conform to ASTM D25, Class A, and Reference Specification Subsection 205-1, except that the minimum pile circumference 3 feet from the butt shall be 44 inches.
- b) Treatment: Piles shall be preservative treated per AWWA UC5B standards. Preservative shall be ACZA with minimum 2.50 pcf retention.

Sincerely,

Michelle Davies  
SENIOR MANAGEMENT ANALYST