## **ACRONYMS, ABBREVIATIONS, AND GLOSSARY**

AAPA American Association of Port Authorities

AAQS Ambient Air Quality Standard

AB Assembly Bill

ac

ACGs allisions, collisions, & groundings

ACM Asbestos-containing Material

acre

ACTI Advanced Cleanup Technologies, Inc.

ADT Average Daily Traffic

AEI Air Emissions Inventory

AER Annual Emissions Report

AFFF aqueous foam fire-fighting

AFRA Average Freight Rate Assessment

AIChE American Institute of Chemical Engineers
AIRFA American Indian Religious Freedom Act

AMECS Advanced Maritime Emissions Control System

AMI Area Median Income

AMP Alternative Maritime Power

ANS Alaskan North Shore

ANSI American National Standards Institution

ANWR Arctic National Wildlife Refuge
API American Petroleum Institute

APL American President Lines

APM APM Terminals (Arnold Peter Møller)

AQAC Air Quality Advisory Committee

AQAP Air Quality Attainment Plan
AQMP Air Quality Management Plan

ARPA Architectural Resources Protection Act

ASME American Society of Mechanical Engineers

AST aboveground storage tank

AT&SF Atchison, Topeka, and Santa Fe

ATC Authority to Construct

BACMs Best Available Control Measures
BACT Best Available Control Technology

bbl barrel

BEA United States Bureau of Economic Analysis

BFI Browning-Ferris Industries

bgs below ground surface

BLM Bureau of Land Management
BMP Best Management Practice

Board Port of Los Angeles Board of Harbor Commissioners

bpd
 barrels per day
 bph
 barrels per hour
 °C
 degrees Celsius
 CAA
 Clean Air Act

CAAP Clean Air Action Plan

CAAQS California Ambient Air Quality Standards

CAC California Administrative Code
CAFÉ Corporate Average Fuel Economy

Cal/EPA California Environmental Protection Agency

California Register California Register of Historic Places
Caltrans California Department of Transportation

CAP Clean Air Plan

CARB California Air Resources Board

CBE Communities for a Better Environment

CCA copper chromate arsenate
CCAA California Clean Air Act

CCAR California Climate Action Registry
CCC California Coastal Commission

CCEEB California Council for Environmental and Economic Balance

CCR California Code of Regulations

CCW Coastal Clean Water

CDFG California Department of Fish and Game
CDMG California Division of Mines and Geology

CEC California Energy Commission

CEFS California Emissions Forecast System
CEQ Council on Environmental Quality
CEQA California Environmental Quality Act

CERCLA Comprehensive Environmental Response, Compensation, and

Liability Act of 1980

CFR Code of Federal Regulations

CH<sub>4</sub> methane

CHE Cargo Handling Equipment

CIWMB California Integrated Waste Management Board

CLE Contingency Level Earthquake

cm centimeter

cm/sec centimeter per second

CMA Critical Movement Analysis

CMP Congestion Management Program; Clean Marinas Program

CNA Controlled Navigation Area

CNEL community noise equivalent level

CNG compressed natural gas

CO carbon monoxide CO<sub>2</sub> carbon dioxide

CO<sub>2</sub>e carbon dioxide equivalent

COTP Captain of the Port

CPUC California Public Utilities Commission

C-R Cancer-Risk

CRHP California Register of Historic Places
CSC California Species of Special Concern

CSFM California State Fire Marshal

CSLC California State Lands Commission
CSTF Contaminated Sediment Task Force

CTR California Toxics Rule

CUPA Certified Unified Program Agency

CWA Clean Water Act

CWC California Water Code

cy cubic yards

CZMA Coastal Zone Management Act of 1972

DA Department of the Army

DAS Distribution and Auto Services

dB decibel

dB(A) A-weighted decibel

D/C demand-to-capacity ratio

DDE dichlorodiphenyldichlororethene
DDT dichlorodiphenyltrichloroethane
DHS Department of Health Services
DNAPL dense non-aqueous phase liquid

DO dissolved oxygen

DOC diesel oxidation catalyst
DoD Department of Defense

DOF California Department of Finance

DOGGR California Department of Conservation Division of Oil, Gas, and

Geothermal Resources

DOI Department of Interior

DOT Department of Transportation

DPF Diesel Particulate Filter
DPM diesel particulate matter

DSAW double submerged arc welded

DSU Dock Safety Unit

DTSC Department of Toxic Substances Control

DWT dead-weight tons

EEZ Exclusive Economic Zone
EFH Essential Fish Habitat

EIA Energy Information Administration

EIR Environmental Impact Report
EIS Environmental Impact Statement

EIS/EIR Environmental Impact Statement/Environmental Impact Report

EJ Environmental Justice

EMD Environmental Management Division

EMS emergency medical service; Environmental Management System

EO Executive Order

ERC Emission Reduction Credit
ERP Emergency Response Plan
ERW electronic restrain welded
ESA Endangered Species Act
ESD emergency shutdown device

ESL Environmental Screening Level
°F degrees Fahrenheit

FBE fusion bonded epoxy

FC foot candles

FEIR Final Environmental Impact Report
FEIS Final Environmental Impact Statement
FEMA Federal Emergency Management Agency

FHWA Federal Highway Administration

FM frequency modulation

FMP Fishery Management Plan

FMR Fair Market Rent

FONSI Finding Of No Significant Impact
FPPP Fire Protection and Prevention Plan

fps feet per second

FRB fast response boat

FSO Facility Security Officer
FSP Facility Security Plan

ft feet

FTA Federal Transit Authority

FTE full-time equivalent

FWCA Fish and Wildlife Coordination Act

FY fiscal year

g gram Gal gallon

GCASP General Construction Activity Storm Water Permit

GHG greenhouse gas

gpd gallon per day

GMP Growth Management Plan

gpm gallons per minute

GVWR Gross Vehicular Weight Rating

GWP global warming potential

ha hectare

Hz hertz (frequency)
HazMat Hazardous Material

HCM Highway Capacity Manual
HDD horizontal directional drilling
HDPE high density polyethylene

HDV Heavy Duty Vehicle
HFC hydrofluorocarbon

HFO heavy fuel oil

HHS United States Department of Health and Human Services

HHW higher high water
HI Hazard Index
HLW higher low water

hp horsepower

HRA Health Risk Assessment

HSAA Hazardous Substances Account Act

HSP Harbor Safety Plan

HUD United States Department of Housing and Urban Development

HVAC heating, ventilating, & air conditioning

Hz Hertz

I Interstate

I-110 Harbor Freeway

I-710 Long Beach Freeway

I&M Installation & Maintenance

ICTF Intermodal Container Transfer Facility

IEPR Integrated Energy Policy Report

IES Illuminating Engineering Society of North America

IMO International Maritime Organization

I-O Input-Output

IPCC Intergovernmental Panel on Climate Change

IRC International Response Corporation

IS Initial Study

ISGOTT International Safety Guide for Oil Tankers and Terminals

ISPS International Ship and Port Facility Security
ITOL Industry Taskforce on Offshore Lightering

ITOPF International Tanker Owners Pollution Federation, Ltd.

IWG Interagency Working Group

JCIF Joint Container Inspection Facility

kg kilogram

KGal thousand gallons

km kilometer

KMEP Kinder Morgan Energy Partners

kHz kilohertz kPa kilopascals

kts knots
KW kilowatt
kV kilovolt

 $L_{01} \hspace{1cm} \text{A-weighted noise levels that are exceeded 1 percent of the time} \\ L_{10} \hspace{1cm} \text{A-weighted noise levels that are exceeded 10 percent of the time} \\ L_{50} \hspace{1cm} \text{A-weighted noise levels that are exceeded 50 percent of the time} \\ L_{90} \hspace{1cm} \text{A-weighted noise levels that are exceeded 90 percent of the time} \\ L_{90} \hspace{1cm} \text{A-weighted noise levels that are exceeded 90 percent of the time} \\ L_{90} \hspace{1cm} \text{A-weighted noise levels that are exceeded 90 percent of the time} \\ L_{90} \hspace{1cm} \text{A-weighted noise levels that are exceeded 90 percent of the time} \\ L_{90} \hspace{1cm} \text{A-weighted noise levels that are exceeded 90 percent of the time} \\ L_{90} \hspace{1cm} \text{A-weighted noise levels that are exceeded 90 percent of the time} \\ L_{90} \hspace{1cm} \text{A-weighted noise levels that are exceeded 90 percent of the time} \\ L_{90} \hspace{1cm} \text{A-weighted noise levels that are exceeded 90 percent of the time} \\ L_{90} \hspace{1cm} \text{A-weighted noise levels that are exceeded 90 percent of the time} \\ L_{90} \hspace{1cm} \text{A-weighted noise levels that are exceeded 90 percent of the time} \\ L_{90} \hspace{1cm} \text{A-weighted noise levels that are exceeded 90 percent of the time} \\ L_{90} \hspace{1cm} \text{A-weighted noise levels that are exceeded 90 percent of the time} \\ L_{90} \hspace{1cm} \text{A-weighted noise levels that are exceeded 90 percent of the time} \\ L_{90} \hspace{1cm} \text{A-weighted noise levels that are exceeded 90 percent of the time} \\ L_{90} \hspace{1cm} \text{A-weighted noise levels that are exceeded 90 percent of the time} \\ L_{90} \hspace{1cm} \text{A-weighted noise levels that are exceeded 90 percent of the time} \\ L_{90} \hspace{1cm} \text{A-weighted noise levels that are exceeded 90 percent of the time} \\ L_{90} \hspace{1cm} \text{A-weighted noise levels that are exceeded 90 percent of the time} \\ L_{90} \hspace{1cm} \text{A-weighted noise levels that are exceeded 90 percent of the time} \\ L_{90} \hspace{1cm} \text{A-weighted noise levels that are exceeded 90 percent of the time} \\ L_{90} \hspace{1cm} \text{A-weighted noise levels that are exceeded 90 percent of the time} \\ L_{90} \hspace{1cm} \text{A-weighted no$ 

 $\begin{array}{ll} L_{\text{d/n}} & \text{Day/Night Noise Level} \\ L_{\text{eq}} & \text{Equivalent Sound Level} \\ L.A. & \text{City of Los Angeles} \end{array}$ 

LABSD City of Los Angeles Building and Safety Department

LACD Los Angeles Customs District

LACFD Los Angeles County Fire Department

LACMTA Los Angeles County Metropolitan Transportation Authority

LADOT City of Los Angeles Department of Transportation

LADWP Los Angeles Department of Water and Power
LAEDC Los Angeles Economic Development Corp

8

LAF Sound level with 'A' Frequency weighting and Fast Time (short

duration) weighting

LAFD Los Angeles Fire Department

**LAHD** Los Angeles Harbor Department **LAPD** Los Angeles Police Department

**LARWQCB** California Regional Water Quality Control Board, Los Angeles

Region

LA&SP Los Angeles and San Pedro Railroad LAXT Los Angeles Export Terminal, Inc.

LBE Long Beach Energy

**LBHD** Long Beach Harbor Department

**LCFS** Low Carbon Fuel Standard

**LCP** Local Coastal Plan Ldn day/night noise level

**LEDPA** least environmentally damaging practicable alternative

**LEED** Leadership in Energy and Environmental Design

Leq equivalent sound level **LEV** Low Emissions Vehicle

Lawrence Headley & Associates LH&A

LHW lower high water LLW lower low water

LNAPL light non-aqueous phase liquid

LNG liquefied natural gas

**LORS** Laws, Ordinances, Regulations, and Standards

LOS Level of Service LPG liquid propane gas **LSFO** low sulfur fuel oil

LU Land Use meter m

 $m^2$ square meters  $m^3$ cubic meters

m/s meters per second

**MAOP** maximum allowable operating pressure MARAD United States Maritime Administration

International Convention for the Prevention of Pollution from MARPOL

Ships

**MARSEC** Maritime Security

**MATES II** Multiple Air Toxics Exposure Study II MATES III Multiple Air Toxics Exposure Study III

MAX Municipal Area Express mby million barrels per year

MCE Maximum Credible Earthquake
MCL maximum contaminant level

MDO marine distillate oil or marine diesel oil

μg/L micrograms per liter

μg/m<sup>3</sup> micrograms per cubic meter

μm micrometers

mcy million cubic yards

mg/kg milligrams per kilogram

mg/l milligrams per liter

mgd million gallons per day

MICR maximum individual cancer risk

MGO marine gas oil

MLLW mean lower low water

msl mean sea level

MM Mitigation Measure

MMPA Marine Mammal Protection Act

MMRP Mitigation Monitoring and Reporting Plan

mmscf million standard cubic feet

MOA Memorandum of Agreement

MOTEMS Marine Oil Terminal Engineering and Maintenance Standards

MOU Memorandum of Understanding

MPA Marine Protected Area or Maritime and Port Authority or Marine

Preservation Association

MPE maximum probable earthquake

MPO Metropolitan Planning Organization

MRZ Mineral Resource Zone

MSL mean sea level

MSRC Marine Spill Response Corporation

MTA Metropolitan Transportation Authority

MTBE methyl tertiary butyl ether

MTSA Maritime Transportation Security Act

**MVCS** Marine Vapor Control System **MVCU** Marine Vapor Combustion Unit

MWD Metropolitan Water District of Southern California

**NAAQS** National Ambient Air Quality Standards

NA not applicable

**NAGPRA** Native American Graves Protection and Repatriation Act

**NAHC** Native American Heritage Commission

**NAPL** non-aqueous phase liquids

NAS National Academy of Sciences

National Register National Register of Historic Places **NEPA** National Environmental Policy Act

**NFPA** National Fire Protection Act

National Historic Preservation Act **NHPA** 

nautical mile nm

National Marine Fisheries Service **NMFS** 

NNI No Net Increase  $NO_2$ nitrogen dioxide

NOAA National Oceanic and Atmospheric Administration

NOI Notice of Intent

NOI/NOP Notice of Intent/Notice of Preparation

**NOP** Notice of Preparation

NOP/IS Notice of Preparation/Initial Study

NOS National Ocean Service

 $NO_{x}$ nitrogen oxides

**NPDES** National Pollutant Discharge Elimination System

**NPS** non-point source

**NRC** National Response Center

**NRHP** National Register of Historic Places

NTU nephelometric turbidity units

NYK Nippon Yusen Kaisha

 $O_3$ ozone

OCC **Operations Control Center** 

**OCIMF** Oil Companies International Marine Forum

**OEHHA** Office of Environmental Health Hazard Assessment OGV ocean going vessel

OHP Office of Historic Preservation

OFI Operations, Facilities and Infrastructure

OLE Operational Level Earthquake

OPA Oil Pollution Act

OPR Governor's Office of Planning and Research

OPS Office of Public Safety
OSC On-Scene Coordinator
OSCP Oil Spill Contingency Plan

OSHA Office Health & Safety Administration
OSPR Office of Spill Prevention and Response

OSRO Oil Spill Removal Organization

OSRP Oil Spill Response Plan
OSRV oil spill response vessel

PAH polynuclear aromatic hydrocarbon
PCAC Port Community Advisory Committee

PCBs polychlorinated biphenyls
PCE passenger car equivalent
PCH Pacific Coast Highway
PCP pentachlorophenol

PE Pacific Energy Partners, L.P.

PERP Portable Equipment Registration Program

PF public facility
PFC perfluorocarbon

pH hydrogen ion concentration

PHGA peak horizontal ground acceleration

PIANC Port International Navigation Association

Plains Plains All American Pipeline, L.P.

PLAMT Pacific Los Angeles Marine Terminal LLC

PLC programmable logic controller

PM particulate matter

 $PM_{2.5}$  particulate matter less than 2.5 microns in diameter  $PM_{10}$  particulate matter less than 10 microns in diameter

PMP Port of Los Angeles Master Plan

POLB Port of Long Beach
Port Port of Los Angeles

Port Plan Port of Los Angeles Plan

Port Police Los Angeles Harbor Department Police

PORTS Physical Oceanographic Real Time System

ppm parts per million

ppmv parts per million by volume

ppt parts per thousand

PRC Public Resources Code

PRG Preliminary Remediation Goal

Proposed Project Proposed Pacific Los Angeles Marine Terminal Crude Oil Marine

Terminal, Tank Farm Facilities, and Pipelines Project

psi pounds per square inch

psia pounds per square inch at atmospheric pressure

PTC Permit to Construct
PTO Permit to Operate

QC/QDs Quick Connect/Disconnect Couplers

[Q]M3 Qualified Industrial Zone

RCP Regional Comprehensive Plan

RCPG Regional Comprehensive Plan and Guide RCRA Resource Conservation and Recovery Act

REL reference exposure level
RFP Request for Proposals
RHA Rivers and Harbors Act

RIMS II Regional Input-Output Modeling System

RMP Risk Management Plan

RNA Regulated Navigation Area
ROC reactive organic compound

ROD Record of Decision

ROG reactive organic gas

ROI region of influence

rpm revolutions per minute

RSPA Research and Special Programs Administration

RTG rubber-tired gantry

RTP Regional Transportation Plan

RWQCB Regional Water Quality Control Board

SAIC Science Applications International Corporation

SAR Service Advisory Request

SB Senate Bill

SCAB South Coast Air Basin

SCADA Supervisory Control and Data Acquisition

SCAG Southern California Association of Governments
SCAQMD South Coast Air Quality Management District

SCCIC South Central Coast Information Center

scf standard cubic foot

SCGC Southern California Gas Company

SCP Source Control Program

SCR Selective Catalytic Reduction
SEA Significant Ecological Area
SEDAB Southeast Desert Air Basin

SEIS/SEIR Supplemental Environmental Impact Statement/Subsequent

**Environmental Impact Report** 

SES Sound Energy Solutions

sf square feet

SF<sub>6</sub> sulfur hexafluoride

SHPO State Historic Preservation Officer

SIOSC State Interagency Oil Spill Committee

SIP State Implementation Plan

SMARA Surface Mining and Reclamation Act of 1975

SO<sub>2</sub> sulfur dioxide SO<sub>x</sub> sulfur oxides

SOLAS Safety of Life at Sea

SPB San Pedro Bay

SPBP CAAP San Pedro Bay Ports Clean Air Action Plan

SPCC Spill Prevention, Control, and Countermeasures

SPRR South Pacific Railroad

SPTC Southern Pacific Transport Company

Sq ft square foot
Sq m square meter
Sq mi square mile

Sq mi/acre square mile per acre

SR State Route

SR 47 Terminal Island Freeway
SRA Source Receptor Areas

SSA Stevedoring Services of America

SSO Ship Security Officer

STARS Spill Response Team Area Responders

SVOC semivolatile organic compound

SUSMP Standard Urban Stormwater Mitigation Plan

SWPPP Stormwater Pollution Prevention Plan
SWRCB State Water Resources Control Board

TAC toxic air contaminant

TBT tributyltin

TCY Temporary Construction Yard
TDML Total Daily Maximum Load

TEU twenty-foot equivalent unit (intermodal shipping container)

THUMS Texaco, Humble, Union, Mobil, and Shell

TIA Traffic Impact Analysis

TICTF Terminal Island Container Transfer Facility

TITP Terminal Island Treatment Plant

TMDL Total Maximum Daily Load

TMA transportation management association

TMP Traffic Management Plan

TNAP Traffic Noise Analysis Protocol
TPH total petroleum hydrocarbons

TPHd total petroleum hydrocarbons as diesel

TRB Transportation Research Board

TSS Traffic Separation Scheme

TWIC Transportation Worker Identification Credential

UBC Uniform Building Code

UFP ultrafine particles

ULCC Ultra Large Crude Carrier
ULSD Ultra Low Sulfur Diesel

UPS uninterruptible power system

U.S. United States

USACE United States Army Corps of Engineers

USC United States Code

USCG United States Coast Guard

USCIS United States Citizenship and Immigration Service

USDA United States Department of Agriculture

USDLC United States Department of Land Conservation
USEPA United States Environmental Protection Agency

USFWS United States Fish and Wildlife Service
USGBC United States Green Building Council

USGBC – LEED United States Green Building Council – Leadership in Energy and

**Environmental Design** 

USGS United States Geologic Survey
UWMP Urban Water Management Plan

V/C volume to capacity ratio

VDEC verified diesel emissions control

VDU Vapor Destruction Unit VHF very high frequency

VLCC Very Large Crude Carrier
VMC Visual Modification Classes

VMT Vehicle Miles Traveled

VOC volatile organic compounds

VP viewing position

VSP Vessel Security Plan
VSR Vessel Speed Reduction

VSRP Vessel Speed Reduction Program
VTIS Vessel Traffic Information System

VTS vessel traffic service

WDR Waste Discharge Requirement

WEFA Wharton Economic Forecasting Associates

WPA Works Progress Administration

WQS water quality standards

WRDA Water Resources Development Act

ZEV Zero Emissions Vehicle

ZIP Code Zoning Improvement Plan Code

**Glossary of Frequently Used Technical Terms** 

Term	Definition
Aframax	A class of vessels built to maximize shipping rates under the Average Freight
	Rate Assessment. Aframax tanker vessels carry about 700,000 bbl on average and draft 38-57 feet.
AMP	Alternative Maritime Power, also called shoreside power or cold ironing. The use of shoreside electrical generators, rather than auxiliary ship engines, to provide power for hoteling functions and other functions while the ship is at berth.
Barrel (bbl)	42 gallons.
Crude oil	"Unprocessed" oil that has been extracted from the subsurface. Also known as petroleum, crude oil varies in color from clear to black, and in viscosity from like water to almost solid. Note that the proposed Project would receive crude oil and partially refined crude oil; throughout the SEIS/SEIR these are referred to collectively as "crude oil" (as stated in Section 1.1.2).
HFO	Heavy Fuel Oil, the prevalent fuel used in nearly all marine vessels today. HFO has a worldwide average sulfur content of 2.7 percent by mass, but can range as high as 6 percent sulfur. Effective May 2005, an international convention limits the sulfur content of HFO to 4.5 percent.
Hoteling	The process in which vessels stay docked at the berth while cargo is offloaded and the ship is refueled. Typically involves the continued operation of auxiliary ship engines that are used to generate power to run lights, heating, air conditioning, and hot water for the ship and crew.
Lightering	A process consisting of transferring a portion of cargo from a large vessel ("lightered vessel") to a smaller vessel ("lightering vessel"). Typically lightering occurs when a large vessel can not come into port due to the limited bottom depth at the port. Thus the lightering vessel travels between the lightered vessel and the port to offload cargo.
MDO	Marine Distillate Oil, a marine vessel fuel with a worldwide average sulfur content of approximately 0.5 percent; also known as Marine Diesel Oil
MGO	Marine Gas Oil, a marine vessel fuel averaging 0.05 percent sulfur content.
MOTEMS	The Marine Oil Terminal Engineering and Maintenance Standards (Chapter 31F, Title 24, Part 2 California Code of Regulations), promulgated by the California State Lands Commission (CSLC) in 2004. MOTEMS are comprehensive standards for the design, construction, maintenance, inspection, and repair of petroleum marine terminals.
Panamax	A class of vessels that are the largest that can navigate through the locks of the Panama Canal. Panamax tankers carry about 350,000 bbl on average and draft 38-45 feet. In the Draft SEIS/SEIR, Panamax is usually used to denote oil or petroleum product tankers, although Panamax also applies to other types of vessels.
Pigging	A process that involves inserting a scraper or "pig" into a pipeline at a pig launcher point and retrieving it at a receiving point called a pig receiver or scraper trap; used to clean and inspect pipelines.
Suezmax	A class of vessels that are the largest that can navigate through the Suez Canal. Suezmax tankers carry about 1,000,000 bbl on average and draft 48-61 feet.
VLCC	Very Large Crude Carriers, a class of tanker vessels; carries about 2,000,000 bbl on average and drafts 62-75 feet.